

Supplemental Material S3. Imputation predictors for each outcome variable.

Imputation for Emotion Regulation variable at age 3

Variables in Multiple Imputation Model	Wave	Analysis Model	Correlates of Analysis Variables	Correlates of Missingness	% Non-Missing
Mood (temperament)	1		Yes		85.23
Irritability (temperament)	1		Yes		90.96
Regularity	1		Yes		89.58
Naming Vocabulary (Age 3)	2			Yes	80.03
Self-regulation (Age 3)	2		Yes	Yes	77.08
Emotion regulation (Age 5)	3	Yes	Yes		71.75
Emotion regulation (Age 7)	4	Yes	Yes	Yes	70.15
Child gender	1&2	Yes			91.09
OECD Poverty Indicator	1&2	Yes		Yes	99.39
SDQ Emotional Subscale Age 3	2	Yes		Yes	76.61
Respondent Age	2		Yes		81.01
SDQ Peer Subscale age 3	2	Yes			76.14
SDQ Conduct Subscale age 3	2		Yes		76.76
SDQ Hyperactivity Subscale age 3	2		Yes		76.03
SDQ Prosocial Subscale age 3	2		Yes		76.22
Parental Self Esteem	1		Yes		80.84
Respondent Ethnicity	1		Yes	Yes	96.14
Respondent in work	2		Yes	Yes	80.30
Respondent Marital Status	1		Yes	Yes	96.29
Illness/Problem during Pregnancy	1			Yes	96.10
Current Treatment for Depression	2			Yes	81.03
Lived apart from baby (until 9 months)	1		Yes		96.22

Imputation for Emotion regulation variable at age 5

Variables in Multiple Imputation Model	Wave	Analysis Model	Correlates of Analysis Variables	Correlates of Missingness	% Non-Missing
Mood (temperament)	1		Yes		85.23
Irritability (temperament)	1		Yes		90.96
Regularity	1		Yes		89.58
Naming Vocabulary (Age 3)	2		Yes		80.03
Naming Vocabulary (Age 5)	3		Yes	Yes	77.78
Self-regulation (Age 5)	3		Yes	Yes	76.78
Emotion regulation (Age 3)	2	Yes	Yes		69.43
Emotion regulation (Age 7)	4	Yes	Yes		70.15
Child gender	1&2	Yes	Yes		91.09
OECD Poverty Indicator	1&2	Yes	Yes		99.39
OECD Poverty Indicator	3		Yes	Yes	78.67
SDQ Emotional Subscale Age 3	2	Yes	Yes	Yes	76.61
SDQ Emotional Subscale Age 5	3	Yes	Yes		76.54
OECD Equivalised income	3		Yes		78.43
Respondent Gender	3		Yes		79.24
Respondent Age	3		Yes		79.23
SDQ Peer Subscale age 3	2	Yes	Yes		76.14
SDQ Peer Subscale age 5	3	Yes		Yes	76.49
SDQ Conduct Subscale age 5	3		Yes		76.64
SDQ Prosocial Subscale age 5	3		Yes		76.63
Parental Self Esteem	1		Yes		80.84
Rutter Malaise Inventory	1		Yes	Yes	92.51
Languages spoken at home	1			Yes	96.39
Respondent in work	3		Yes	Yes	79.24
Respondent Marital Status	3		Yes	Yes	78.91
Current Treatment for Depression	3		Yes		79.24
Lived apart from baby (until 9 months)	1		Yes		96.22
Longstanding Illness	3		Yes		78.82
Kessler K6 Distress Scale	3		Yes		74.49

Imputation for Emotion regulation variable at age 7

Variables in Multiple Imputation Model	Wave	Analysis Model	Correlates of Analysis Variables	Correlates of Missingness	% Non-Missing
Mood (temperament)	1		Yes		85.23
Irritability (temperament)	1		Yes		90.96
Regularity (temperament)	1		Yes	Yes	89.58
Naming Vocabulary (Age 3)	2		Yes	Yes	80.03
Naming Vocabulary (Age 5)	3		Yes	Yes	77.78
Self-regulation (Age 7)	4		Yes		70.14
Emotion regulation (Age 3)	2	Yes	Yes		69.43
Emotion regulation (Age 5)	3	Yes	Yes		71.75
Child gender	1&2	Yes	Yes		91.09
OECD Poverty Indicator	1&2	Yes	Yes		99.39
OECD Poverty Indicator	4		Yes		71.97
SDQ Emotional Subscale Age 3	2	Yes	Yes		76.61
SDQ Emotional Subscale Age 5	3	Yes	Yes		76.54
SDQ Emotional Subscale Age 7	4	Yes	Yes		69.91
OECD Equivalised income	4		Yes	Yes	71.08
Respondent Age	4		Yes		72.08
SDQ Peer Subscale age 3	2	Yes	Yes		76.14
SDQ Peer Subscale age 5	3	Yes	Yes	Yes	76.49
SDQ Peer Subscale age 7	4	Yes	Yes		69.95
SDQ Conduct Subscale age 7	4		Yes		70.06
SDQ Hyperactivity Subscale age 7	4		Yes		69.80
SDQ Prosocial Subscale age 7	4		Yes		70.08
Parental Self esteem	1		Yes		80.84
Rutter Malaise Inventory	1		Yes		92.51
Languages spoken at home	1			Yes	96.39
Respondent in work	4		Yes		72.08
Respondent Marital Status	4		Yes		71.73
Illness/Problem during Pregnancy	1		Yes	Yes	96.10
Current Treatment for Depression	4			Yes	72.04
Lived apart from baby (until 9 months)	1		Yes		96.22
Longstanding Illness	4		Yes		71.63
Kessler K6 Distress Scale	4		Yes		68.44

Imputation for Peer Problems variable at age 3

Variables in Multiple Imputation Model	Wave	Analysis Model	Correlates of Analysis Variables	Correlates of Missingness	% Non-Missing
Mood (temperament)	1		Yes		85.23
Irritability (temperament)	1		Yes		90.96
Regularity (temperament)	1		Yes		89.58
Naming Vocabulary (Age 3)	2		Yes		80.03
Self-regulation (Age 3)	2		Yes	Yes	77.78
Emotion regulation (Age 3)	2	Yes	Yes		69.43
Child gender	1&2	Yes	Yes		91.09
OECD Poverty Indicator	1&2	Yes	Yes		99.39
SDQ Emotional Subscale Age 3	2	Yes	Yes	Yes	76.61
Respondent Gender	2		Yes		81.02
Respondent Age	2		Yes		81.01
SDQ Peer Subscale age 5	3	Yes	Yes		76.49
SDQ Peer Subscale age 7	4	Yes	Yes		69.95
SDQ Peer Subscale age 11	5	Yes	Yes		66.57
SDQ Peer Subscale age 14	6	Yes	Yes		58.95
SDQ Conduct Subscale age 3	2		Yes	Yes	76.76
SDQ Hyperactivity Subscale age 3	2		Yes		76.03
SDQ Prosocial Subscale age 3	2		Yes		76.22
Parental Self Esteem	1		Yes		80.84
Rutter Malaise Inventory	1		Yes		92.51
Languages spoken at home	2		Yes		96.39
Respondent Ethnicity	2		Yes		96.14
Respondent in work	2		Yes		80.30
Respondent Marital Status	2		Yes		76.81
Illness/Problem during Pregnancy	1		Yes		96.10
Current Treatment for Depression	2		Yes		81.03
Lived apart from baby (until 9 months)	1		Yes		96.22
Longstanding Illness	2		Yes		80.30
Kessler K6 Distress Scale	2		Yes		71.59

Imputation for Peer Problems variable at age 5

Variables in Multiple Imputation Model	Wave	Analysis Model	Correlates of Analysis Variables	Correlates of Missingness	% Non-Missing
Mood (temperament)	1		Yes	Yes	85.23
Irritability (temperament)	1		Yes	Yes	90.96
Regularity (temperament)	1		Yes	Yes	89.58
Naming Vocabulary (Age 3)	2		Yes	Yes	80.03
Naming Vocabulary (Age 5)	3		Yes		77.78
Self-regulation (Age 3)	2		Yes		77.08
Self-regulation (Age 5)	3		Yes		76.78
Emotion regulation (Age 3)	2	Yes	Yes		69.43
Emotion regulation (Age 5)	3	Yes	Yes		71.75
Child gender	1&2	Yes	Yes		91.09
OECD Poverty Indicator	1&2	Yes	Yes	Yes	99.39
OECD Poverty Indicator	3		Yes	Yes	78.67
SDQ Emotional Subscale Age 3	2	Yes	Yes	Yes	76.61
SDQ Emotional Subscale Age 5	3	Yes	Yes		76.54
OECD Equivalised income	3		Yes		78.43
Respondent Gender	3		Yes	Yes	79.24
Respondent Age	3		Yes	Yes	96.39
SDQ Peer Subscale age 3	2	Yes	Yes	Yes	79.23
SDQ Peer Subscale age 7	4	Yes	Yes		69.95
SDQ Peer Subscale age 11	5	Yes	Yes		66.57
SDQ Peer Subscale age 14	6	Yes	Yes		58.95
SDQ Conduct Subscale age 5	3		Yes	Yes	76.64
SDQ Hyperactivity Subscale age 5	3		Yes		76.19
SDQ Prosocial Subscale age 5	3		Yes		76.63
Parental Self Esteem	1		Yes		80.84
Rutter Malaise Inventory	1		Yes		92.51
Languages spoken at home	1		Yes		96.39
Respondent Ethnicity	1		Yes	Yes	96.14
Respondent in work	3		Yes	Yes	79.24
Respondent Marital Status	3		Yes	Yes	78.91
Illness/Problem during Pregnancy	1		Yes		96.10
Current Treatment for Depression	3		Yes		79.24
Lived apart from baby (until 9 months)	1		Yes		96.22
Longstanding Illness	3		Yes		78.82
Kessler K6 Distress Scale	3		Yes	Yes	74.49

Imputation for Peer Problems variable at age 7

Variables in Multiple Imputation Model	Wave	Analysis Model	Correlates of Analysis Variables	Correlates of Missingness	% Non-Missing
Mood (temperament)	1		Yes		85.23
Irritability (temperament)	1		Yes		90.96
Regularity (temperament)	1		Yes		89.58
Naming Vocabulary (Age 3)	2		Yes		80.03
Naming Vocabulary (Age 5)	3		Yes	Yes	77.78
Self-regulation (Age 3)	2		Yes		77.08
Self-regulation (Age 5)	3		Yes	Yes	76.78
Self-regulation (Age 7)	4		Yes	Yes	70.14
Emotion regulation (Age 3)	2	Yes	Yes		69.43
Emotion regulation (Age 5)	3	Yes	Yes	Yes	71.75
Emotion regulation (Age 7)	4	Yes	Yes	Yes	70.15
Child gender	1&2	Yes	Yes		91.09
OECD Poverty Indicator	1&2	Yes	Yes	Yes	99.39
OECD Poverty Indicator	4		Yes	Yes	71.97
SDQ Emotional Subscale Age 3	2	Yes	Yes		76.61
SDQ Emotional Subscale Age 5	3	Yes	Yes	Yes	76.54
SDQ Emotional Subscale Age 7	4	Yes	Yes		69.91
OECD Equivalised income	4		Yes	Yes	71.08
Respondent Gender	4			Yes	72.08
Respondent Age	4		Yes	Yes	72.08
SDQ Peer Subscale age 3	2	Yes	Yes		76.14
SDQ Peer Subscale age 5	3	Yes	Yes	Yes	76.49
SDQ Peer Subscale age 11	5	Yes	Yes		66.57
SDQ Peer Subscale age 14	6	Yes	Yes		58.95
SDQ Conduct Subscale age 7	4		Yes		70.06
SDQ Hyperactivity Subscale age 7	4		Yes		69.80
SDQ Prosocial Subscale age 7	4		Yes	Yes	70.08
Parental Self esteem	1		Yes		80.84
Rutter Malaise Inventory	1		Yes		92.51
Languages spoken at home	1		Yes	Yes	96.39
Respondent Ethnicity	1		Yes		96.14
Respondent in work	4		Yes	Yes	72.08
Respondent Marital Status	4		Yes		71.73
Illness/Problem during Pregnancy	1		Yes		96.10
Current Treatment for Depression	4		Yes	Yes	72.04
Longstanding Illness	4		Yes		71.63
Kessler K6 Distress Scale	4		Yes		68.44

Imputation for Peer Problems variable at age 11

Variables in Multiple Imputation Model	Wave	Analysis Model	Correlates of Analysis Variables	Correlates of Missingness	% Non-Missing
Irritability (temperament)	1		Yes		90.96
Regularity (temperament)	1		Yes		89.58
Naming Vocabulary (Age 3)	2		Yes	Yes	80.03
Naming Vocabulary (Age 5)	3		Yes	Yes	77.78
Emotion regulation (Age 3)	2	Yes	Yes	Yes	69.43
Emotion regulation (Age 5)	3	Yes	Yes		71.75
Emotion regulation (Age 7)	4	Yes	Yes		70.15
Child gender	1&2	Yes	Yes		91.09
OECD Poverty Indicator	1&2	Yes	Yes	Yes	99.39
OECD Poverty Indicator	5		Yes	Yes	69.08
SDQ Emotional Subscale Age 3	2	Yes	Yes		76.61
SDQ Emotional Subscale Age 5	3	Yes	Yes	Yes	76.54
SDQ Emotional Subscale Age 7	4	Yes	Yes		69.91
SDQ Emotional Subscale Age 11	5	Yes	Yes		66.53
OECD Equivalised income	5		Yes	Yes	69.08
Respondent Gender	5		Yes		66.58
Respondent Age	5		Yes		66.58
SDQ Peer Subscale age 3	2	Yes	Yes		76.14
SDQ Peer Subscale age 5	3	Yes	Yes	Yes	76.49
SDQ Peer Subscale age 7	4	Yes	Yes		69.95
SDQ Peer Subscale age 14	6	Yes	Yes		58.95
SDQ Conduct Subscale age 11	5		Yes		66.54
SDQ Hyperactivity Subscale age 11	5		Yes		66.40
SDQ Prosocial Subscale age 11	5		Yes		66.58
Parental Self esteem	1		Yes		80.84
Rutter Malaise Inventory	1		Yes		92.51
Languages spoken at home	1			Yes	96.39
Respondent Ethnicity	1		Yes		96.14
Respondent in work	5		Yes	Yes	66.58
Respondent Marital Status	5		Yes	Yes	64.98
Illness/Problem during Pregnancy	1		Yes		96.10
Current Treatment for Depression	5		Yes	Yes	66.58
Lived apart from baby (until 9 months)	1		Yes		96.22
Longstanding Illness	5		Yes		66.04
Kessler K6 Distress Scale	5		Yes	Yes	60.86

Imputation for Peer Problems variable at age 14

Variables in Multiple Imputation Model	Wave	Analysis Model	Correlates of Analysis Variables	Correlates of Missingness	% Non-Missing
Irritability (temperament)	1		Yes		90.96
Regularity (temperament)	1		Yes		89.58
Naming Vocabulary (Age 3)	2		Yes	Yes	80.03
Naming Vocabulary (Age 5)	3		Yes		77.78
Self-regulation (Age 3)	3		Yes		77.08
Self-regulation (Age 5)	4		Yes		76.78
Self-regulation (Age 7)	5		Yes		70.14
Emotion regulation (Age 3)	2	Yes	Yes		69.43
Emotion regulation (Age 5)	3	Yes	Yes		71.75
Emotion regulation (Age 7)	4	Yes	Yes		70.15
Child gender	1&2	Yes	Yes		91.09
OECD Poverty Indicator	1&2	Yes	Yes		99.39
OECD Poverty Indicator	6		Yes		60.92
SDQ Emotional Subscale Age 3	2	Yes	Yes		76.61
SDQ Emotional Subscale Age 5	3	Yes	Yes		76.54
SDQ Emotional Subscale Age 7	4	Yes	Yes		69.91
SDQ Emotional Subscale Age 11	5	Yes	Yes		66.53
SDQ Emotional Subscale Age 14	6	Yes	Yes		58.92
OECD Equivalised income	6		Yes		60.92
Respondent Age	6		Yes		58.28
SDQ Peer Subscale age 3	2	Yes	Yes		76.14
SDQ Peer Subscale age 5	3	Yes	Yes		76.49
SDQ Peer Subscale age 7	4	Yes	Yes		69.95
SDQ Peer Subscale age 11	5	Yes	Yes		66.57
SDQ Conduct Subscale age 14	6		Yes		58.93
SDQ Hyperactivity Subscale age 14	6		Yes		58.90
SDQ Prosocial Subscale age 14	6		Yes		58.94
Parental Self esteem	1		Yes		80.84
Rutter Malaise Inventory	1		Yes		92.51
Respondent Ethnicity	1			Yes	96.14
Respondent in work	6		Yes		58.29
Respondent Marital Status	6		Yes		56.86
Illness/Problem during Pregnancy	1		Yes		96.10
Current Treatment for Depression	6		Yes		57.20
Lived apart from baby (until 9 months)	1		Yes		96.22
Longstanding Illness	6		Yes		57.19
Kessler K6 Distress Scale	6		Yes		53.92

Imputation for Emotional Problems variable age 3

Variables in Multiple Imputation Model	Wave	Analysis Model	Correlates of Analysis Variables	Correlates of Missingness	% Non-Missing
Mood (temperament)	1		Yes		85.23
Irritability (temperament)	1		Yes		90.96
Regularity (temperament)	1		Yes	Yes	89.58
Naming Vocabulary (Age 3)	2	Yes	Yes		80.03
Self-regulation (Age 3)	2		Yes		77.08
Emotion regulation (Age 3)	2	Yes	Yes		69.43
Child gender	1&2	Yes			91.09
OECD Poverty Indicator	1&2	Yes	Yes		99.39
SDQ Emotional Subscale Age 5	3	Yes	Yes		76.54
SDQ Emotional Subscale Age 7	4	Yes	Yes		69.91
SDQ Emotional Subscale Age 11	5	Yes	Yes		66.53
SDQ Emotional Subscale Age 14	6	Yes	Yes		58.92
Respondent Gender	2			Yes	81.02
Respondent Age	2		Yes		81.01
SDQ Peer Subscale age 3	2	Yes	Yes		76.14
SDQ Conduct Subscale age 3	2		Yes	Yes	76.76
SDQ Hyperactivity Subscale age 3	2		Yes	Yes	76.03
SDQ Prosocial Subscale age 3	2		Yes		76.22
Parental Self esteem	1		Yes		80.84
Rutter Malaise Inventory	1		Yes		92.51
Languages spoken at home	1		Yes	Yes	96.39
Respondent Ethnicity	1		Yes		96.14
Respondent in work	2		Yes	Yes	80.30
Respondent Marital Status	2			Yes	76.81
Illness/Problem during Pregnancy	1		Yes	Yes	96.10
Current Treatment for Depression	2		Yes		81.03
Lived apart from baby (until 9 months)	1		Yes		96.22
Longstanding Illness	2		Yes		80.30
Kessler K6 Distress Scale	2		Yes		71.59

Imputation for Emotional Problems variable age 5

Variables in Multiple Imputation Model	Wave	Analysis Model	Correlates of Analysis Variables	Correlates of Missingness	% Non-Missing
Mood (temperament)	1		Yes	Yes	85.23
Irritability (temperament)	1		Yes	Yes	90.96
Approach/withdrawal (temperament)	1		Yes		67.36
Regularity (temperament)	1		Yes	Yes	89.58
Adaptability (temperament)	1		Yes		78.52
Maternal Attachment	1		Yes		79.54
Naming Vocabulary (Age 3)	2	Yes	Yes	Yes	80.03
Naming Vocabulary (Age 5)	3		Yes	Yes	77.78
Self-regulation (Age 3)	2		Yes	Yes	77.08
Self-regulation (Age 5)	3		Yes	Yes	76.78
Emotion regulation (Age 3)	2	Yes	Yes		69.43
Emotion regulation (Age 5)	3	Yes	Yes		71.75
Child gender	1&2	Yes	Yes		91.09
OECD Poverty Indicator	1&2	Yes	Yes		99.39
OECD Poverty Indicator	3		Yes	Yes	78.67
SDQ Emotional Subscale Age 3	2	Yes	Yes	Yes	76.61
SDQ Emotional Subscale Age 7	4	Yes	Yes		69.91
SDQ Emotional Subscale Age 11	5	Yes	Yes		66.53
SDQ Emotional Subscale Age 14	6	Yes	Yes		58.92
OECD Equivalised income	3		Yes	Yes	78.43
Respondent Age	3		Yes		79.23
SDQ Peer Subscale age 3	2	Yes	Yes		76.14
SDQ Peer Subscale age 5	3	Yes	Yes		76.49
SDQ Conduct Subscale age 5	3		Yes	Yes	76.64
SDQ Hyperactivity Subscale age 5	3		Yes		76.19
SDQ Prosocial Subscale age 5	3		Yes		76.63
Parental Self esteem	1		Yes		80.84
Rutter Malaise Inventory	1		Yes		92.51
Languages spoken at home	1		Yes		96.39
Respondent Ethnicity	1		Yes		96.14
Respondent in work	3		Yes		79.24
Respondent Marital Status	3		Yes	Yes	78.91
Illness/Problem during Pregnancy	1		Yes		96.10
Current Treatment for Depression	3		Yes		79.24
Lived apart from baby (until 9 months)	1		Yes		96.22
Longstanding Illness	3		Yes		78.82
Kessler K6 Distress Scale	3		Yes		74.49

Imputation for Emotional Problems variable age 7

Variables in Multiple Imputation Model	Wave	Analysis Model	Correlates of Analysis Variables	Correlates of Missingness	% Non-Missing
Mood (temperament)	1		Yes		85.23
Irritability (temperament)	1		Yes		90.96
Regularity (temperament)	1		Yes		89.58
Naming Vocabulary (Age 3)	2	Yes	Yes	Yes	80.03
Naming Vocabulary (Age 5)	3		Yes	Yes	77.78
Self-regulation (Age 3)	2		Yes	Yes	77.08
Self-regulation (Age 5)	3		Yes	Yes	76.78
Self-regulation (Age 7)	4		Yes		70.14
Emotion regulation (Age 3)	2	Yes	Yes		69.43
Emotion regulation (Age 5)	3	Yes	Yes		71.75
Emotion regulation (Age 7)	4	Yes	Yes		70.15
Child gender	1&2	Yes			91.09
OECD Poverty Indicator	1&2	Yes	Yes		99.39
OECD Poverty Indicator	4		Yes	Yes	71.97
SDQ Emotional Subscale Age 3	2	Yes	Yes	Yes	76.61
SDQ Emotional Subscale Age 5	3	Yes	Yes	Yes	76.54
SDQ Emotional Subscale Age 11	5	Yes	Yes		66.53
SDQ Emotional Subscale Age 14	6	Yes	Yes		58.92
OECD Equivalised income	4		Yes		71.08
Respondent Age	4		Yes		72.08
SDQ Peer Subscale age 3	2	Yes	Yes		76.14
SDQ Peer Subscale age 5	3	Yes	Yes	Yes	76.49
SDQ Peer Subscale age 7	4	Yes	Yes		69.95
SDQ Conduct Subscale age 7	4		Yes		70.06
SDQ Hyperactivity Subscale age 7	4		Yes	Yes	69.80
SDQ Prosocial Subscale age 7	4		Yes		70.08
Parental Self esteem	1		Yes		80.84
Rutter Malaise Inventory	1		Yes		92.51
Languages spoken at home	1		Yes	Yes	96.39
Respondent in work	4		Yes		72.08
Respondent Marital Status	4		Yes		71.73
Illness/Problem during Pregnancy	1		Yes		96.10
Current Treatment for Depression	4		Yes	Yes	72.04
Lived apart from baby (until 9 months)	1		Yes		96.22
Longstanding Illness	4		Yes		71.63
Kessler K6 Distress Scale	4		Yes		68.44

Imputation for Emotional Problems variable age 11

Variables in Multiple Imputation Model	Wave	Analysis Model	Correlates of Analysis Variables	Correlates of Missingness	% Non-Missing
Mood (temperament)	1		Yes		85.23
Irritability (temperament)	1		Yes		90.96
Regularity (temperament)	1		Yes		89.58
Parenting beliefs	1				
Naming Vocabulary (Age 3)	2	Yes	Yes		80.03
Naming Vocabulary (Age 5)	3		Yes		77.78
Self-regulation (Age 3)	2		Yes		77.08
Self-regulation (Age 5)	3		Yes		76.78
Self-regulation (Age 7)	4		Yes		70.14
Emotion regulation (Age 3)	2	Yes	Yes		69.43
Emotion regulation (Age 5)	3	Yes	Yes		71.75
Emotion regulation (Age 7)	4	Yes	Yes		70.15
Child gender	1&2	Yes	Yes	Yes	91.09
OECD Poverty Indicator	1&2	Yes	Yes	Yes	99.39
OECD Poverty Indicator	5		Yes	Yes	69.08
SDQ Emotional Subscale Age 3	2	Yes	Yes		76.61
SDQ Emotional Subscale Age 5	3	Yes	Yes		76.54
SDQ Emotional Subscale Age 7	4	Yes	Yes	Yes	69.91
SDQ Emotional Subscale Age 14	6	Yes	Yes		58.92
OECD Equivalised income	5		Yes	Yes	69.08
Respondent Gender	5			Yes	66.58
Respondent Age	5		Yes		66.58
SDQ Peer Subscale age 3	2	Yes	Yes		76.14
SDQ Peer Subscale age 5	3	Yes	Yes		76.49
SDQ Peer Subscale age 7	4	Yes	Yes		69.95
SDQ Peer Subscale age 11	5	Yes	Yes		66.57
SDQ Conduct Subscale age 11	5		Yes		66.54
SDQ Hyperactivity Subscale age 11	5		Yes		66.40
SDQ Prosocial Subscale age 11	5		Yes		66.58
Parental Self Esteem	1		Yes		80.84
Rutter Malaise Inventory	1		Yes		92.51
Languages spoken at home	1			Yes	96.39
Respondent Ethnicity	1		Yes		96.14
Respondent in work	5		Yes	Yes	66.58
Respondent Marital Status	5		Yes	Yes	
Illness/Problem during Pregnancy	1		Yes		96.10
Current Treatment for Depression	5		Yes	Yes	66.58
Lived apart from baby (until 9 months)	1		Yes		96.22
Longstanding Illness	5		Yes	Yes	66.04
Kessler K6 Distress Scale	5		Yes	Yes	60.86

Imputation for Emotional Problems variable age 14

Variables in Multiple Imputation Model	Wave	Analysis Model	Correlates of Analysis Variables	Correlates of Missingness	% Non-Missing
Mood (temperament)	1		Yes		85.23
Irritability (temperament)	1		Yes		90.96
Regularity (temperament)	1		Yes		89.58
Naming Vocabulary (Age 3)	2	Yes	Yes	Yes	80.03
Naming Vocabulary (Age 5)	3		Yes		77.78
Self-regulation (Age 3)	2		Yes		77.08
Self-regulation (Age 5)	3		Yes		76.78
Self-regulation (Age 7)	4		Yes		70.14
Emotion regulation (Age 3)	2	Yes	Yes		69.43
Emotion regulation (Age 5)	3	Yes	Yes		71.75
Emotion regulation (Age 7)	4	Yes	Yes		70.15
Child gender	1&2	Yes	Yes		91.09
OECD Poverty Indicator	1&2	Yes	Yes		99.39
OECD Poverty Indicator	6		Yes		60.92
SDQ Emotional Subscale Age 3	2	Yes	Yes		76.61
SDQ Emotional Subscale Age 5	3	Yes	Yes		76.54
SDQ Emotional Subscale Age 7	4	Yes	Yes		69.91
SDQ Emotional Subscale Age 11	5	Yes	Yes		66.53
OECD Equivalised income	6		Yes		60.92
Respondent Age	6		Yes		58.28
SDQ Peer Subscale age 3	2	Yes	Yes		76.14
SDQ Peer Subscale age 5	3	Yes	Yes		76.49
SDQ Peer Subscale age 7	4	Yes	Yes		69.95
SDQ Peer Subscale age 11	5	Yes	Yes		66.57
SDQ Peer Subscale age 14	6	Yes	Yes	Yes	58.95
SDQ Conduct Subscale age 14	6		Yes	Yes	58.93
SDQ Hyperactivity Subscale age 14	6		Yes		58.90
SDQ Prosocial Subscale age 14	6		Yes		58.94
Parental Self Esteem	1		Yes		80.84
Rutter Malaise Inventory	1		Yes		92.51
Languages spoken at home	1			Yes	96.39
Respondent Ethnicity	1			Yes	96.14
Respondent in work	6		Yes		58.29
Respondent Marital Status	6		Yes		56.86
Illness/Problem during Pregnancy	1		Yes		96.10
Current Treatment for Depression	6		Yes		57.20
Longstanding Illness	6		Yes		57.19
Kessler K6 Distress Scale	6		Yes		53.92