

Supplemental Material S2. Observations of oral intake interrater reliability across all dyads.

Rater Dyad	Number of Swallows	Nasal Regurgitation	Anterior Labial Leakage	Cough	Throat Clear	Wet Vocal Quality
A & B	0.98	100%	100%	100%	96%	100%
A & C	0.98	100%	100%	100%	100%	100%
A & D	0.96	100%	100%	100%	96%	91%
A & E	0.98	100%	100%	100%	100%	100%
A & F	0.98	100%	100%	100%	100%	96%
A & G	0.97	100%	100%	100%	96%	86%
B & C	0.99	100%	100%	100%	96%	100%
B & D	0.99	100%	100%	100%	100%	91%
B & E	0.95	100%	100%	100%	96%	100%
B & F	0.99	100%	100%	100%	96%	96%
B & G	0.95	100%	100%	100%	96%	82%
C & D	0.99	100%	100%	100%	100%	91%
C & E	0.96	100%	100%	100%	100%	100%
C & F	0.99	100%	100%	100%	96%	96%
C & G	0.96	100%	100%	100%	100%	82%
D & E	0.93	100%	100%	100%	96%	91%
D & F	0.99	100%	100%	100%	96%	96%
D & G	0.93	100%	100%	100%	100%	82%
F & E	0.97	100%	100%	100%	100%	96%
G & E	0.98	100%	100%	100%	96%	82%
F & G	0.96	100%	100%	100%	96%	77%

Percent exact agreement used for all outcomes except number of swallows (ICCs). Raters A & B: PhD-level; Raters C, D, & E: Master’s level speech pathologists; Raters F & G: Master’s level students