

Supplemental Appendix C. Atypical and Typical Disfluencies (as a Proportion of Syllables) by Group and Condition

Condition	<i>M (SD)</i>			
	Atypical disfluencies/syllables		Typical disfluencies/syllables	
	AWNS	AWS	AWNS	AWS
Pretest baseline	0.01 (0.01)	0.07 (0.06)	0.04 (0.03)	0.05 (0.06)
Vigilance task	0.01 (0.01)	0.05 (0.06)	0.04 (0.03)	0.04 (0.05)
Dual spatial				
S2	0.01 (0.01)	0.05 (0.06)	0.04 (0.03)	0.05 (0.07)
S3	0.01 (0.01)	0.04 (0.05)	0.04 (0.03)	0.05 (0.07)
S4	0.01 (0.01)	0.04 (0.04)	0.05 (0.04)	0.04 (0.07)
L2	0.01 (0.01)	0.04 (0.05)	0.04 (0.03)	0.05 (0.07)
L3	0.01 (0.01)	0.05 (0.07)	0.04 (0.03)	0.04 (0.06)
L4	0.01 (0.01)	0.05 (0.05)	0.04 (0.03)	0.05 (0.08)
Dual verbal				
S2	0.01 (0.01)	0.05 (0.05)	0.04 (0.03)	0.05 (0.06)
S3	0.01 (0.01)	0.05 (0.07)	0.04 (0.03)	0.05 (0.08)
S4	0.01 (0.01)	0.04 (0.05)	0.04 (0.03)	0.05 (0.09)
L2	0.01 (0.01)	0.05 (0.06)	0.04 (0.03)	0.05 (0.08)
L3	0.01 (0.01)	0.04 (0.07)	0.04 (0.03)	0.05 (0.07)
L4	0.01 (0.01)	0.05 (0.06)	0.04 (0.03)	0.05 (0.07)
Posttest baseline	0.01 (0.01)	0.06 (0.07)	0.04 (0.02)	0.04 (0.05)

Note. AWNS = adults who do not stutter; AWS = adults who stutter; S = short ISI (1000 ms); L = long ISI (3000 ms); 2, 3, 4 = WM load.