

Supplemental Material S1. Citations of included review studies.

1	Adam, O., Mac Donald, C. L., Rivet, D., Ritter, J., May, T., Barefield, M., Duckworth, J., LaBarge, D., Asher, D., Drinkwine, B., Woods, Y., Connor, M., & Brody, D. L. (2015). Clinical and imaging assessment of acute combat mild traumatic brain injury in Afghanistan. <i>Neurology</i> , 85(3), 219-227. https://doi.org/10.1212/wnl.0000000000001758
2	Arfanakis, K., Haughton, V. M., Carew, J. D., Rogers, B. P., Dempsey, R. J., & Meyerand, M. E. (2002). Diffusion tensor MR imaging in diffuse axonal injury. <i>American Journal of Neuroradiology</i> , 23(5), 794-802.
3	Berisha, V., Wang, S., LaCross, A., Liss, J., & Garcia-Filion, P. (2017). Longitudinal changes in linguistic complexity among professional football players. <i>Brain and Language</i> , 169, 57-63. https://doi.org/10.1016/j.bandl.2017.02.003
4	Chabok, S. Y., Kapourchali, S. R., Leili, E. K., Saberi, A., & Mohtasham-Amiri, Z. (2012). Effective factors on linguistic disorder during acute phase following traumatic brain injury in adults. <i>Neuropsychologia</i> , 50(7), 1444-1450. https://doi.org/10.1016/j.neuropsychologia.2012.02.029
5	Coelho, C., Ylvisaker, M., & Turkstra, L. S. (2005). Nonstandardized assessment approaches for individuals with traumatic brain injuries. <i>Seminars in Speech and Language</i> , 26(04), 223-241. https://doi.org/10.1055/s-2005-922102
6	Coles, J. P., Fryer, T. D., Smielewski, P., Rice, K., Clark, J. C., Pickard, J. D., & Menon, D. K. (2004). Defining ischemic burden after traumatic brain injury using 15O PET imaging of cerebral physiology. <i>Journal of Cerebral Blood Flow & Metabolism</i> , 24(2), 191-201. https://doi.org/10.1097/01.wcb.0000100045.07481.de
7	Cooper, D. B., Mercado-Couch, J. M., Critchfield, E., Kennedy, J., Vanderploeg, R. D., DeVillibis, C., & Gaylord, K. M. (2010). Factors influencing cognitive functioning following mild traumatic brain injury in OIF/OEF burn patients. <i>NeuroRehabilitation</i> , 26(3), 233-238. https://doi.org/10.3233/nre-2010-0559
8	Covassin, T., Elbin, R., Harris, W., Parker, T., & Kontos, A. (2012). The role of age and sex in symptoms, neurocognitive performance, and postural stability in athletes after concussion. <i>The American Journal of Sports Medicine</i> , 40(6), 1303-1312. https://doi.org/10.1177/0363546512444554
9	Croall, I. D., Cowie, C. J., He, J., Peel, A., Wood, J., Aribisala, B. S., Mitchell, P., Mendelow, A. D., Smith, F. E., Millar, D., Kelly, T., & Blamire, A. M. (2014). White matter correlates of cognitive dysfunction after mild traumatic brain injury. <i>Neurology</i> , 83(6), 494-501. https://doi.org/10.1212/wnl.0000000000000666
10	Dall'Acqua, P., Johannes, S., Mica, L., Simmen, H.-P., Glaab, R., Fandino, J., ... Hänggi, J. (2017). Functional and structural network recovery after mild traumatic brain injury: A 1-year longitudinal study. <i>Frontiers in Human Neuroscience</i> , 11, 1-16. https://doi.org/10.3389/fnhum.2017.00280
11	Daniell, B., Bernitt, C., Walton, S. R., Malin, S. K., & Resch, J. E. (2020). Changes in metabolism and caloric intake after sport concussion: A case series. <i>Translational Journal of the American College of Sports Medicine</i> , 5(12), 1-6. https://doi.org/10.1249/tjx.0000000000000129
12	De Guise, E., LeBlanc, J., Feyz, M., & Lamoureux, J. (2006). Prediction of outcome at discharge from acute care following traumatic brain injury. <i>Journal of Head Trauma Rehabilitation</i> , 21(6), 527-536. https://doi.org/10.1097/00001199-200611000-00007
13	De Monte, V. E., Geffen, G. M., & Massavelli, B. M. (2006). The effects of post-traumatic amnesia on information processing following mild traumatic brain injury. <i>Brain Injury</i> , 20(13-14), 1345-1354. https://doi.org/10.1080/080269905000108207
14	De Simoni, S., Grover, P. J., Jenkins, P. O., Honeyfield, L., Quest, R. A., Ross, E., Scott, G., Wilson, M. H., Majewska, P., Waldman, A. D., Patel, M. C., & Sharp, D. J. (2016). Disconnection between the default mode network and medial temporal lobes in post-traumatic amnesia. <i>Brain</i> , 139(12), 3137-3150. https://doi.org/10.1093/brain/aww241

15	Downing, M., Bragge, P., & Ponsford, J. (2018). Cognitive rehabilitation following traumatic brain injury: A survey of current practice in Australia. <i>Brain Impairment</i> , 20(1), 24–36. https://doi.org/10.1017/brimp.2018.12
16	Dreer, L. E., DeVivo, M. J., Novack, T. A., Krzywanski, S., & Marson, D. C. (2008). Cognitive predictors of medical decision-making capacity in traumatic brain injury. <i>Rehabilitation Psychology</i> , 53(4), 486–497. https://doi.org/10.1037/a0013798
17	Farace, E., & Alves, W. M. (2000). Do women fare worse: A metaanalysis of gender differences in traumatic brain injury outcome. <i>Journal of Neurosurgery</i> , 93(4), 539–545. https://doi.org/10.3171/jns.2000.93.4.0539
18	Feltrin, F. S., Zaninotto, A. L., Guirado, V. M., Macruz, F., Sakuno, D., Dalaqua, M., Magalhaes, L. G. A., Paiva, W. S., Andrade, A. F. D., Otaduy, M. C. G., & Leite, C. C. (2018). Longitudinal changes in brain volumetry and cognitive functions after moderate and severe diffuse axonal injury. <i>Brain Injury</i> , 32(11), 1413–1422. https://doi.org/10.1080/02699052.2018.1494852
19	Gauthier, S., Leblanc, J., Seresova, A., Laberge-Poirier, A., Correa, J. A., Alturki, A. Y., Marcoux, J., Maleki, M., Feyz, M., & De Guise, E. (2018). Acute prediction of outcome and cognitive-communication impairments following traumatic brain injury: The influence of age, education and site of lesion. <i>Journal of Communication Disorders</i> , 73, 77– 90. https://doi.org/10.1016/j.jcomdis.2018.04.003
20	Ghawami, H., Sadeghi, S., Raghbi, M., & Rahimi-Movaghar, V. (2016). Executive functioning of complicated-mild to moderate traumatic brain injury patients with frontal contusions. <i>Applied Neuropsychology: Adult</i> , 24(4), 299–307. https://doi.org/10.1080/23279095.2016.115707
21	Hawley, C., Sakr, M., Scapinello, S., Salvo, J., & Wrenn, P. (2017). Traumatic brain injuries in older adults– 6 years of data for one UK trauma centre: Retrospective analysis of prospectively collected data. <i>Emergency Medicine Journal</i> , 34(8), 509–516. https://doi.org/10.1136/emered-2016-206506
22	Hill, E., Claessen, M., Whitworth, A., Boyes, M., & Ward, R. (2018). Discourse and cognition in speakers with acquired brain injury (ABI): A systematic review. <i>International Journal of Language & Communication Disorders</i> , 53(4), 689–717. https://doi.org/10.1111/1460-6984.12394
23	Hobson, E., Lannin, N. A., Taylor, A., Farquhar, M., Morarty, J., & Unsworth, C. (2015). Determining client cognitive status following mild traumatic brain injury. <i>Scandinavian Journal of Occupational Therapy</i> , 23(2), 138–146. https://doi.org/10.3109/11038128.2015.1082622
24	Inoue, Y., Shiozaki, T., Tasaki, O., Hayakata, T., Ikegawa, H., Yoshiya, K., Fujinaka, T., Tanaka, H., Shimazu, & Sugimoto, H. (2005). Changes in cerebral blood flow from the acute to the chronic phase of severe head injury. <i>Journal of Neurotrauma</i> , 22(12), 1411–1418. https://doi.org/10.1089/neu.2005.22.1411
25	Johnson, L., Lundgren, K., Henrich, V., Phillips, S., (2020). Factors influencing recovery from mild traumatic brain injury. <i>Brain Injury</i> , 23, 1202–1212. https://doi.org/10.1080/02699052.2020.1795719
26	Johnston, J. J. (2007). The Galasko Report implemented: The role of emergency medicine in the management of head injuries. <i>European Journal of Emergency Medicine</i> , 14(3), 130–133. https://doi.org/10.1097/mej.0b013e32801219a6
27	Knollman-Porter, K., Constantinidou, F., Beardslee, J., Dailey, S. (2019). Multidisciplinary management of collegiate sports-related concussions. <i>Seminars in Speech and Language</i> , 40(01), 003–012. https://doi.org/10.1055/s-0038-1676363
28	Kushner, D. S., & Johnson-Greene, D. (2014). Changes in cognition and continence as predictors of rehabilitation outcomes in individuals with severe traumatic brain injury. <i>Journal of Rehabilitation Research and Development</i> , 51(7), 1057–1068. https://doi.org/10.1682/jrrd.2014.01.0002
29	Larres, D. T., Carr, W., Gonzales, E. G., & Hawley, J. S. (2016). The natural history of acute recovery of blast-induced mild traumatic brain injury: A case series during war. <i>Military Medicine</i> , 181(5S), 23–27. https://doi.org/10.7205/milmed-d-15-00152
30	LeBlanc, J., De Guise, E., Champoux, M., Couturier, C., Lamoureux, J., Marcoux, J., Maleki, M., & Feyz, M. (2014). Acute evaluation of conversational discourse skills in traumatic brain injury. <i>International</i>

	<i>Journal of Speech-Language Pathology</i> , 16(6), 582-593. https://doi.org/10.3109/17549507.2013.871335
31	Lee, B., Bennett, L. L., Bernick, C., Shan, G., & Banks, S. J. (2019). The relations among depression, cognition, and brain volume in professional boxers: A preliminary examination using brief clinical measures. <i>Journal of Head Trauma Rehabilitation</i> , 34(6). https://doi.org/10.1097/htr.0000000000000495
32	Lippa, S. M., Agbayani, K. A., Hawes, S., Jokic, E., & Caroselli, J. S. (2014). Effort in acute traumatic brain injury: Considering more than pass/fail. <i>Rehabilitation Psychology</i> , 59(3), 306-312. https://doi.org/10.1037/a0037217
33	Mayer, A. R., Ling, J., Mannell, M. V., Gasparovic, C., Phillips, J. P., Doezeema, D., Reichard, R., & Yeo, R. A. (2010). A prospective diffusion tensor imaging study in mild traumatic brain injury. <i>Neurology</i> , 74(8), 643-650. https://doi.org/10.1212/wnl.0b013e3181d0ccdd
34	McCrea, M., Guskiewicz, K., Doncevic, S., Helmick, K., Kennedy, J., Boyd, C., Asmussen, S., Ahn, K. W., Wang, Y., Hoelzle, J., & Jaffee, M. (2014). Day of injury cognitive performance on the military acute concussion evaluation (MACE) by U.S. military service members in OEF/OIF. <i>Military Medicine</i> , 179(9), 990-997. https://doi.org/10.7205/milmed-d-13-00349
35	McGlade, E., Rogowska, J., & Yurgelun-Todd, D. (2015). Sex differences in orbitofrontal connectivity in male and female veterans with TBI. <i>Brain Imaging and Behavior</i> , 9(3), 535-549. https://doi.org/10.1007/s11682-015-9379-3
36	McLafferty, F. S., Barmparas, G., Ortega, A., Roberts, P., Ko, A., Harada, M., Nuno, M., Black, K. L., & Ley, E. J. (2016). Predictors of improved functional outcome following inpatient rehabilitation for patients with traumatic brain injury. <i>NeuroRehabilitation</i> , 39(3), 423-430. https://doi.org/10.3233/nre-161373
37	McMahon, P. J., Hricik, A., Yue, J. K., Puccio, A. M., Inoue, T., Lingsma, H. F., Beers, S. R., Gordon, W. A., Valadka, A. B., Manley, G. T., Okonkwo, D. O., Casey, S. S., Cooper, S. R., Dames-O'Connor, K., Menon, D. K., Sorani, M. D., Yuh, E. L., Mukherjee, P., Schnyer, D. M., & Vassar, M. J. (2014). Symptomatology and functional outcome in mild traumatic brain injury: Results from the Prospective TRACK-TBI Study. <i>Journal of Neurotrauma</i> , 31(1), 26-33. https://doi.org/10.1089/neu.2013.2984
38	Miles, L., Grossman, R. I., Johnson, G., Babb, J. S., Diller, L., & Inglese, M. (2008). Short-term DTI predictors of cognitive dysfunction in mild traumatic brain injury. <i>Brain Injury</i> , 22(2), 115-122. https://doi.org/10.1080/02699050801888816
39	MRC Crash Trial Collaborators. (2008). Predicting outcome after traumatic brain injury: Practical prognostic models based on large cohort of international patients. <i>BMJ</i> , 336(7641), 425-429. https://doi.org/10.1136/bmj.39461.643438.25
40	Munivenkatappa, A., Agrawal, A., Shukla, D., Kumaraswamy, D., & Devi, B. (2016). Traumatic brain injury: Does gender influence outcomes? <i>International Journal of Critical Illness and Injury Science</i> , 6(2), 70-73. https://doi.org/10.4103/2229-5151.183024
41	Nakase-Richardson, R., Sherer, M., Seel, R. T., Hart, T., Hanks, R., Arango-Lasprilla, J. C., Yablon, S. A., Sander, A. M., Barnett, S. D., Walker, W. C., & Hammond, F. (2011). Utility of post-traumatic amnesia in predicting 1-year productivity following traumatic brain Injury: Comparison of the Russell and Mississippi PTA classification intervals. <i>Journal of Neurology, Neurosurgery & Psychiatry</i> , 82(5), 494-499. https://doi.org/10.1136/jnnp.2010.222489
42	Nakase-Thompson, R., Sherer, M., Yablon, S. A., Nick, T. G., & Trzepacz, P. T. (2004). Acute confusion following traumatic brain injury. <i>Brain Injury</i> , 18(2), 131-142. https://doi.org/10.1080/0269905031000149542
43	Niogi, S. N., & Mukherjee, P. (2010). Diffusion tensor imaging of mild traumatic brain injury. <i>Journal of Head Trauma Rehabilitation</i> , 25(4), 241-255. https://doi.org/10.1097/htr.0b013e3181e52c2a
44	Oehr, L., & Anderson, J. (2017). Diffusion-tensor imaging findings and cognitive function following hospitalized mixed-mechanism mild traumatic brain injury: A systematic review and meta-analysis.

	<i>Archives of Physical Medicine and Rehabilitation</i> , 98(11), 2308–2319. https://doi.org/10.1016/j.apmr.2017.03.019
45	Oertel, M., Boscardin, W. J., Obrist, W. D., Glenn, T. C., McArthur, D. L., Gravari, T., Lee, J. H., Martin, N. A. (2005). Posttraumatic vasospasm: The epidemiology, severity, and time course of an underestimated phenomenon: A prospective study performed in 299 patients. <i>Journal of Neurosurgery</i> , 103(5), 812-824. https://doi.org/10.3171/jns.2005.103.5.0812
46	Oh, H., & Seo, W. (2009). Functional and cognitive recovery of patients with traumatic brain injury. <i>Critical Care Nurse</i> , 29(4), 12-22. https://doi.org/10.4037/ccn2009279
47	O'Keefe, E., Kelly, E., Liu, Y., Giordano, C., Wallace, E., Hynes, M., ... Campbell, M. (2020). Dynamic blood–brain barrier regulation in mild traumatic brain injury. <i>Journal of Neurotrauma</i> , 37(2), 347–356. https://doi.org/10.1089/neu.2019.6483
48	Ponsford, J., Bayley, M., Wiseman-Hakes, C., Togher, L., Velikonja, D., McIntyre, A., Janzen, S., & Tate, R. (2014). INCOG recommendations for management of cognition following traumatic brain injury, part II. <i>Journal of Head Trauma Rehabilitation</i> , 29(4), 321–337. https://doi.org/10.1097/htr.0000000000000072
49	Ponsford, J., Janzen, S., McIntyre, A., Bayley, M., Velikonja, D., & Tate, R. (2014). INCOG recommendations for management of cognition following traumatic brain injury, part I. <i>Journal of Head Trauma Rehabilitation</i> , 29(4), 307–320. https://doi.org/10.1097/htr.0000000000000074
50	Rodríguez-Baeza, A., Torre, F. R.-D. L., Poca, A., Martí, M., & Garnacho, A. (2003). Morphological features in human cortical brain microvessels after head injury: A three-dimensional and immunocytochemical study. <i>The Anatomical Record Part A: Discoveries in Molecular, Cellular, and Evolutionary Biology</i> , 273A(1), 583–593. https://doi.org/10.1002/ar.a.10069
51	Rohling, M. L., Binder, L. M., Demakis, G. J., Larrabee, G. J., Ploetz, D. M., & Langhinrichsen-Rohling, J. (2011). A meta-analysis of neuropsychological outcome after mild traumatic brain injury: Re-analyses and reconsiderations of Binder et al. (1997), Frencham et al. (2005), and Pertab et al. (2009). <i>The Clinical Neuropsychologist</i> , 25(4), 608-623. https://doi.org/10.1080/13854046.2011.565076
52	Schumacher, R., Walder, B., Delhumeau, C., & Müri, R. M. (2016). Predictors of inpatient (neuro)rehabilitation after acute care of severe traumatic brain injury: An epidemiological study. <i>Brain Injury</i> , 30(10), 1186–1193. https://doi.org/10.1080/02699052.2016.1183821
53	Sherer, M., Yablon, S. A., & Nakase-Richardson, R. (2009). Patterns of recovery of posttraumatic confusional state in neurorehabilitation admissions after traumatic brain injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 90(10), 1749-1754. https://doi.org/10.1016/j.apmr.2009.05.011
54	Shores, E.A., Lammel, A., Hullick, C., Sheedy, J., Flynn, M., Levick, W., & Batchelor, J. (2008). The diagnostic accuracy of the Revised Westmead PTA scale as an adjunct to the Glasgow Coma Scale in the early identification of cognitive impairment in patients with mild traumatic brain injury. <i>Journal of Neurology, Neurosurgery & Psychiatry</i> , 79(10), 1100-1106. https://doi.org/10.1136/jnnp.2007.132571
55	Shumskaya, E., Andriessen, T. M., Norris, D. G., & Vos, P. E. (2012). Abnormal whole-brain functional networks in homogeneous acute mild traumatic brain injury. <i>Neurology</i> , 79(2), 175-182. https://doi.org/10.1212/wnl.0b013e31825f04fb
56	Smith, C., Gentleman, S. M., Leclercq, P. D., Murray, L. S., Griffin, W. S., Graham, D. I., & Nicoll, J. A. (2013). The neuroinflammatory response in humans after traumatic brain injury. <i>Neuropathology and Applied Neurobiology</i> , 39(6), 654–666. https://doi.org/10.1111/nan.12008
57	Smith, D. H., & Meaney, D. F. (2000). Axonal damage in traumatic brain injury. <i>The Neuroscientist</i> , 6(6), 483–495. https://doi.org/10.1177/107385840000600611
58	Steel, J., Ferguson, A., Spencer, E., & Togher, L. (2013). Speech pathologists' current practice with cognitive-communication assessment during post-traumatic amnesia: A survey. <i>Brain Injury</i> , 27(7-8), 819-830. https://doi.org/10.3109/02699052.2013.775492

59	Steel, J., Ferguson, A., Spencer, E., & Togher, L. (2016). Speech-language pathologists' perspectives on cognitive communication assessment during post-traumatic amnesia. <i>Brain Injury</i> , 30(9), 1131-1142. https://doi.org/10.1080/02699052.2016.1174785
60	Susman, M., Dirusso, S. M., Sullivan, T., Risucci, D., Nealon, P., Cuff, S., Haider, A. & Benzil, D. (2002). Traumatic brain injury in the elderly: Increased mortality and worse functional outcome at discharge despite lower injury severity. <i>Journal of Trauma</i> , 53(2), 219–224. https://doi.org/10.1097/00005373-200208000-00004
61	Sveen, U., Bautz-Holter, E., Sandvik, L., Alvsåker, K., & Røe, C. (2010). Relationship between competency in activities, injury severity, and post-concussion symptoms after traumatic brain injury. <i>Scandinavian Journal of Occupational Therapy</i> , 17(3), 225-232. https://doi.org/10.3109/11038120903171295
62	Tate, R. L., Godbee, K., & Sigmundsdottir, L. (2013). A systematic review of assessment tools for adults used in traumatic brain injury research and their relationship to the ICF. <i>NeuroRehabilitation</i> , 32(4), 729-750. https://doi.org/10.3233/nre-130898
63	Tate, R., Kennedy, M., Ponsford, J., Douglas, J., Velikonja, D., Bayley, M., & Stergiou-Kita, M. (2014). INCOG recommendations for management of cognition following traumatic brain injury, part III. <i>Journal of Head Trauma Rehabilitation</i> , 29(4), 338–352. https://doi.org/10.1097/htr.000000000000068
64	Tate, R. L., Perdices, M., Pfaff, A., & Jurjevic, L. (2001). Predicting duration of posttraumatic amnesia (PTA) from early PTA measurements. <i>Journal of Head Trauma Rehabilitation</i> , 16(6), 525-542. https://doi.org/10.1097/00001199-200112000-00002
65	Tate, R. L., Pfaff, A., Baguley, I. J., Marosszeky, J. E., Gurka, J. A., Hodgkinson, A. E., King, C., Lane-Brown, A. T., & Hanna, J. (2006). A multicentre, randomised trial examining the effect of test procedures measuring emergence from post-traumatic amnesia. <i>Journal of Neurology, Neurosurgery & Psychiatry</i> , 77(7), 841-849. https://doi.org/10.1136/jnnp.2005.074989
66	Togher, L., Wiseman-Hakes, C., Douglas, J., Stergiou-Kita, M., Ponsford, J., Teasell, R., Bayley, M., & Turkstra, L. S. (2014). INCOG recommendations for management of cognition following traumatic brain injury, part IV. <i>Journal of Head Trauma Rehabilitation</i> , 29(4), 353–368. https://doi.org/10.1097/htr.000000000000071
67	Turkstra, L., Ylvisaker, M., Coelho, C., Kennedy, M., Sohlberg, M. M., Avery, J., & Yorkston, K. (2005). Practice guidelines for standardized assessment for persons with traumatic brain injury. <i>Journal of Medical Speech-Language Pathology</i> , 13(2), 9–38. https://www.ancds.org/assets/docs/EBP/turkstra2005.pdf
68	Veksler, R., Vazana, U., Serlin, Y., Prager, O., Ofer, J., Shemen, N., ... Friedman, A. (2020). Slow blood-to-brain transport underlies enduring barrier dysfunction in American football players. <i>Brain</i> , 143(6), 1826–1842. https://doi.org/10.1093/brain/awaa140
69	Velikonja, D., Tate, R., Ponsford, J., McIntyre, A., Janzen, S., & Bayley, M. (2014). INCOG recommendations for management of cognition following traumatic brain injury, part V. <i>Journal of Head Trauma Rehabilitation</i> , 29(4), 369–386. https://doi.org/10.1097/htr.000000000000069
70	Vukovic, M., Vuksanovic, J., & Vukovic, I. (2008). Comparison of the recovery patterns of language and cognitive functions in patients with post-traumatic language processing deficits and in patients with aphasia following a stroke. <i>Journal of Communication Disorders</i> , 41(6), 531-552. https://doi.org/10.1016/j.jcomdis.2008.04.001
71	Weir, N., Doig, E. J., Fleming, J. M., Wiemers, A., & Zemljic, C. (2006). Objective and behavioural assessment of the emergence from post-traumatic amnesia (PTA). <i>Brain Injury</i> , 20(9), 927-935. https://doi.org/10.1080/02699050600832684
72	Wilcox, M. E., Brummel, N. E., Archer, K., Ely, E. W., Jackson, J. C., & Hopkins, R. O. (2013). Cognitive dysfunction in ICU patients: Risk factors, predictors, and rehabilitation interventions. <i>Critical Care Medicine</i> , 41, S81-98. https://doi.org/10.1097/ccm.0b013e3182a16946

73	Wright, M. J., & Schmitter-Edgecombe, M. (2011). The impact of verbal memory encoding and consolidation deficits during recovery from moderate-to-severe traumatic brain injury. <i>Journal of Head Trauma Rehabilitation</i> , 26(3), 182–191. https://doi.org/10.1097/htr.0b013e318218dcf9
74	Wu, Y.-C., Harezlak, J., Elsaid, N. M., Lin, Z., Wen, Q., Mustafi, S. M., Rikken, L. D., Koch, K. M., Nencka, A. S., Meier, T. B., Mayer, A. R., Wang, Y., Giza, C. C., DiFiori, J. P., Guskiewicz, K. M., Mihalik, J. P., LaConte, S. M., Duma, S. M., Broglio, S. P., ... McAllister, T. W. (2020). Longitudinal white-matter abnormalities in sports-related concussion. <i>Neurology</i> , 95(7). https://doi.org/10.1212/wnl.0000000000009930
75	Xydakis, M. S., Mulligan, L. P., Smith, A. B., Olsen, C. H., Lyon, D. M., & Belluscio, L. (2015). Olfactory impairment and traumatic brain injury in blast-injured combat troops: A cohort study. <i>Neurology</i> , 84(15), 1559–1567. https://doi.org/10.1212/wnl.0000000000001475