

**Supplemental Material S2.** Odds ratios (*ORs*) and corresponding 95% confidence intervals (*CI*) from multivariable-adjusted models of self-reported hearing loss stratified by sex. Estimates are weighted for the sampling design.

	Females	Males
	Odds ratio [95% CI]	Odds ratio [95% CI]
Age (per +1 year)	1.04 [1.03, 1.05]	1.07 [1.05, 1.08]
Race/ethnicity		
Non-Hispanic White	REF	REF
Non-Hispanic Black	0.50 [0.23, 1.06]	0.40 [0.12, 1.37]
Hispanic (any race)	1.10 [0.30, 4.04]	0.91 [0.40, 2.05]
Non-Hispanic other or biracial	1.05 [0.40, 2.75]	2.29 [1.21, 4.30]
Education (years)		
< 12	0.64 [0.28, 1.45]	1.75 [0.90, 3.41]
12–16	1.49 [1.06, 2.08]	0.96 [0.63, 1.46]
> 16	REF	REF
Occupational noise exposure	2.06 [1.38, 3.07]	3.00 [2.06, 4.37]
Recreational noise exposure	1.55 [1.06, 2.25]	1.67 [1.15, 2.43]
Number of chronic conditions		
0	REF	REF
1	1.38 [0.95, 2.01]	1.01 [0.68, 1.51]
2	2.16 [1.16, 4.03]	2.05 [1.02, 4.13]
3+	3.69 [1.71, 7.99]	0.47 [0.14, 1.54]
Healthy diet score		
Poor	1.08 [0.64, 1.82]	3.04 [1.78, 5.12]
Intermediate	0.79 [0.50, 1.24]	2.03 [1.10, 3.78]
Ideal	REF	REF