

Supplemental Material S7. Descriptive statistics CELF CLS across subgroups based on potential confounding factors in 16p11.2 CNVs.

		16p11.2DS	16p11.2Dup
Inheritance pattern	De novo		
	<i>n</i>	12	2
	<i>M (SD)</i>	67.25 (17.43)	68.50 (19.09)
	Median	60.50	68.50
	Range	55.00–113.00	55.00–82.00
	Inherited		
	<i>n</i>	3	2
	<i>M (SD)</i>	58.67 (4.04)	72.00 (22.63)
	Median	58.00	72.00
	Range	55.00–63.00	56.00–88.00
ASD diagnosis	ASD		
	<i>n</i>	10	7
	<i>M (SD)</i>	63.40 (8.90)	63.71 (14.65)
	Median	60.50	55.00
	Range	55.00–84.00	55.00–88.00
	No ASD		
	<i>n</i>	12	3
	<i>M (SD)</i>	65.58 (16.81)	66.67 (12.01)
	Median	58.50	66.00
	Range	55.00–113.00	55.00–79.00
ADHD diagnosis	ADHD		
	<i>n</i>	7	6
	<i>M (SD)</i>	62.00 (8.62)	62.50 (13.22)
	Median	58.00	55.50
	Range	55.00–76.00	55.00–88.00
	No ADHD		
	<i>n</i>	15	4
	<i>M (SD)</i>	65.80 (14.42)	67.75 (14.77)
	Median	61.00	67.00
	Range	55.00–113.00	55.00–82.00
Sex	Female		
	<i>n</i>	14	5
	<i>M (SD)</i>	66.57 (16.33)	62.80 (11.69)
	Median	60.00	56.00
	Range	55.00–113.00	55.00–82.00
	Male		
	<i>n</i>	9	5
	<i>M (SD)</i>	62.67 (7.07)	66.40 (15.93)
	Median	62.00	55.00
	Range	55.00–72.00	55.00–88.00
SES	High		
	<i>n</i>	9	2
	<i>M (SD)</i>	65.89 (10.61)	68.50 (19.09)
	Median	61.00	68.50
	Range	55.00–84.00	55.00–82.00

Middle		
<i>n</i>	12	5
<i>M (SD)</i>	65.17 (16.48)	66.40 (15.93)
Median	59.00	55.00
Range	55.00–113.00	55.00–88.00
Low		
<i>n</i>	2	3
<i>M (SD)</i>	60.50 (3.54)	59.00 (6.08)
Median	60.50	56.00
Range	58.00–63.00	55.00–66.00

Note. ASD = autism spectrum disorder; ADHD = attention-deficit/hyperactivity disorder, SES = socioeconomic status.