

Supplemental Material S22. Pairwise comparisons of normalized duration of neutral tone syllables groups (NH = 3, CI_Exp < 1, CI_Exp 1-2, CI_Exp 2-3, and CI_Exp 3-4).

Group difference	β	<i>SE</i>	<i>df</i>	<i>t</i>	<i>p</i>
NH = 3 – CI_Exp < 1	–0.35	0.16	169	–2.28	< .05*
NH = 3 – CI_Exp 1-2	–0.41	0.16	165	–2.16	< .05*
NH = 3 – CI_Exp 2-3	–0.43	0.40	176	–2.60	< .05*
NH = 3 – CI_Exp 3-4	–0.80	0.13	162	–5.98	< .001***
CI_Exp < 1 – CI_Exp 1-2	0.07	0.14	175	0.54	.984
CI_Exp < 1 – CI_Exp 2-3	0.11	0.39	178	0.28	.999
CI_Exp < 1 – CI_Exp 3-4	0.25	0.10	181	1.63	.052
CI_Exp 1-2 – CI_Exp 2-3	0.04	0.39	177	0.09	1.000
CI_Exp 1-2 – CI_Exp 3-4	0.27	0.11	167	1.40	.082
CI_Exp 2-3 – CI_Exp 3-4	0.24	0.38	178	1.18	.120

Note. NH = normal hearing; CI = cochlear implant.