

Past-Tense Marking Standard Score Conversion Tables: 5;0–5;5

Ages 5;0–5;5 (*N* = 65; boys = 33, girls = 32)

Confidence Intervals:

68% ± 1.86

90% ± 3.06

95% ± 3.65

Past-Tense Raw Score	Standard Score	Percentile	Past-Tense Raw Score	Standard Score	Percentile	Past-Tense Raw Score	Standard Score	Percentile
0	40	< 0.1	33	45	< 0.1	66	76	5
1	40	< 0.1	34	46	< 0.1	67	77	6
2	40	< 0.1	35	47	< 0.1	68	78	7
3	40	< 0.1	36	48	< 0.1	69	79	8
4	40	< 0.1	37	49	< 0.1	70	80	9
5	40	< 0.1	38	50	< 0.1	71	81	10
6	40	< 0.1	39	51	0.1	72	82	12
7	40	< 0.1	40	52	0.1	73	83	13
8	40	< 0.1	41	53	0.1	74	84	14
9	40	< 0.1	42	54	0.1	75	85	16
10	40	< 0.1	43	55	0.1	76	86	18
11	40	< 0.1	44	56	0.2	77	87	19
12	40	< 0.1	45	56	0.2	78	88	21
13	40	< 0.1	46	57	0.2	79	89	23
14	40	< 0.1	47	58	0.3	80	90	25
15	40	< 0.1	48	59	0.3	81	90	25
16	40	< 0.1	49	60	0.4	82	91	27
17	40	< 0.1	50	61	0.5	83	92	30
18	40	< 0.1	51	62	1	84	93	32
19	40	< 0.1	52	63	1	85	94	34
20	40	< 0.1	53	64	1	86	95	37
21	40	< 0.1	54	65	1	87	96	39
22	40	< 0.1	55	66	1	88	97	42
23	40	< 0.1	56	67	1	89	98	45
24	40	< 0.1	57	68	2	90	99	47
25	40	< 0.1	58	69	2	91	100	50
26	40	< 0.1	59	70	2	92	101	53
27	40	< 0.1	60	71	3	93	102	55

28	40	< 0.1	61	72	3	94	103	58
29	41	< 0.1	62	73	4	95	104	61
30	42	< 0.1	63	73	4	96	105	63
31	43	< 0.1	64	74	4	97	106	66
32	44	< 0.1	65	75	5	98	107	68
						99	107	68
						100	108	70

Past-Tense Marking Standard Score Conversion Tables: 5;6–5;11

Ages 5;6–5;11 (<i>N</i> = 92; boys = 47, girls = 45) Confidence Intervals: 68% ± 1.56 90% ± 2.57 95% ± 3.06								
Past-Tense Raw Score	Standard Score	Percentile	Past-Tense Raw Score	Standard Score	Percentile	Past-Tense Raw Score	Standard Score	Percentile
0	40	< 0.1	33	45	< 0.1	66	76	5
1	40	< 0.1	34	46	< 0.1	67	77	6
2	40	< 0.1	35	47	< 0.1	68	78	7
3	40	< 0.1	36	48	< 0.1	69	79	8
4	40	< 0.1	37	49	< 0.1	70	80	9
5	40	< 0.1	38	50	< 0.1	71	81	10
6	40	< 0.1	39	51	0.1	72	82	12
7	40	< 0.1	40	52	0.1	73	83	13
8	40	< 0.1	41	53	0.1	74	84	14
9	40	< 0.1	42	53	0.1	75	85	16
10	40	< 0.1	43	54	0.1	76	86	18
11	40	< 0.1	44	55	0.1	77	87	19
12	40	< 0.1	45	56	0.2	78	88	21
13	40	< 0.1	46	57	0.2	79	89	23
14	40	< 0.1	47	58	0.3	80	90	25
15	40	< 0.1	48	59	0.3	81	91	27
16	40	< 0.1	49	60	0.4	82	92	30
17	40	< 0.1	50	61	0.5	83	93	32
18	40	< 0.1	51	62	1	84	94	34

19	40	< 0.1	52	63	1	85	95	37
20	40	< 0.1	53	64	1	86	96	39
21	40	< 0.1	54	65	1	87	97	42
22	40	< 0.1	55	66	1	88	97	42
23	40	< 0.1	56	67	1	89	98	45
24	40	< 0.1	57	68	2	90	99	47
25	40	< 0.1	58	69	2	91	100	50
26	40	< 0.1	59	70	2	92	101	53
27	40	< 0.1	60	71	3	93	102	55
28	40	< 0.1	61	72	3	94	103	58
29	41	< 0.1	62	73	4	95	104	61
30	42	< 0.1	63	74	4	96	105	63
31	43	< 0.1	64	75	5	97	106	66
32	44	< 0.1	65	75	5	98	107	68
						99	108	70
						100	109	73

Past-Tense Marking Standard Score Conversion Tables: 6;0–6;5

Ages 6;0–6;5 (N = 106; boys = 46, girls = 60) Confidence Intervals: 68% ± 1.46 90% ± 2.40 95% ± 2.86								
Past-Tense Raw Score	Standard Score	Percentile	Past-Tense Raw Score	Standard Score	Percentile	Past-Tense Raw Score	Standard Score	Percentile
0	40	< 0.1	33	40	< 0.1	66	71	3
1	40	< 0.1	34	40	< 0.1	67	73	4
2	40	< 0.1	35	40	< 0.1	68	74	4
3	40	< 0.1	36	40	< 0.1	69	75	5
4	40	< 0.1	37	40	< 0.1	70	76	5
5	40	< 0.1	38	41	< 0.1	71	77	6
6	40	< 0.1	39	42	< 0.1	72	78	7
7	40	< 0.1	40	43	< 0.1	73	79	8
8	40	< 0.1	41	44	< 0.1	74	80	9
9	40	< 0.1	42	45	< 0.1	75	81	10

10	40	< 0.1	43	46	< 0.1	76	82	12
11	40	< 0.1	44	47	< 0.1	77	83	13
12	40	< 0.1	45	49	< 0.1	78	85	16
13	40	< 0.1	46	50	< 0.1	79	86	18
14	40	< 0.1	47	51	0.1	80	87	19
15	40	< 0.1	48	52	0.1	81	88	21
16	40	< 0.1	49	53	0.1	82	89	23
17	40	< 0.1	50	54	0.1	83	90	25
18	40	< 0.1	51	55	0.1	84	91	27
19	40	< 0.1	52	56	0.2	85	92	30
20	40	< 0.1	53	57	0.2	86	93	32
21	40	< 0.1	54	58	0.3	87	94	34
22	40	< 0.1	55	59	0.3	88	95	37
23	40	< 0.1	56	61	0.5	89	96	39
24	40	< 0.1	57	62	1	90	98	45
25	40	< 0.1	58	63	1	91	99	47
26	40	< 0.1	59	64	1	92	100	50
27	40	< 0.1	60	65	1	93	101	53
28	40	< 0.1	61	66	1	94	102	55
29	40	< 0.1	62	67	1	95	103	58
30	40	< 0.1	63	68	2	96	104	61
31	40	< 0.1	64	69	2	97	105	63
32	40	< 0.1	65	70	2	98	106	66
						99	107	68
						100	108	70

Past-Tense Marking Standard Score Conversion Tables: 6;6–6;11

Ages 6;6–6;11 (N = 141; boys = 80, girls = 61) Confidence Intervals: 68% ± 1.26 90% ± 2.07 95% ± 2.47								
Past-Tense Raw Score	Standard Score	Percentile	Past-Tense Raw Score	Standard Score	Percentile	Past-Tense Raw Score	Standard Score	Percentile
0	40	< 0.1	33	40	< 0.1	66	43	< 0.1

1	40	< 0.1
2	40	< 0.1
3	40	< 0.1
4	40	< 0.1
5	40	< 0.1
6	40	< 0.1
7	40	< 0.1
8	40	< 0.1
9	40	< 0.1
10	40	< 0.1
11	40	< 0.1
12	40	< 0.1
13	40	< 0.1
14	40	< 0.1
15	40	< 0.1
16	40	< 0.1
17	40	< 0.1
18	40	< 0.1
19	40	< 0.1
20	40	< 0.1
21	40	< 0.1
22	40	< 0.1
23	40	< 0.1
24	40	< 0.1
25	40	< 0.1
26	40	< 0.1
27	40	< 0.1
28	40	< 0.1
29	40	< 0.1
30	40	< 0.1
31	40	< 0.1
32	40	< 0.1
34	40	< 0.1
35	40	< 0.1
36	40	< 0.1
37	40	< 0.1
38	40	< 0.1
39	40	< 0.1
40	40	< 0.1
41	40	< 0.1
42	40	< 0.1
43	40	< 0.1
44	40	< 0.1
45	40	< 0.1
46	40	< 0.1
47	40	< 0.1
48	40	< 0.1
49	40	< 0.1
50	40	< 0.1
51	40	< 0.1
52	40	< 0.1
53	40	< 0.1
54	40	< 0.1
55	40	< 0.1
56	40	< 0.1
57	40	< 0.1
58	40	< 0.1
59	40	< 0.1
60	40	< 0.1
61	40	< 0.1
62	40	< 0.1
63	40	< 0.1
64	40	< 0.1
65	41	< 0.1
67	45	< 0.1
68	47	< 0.1
69	49	< 0.1
70	51	0.1
71	53	0.1
72	55	0.1
73	57	0.2
74	59	0.3
75	61	0.5
76	63	1
77	65	1
78	66	1
79	68	2
80	70	2
81	72	3
82	74	4
83	76	5
84	78	7
85	80	9
86	82	12
87	84	14
88	86	18
89	88	21
90	90	25
91	92	30
92	94	34
93	96	39
94	98	45
95	100	50
96	102	55
97	104	61
98	106	66
99	108	70
100	110	75

Past-Tense Marking Standard Score Conversion Tables: 7;0–7;5

Ages 7;0–7;5 ($N = 114$; boys = 55, girls = 59)

Confidence Intervals:

68% ± 1.40

90% ± 2.30

95% ± 2.74

Past-Tense Raw Score	Standard Score	Percentile	Past-Tense Raw Score	Standard Score	Percentile	Past-Tense Raw Score	Standard Score	Percentile
0	40	< 0.1	33	40	< 0.1	66	59	0.3
1	40	< 0.1	34	40	< 0.1	67	61	0.5
2	40	< 0.1	35	40	< 0.1	68	62	1
3	40	< 0.1	36	40	< 0.1	69	64	1
4	40	< 0.1	37	40	< 0.1	70	65	1
5	40	< 0.1	38	40	< 0.1	71	66	1
6	40	< 0.1	39	40	< 0.1	72	68	2
7	40	< 0.1	40	40	< 0.1	73	69	2
8	40	< 0.1	41	40	< 0.1	74	71	3
9	40	< 0.1	42	40	< 0.1	75	72	3
10	40	< 0.1	43	40	< 0.1	76	74	4
11	40	< 0.1	44	40	< 0.1	77	75	5
12	40	< 0.1	45	40	< 0.1	78	76	5
13	40	< 0.1	46	40	< 0.1	79	78	7
14	40	< 0.1	47	40	< 0.1	80	79	8
15	40	< 0.1	48	40	< 0.1	81	81	10
16	40	< 0.1	49	40	< 0.1	82	82	12
17	40	< 0.1	50	40	< 0.1	83	83	13
18	40	< 0.1	51	40	< 0.1	84	85	16
19	40	< 0.1	52	40	< 0.1	85	86	18
20	40	< 0.1	53	41	< 0.1	86	88	21
21	40	< 0.1	54	43	< 0.1	87	89	23
22	40	< 0.1	55	44	< 0.1	88	90	25
23	40	< 0.1	56	45	< 0.1	89	92	30
24	40	< 0.1	57	47	< 0.1	90	93	32
25	40	< 0.1	58	48	< 0.1	91	95	37
26	40	< 0.1	59	50	< 0.1	92	96	39
27	40	< 0.1	60	51	0.1	93	97	42

28	40	< 0.1	61	52	0.1	94	99	47
29	40	< 0.1	62	54	0.1	95	100	50
30	40	< 0.1	63	55	0.1	96	102	55
31	40	< 0.1	64	57	0.2	97	103	58
32	40	< 0.1	65	58	0.3	98	104	61
						99	106	66
						100	107	68

Past-Tense Marking Standard Score Conversion Tables: 7;6–7;11

Ages 7;6–7;11 (<i>N</i> = 81; boys = 46, girls = 35) Confidence Intervals: 68% ± 1.67 90% ± 2.74 95% ± 3.27								
Past-Tense Raw Score	Standard Score	Percentile	Past-Tense Raw Score	Standard Score	Percentile	Past-Tense Raw Score	Standard Score	Percentile
0	40	< 0.1	33	40	< 0.1	66	43	< 0.1
1	40	< 0.1	34	40	< 0.1	67	45	< 0.1
2	40	< 0.1	35	40	< 0.1	68	47	< 0.1
3	40	< 0.1	36	40	< 0.1	69	49	< 0.1
4	40	< 0.1	37	40	< 0.1	70	51	0.1
5	40	< 0.1	38	40	< 0.1	71	53	0.1
6	40	< 0.1	39	40	< 0.1	72	54	0.1
7	40	< 0.1	40	40	< 0.1	73	56	0.2
8	40	< 0.1	41	40	< 0.1	74	58	0.3
9	40	< 0.1	42	40	< 0.1	75	60	0.4
10	40	< 0.1	43	40	< 0.1	76	62	1
11	40	< 0.1	44	40	< 0.1	77	64	1
12	40	< 0.1	45	40	< 0.1	78	66	1
13	40	< 0.1	46	40	< 0.1	79	68	2
14	40	< 0.1	47	40	< 0.1	80	70	2
15	40	< 0.1	48	40	< 0.1	81	72	3
16	40	< 0.1	49	40	< 0.1	82	74	4
17	40	< 0.1	50	40	< 0.1	83	76	5
18	40	< 0.1	51	40	< 0.1	84	78	7

19	40	< 0.1	52	40	< 0.1	85	80	9
20	40	< 0.1	53	40	< 0.1	86	82	12
21	40	< 0.1	54	40	< 0.1	87	83	13
22	40	< 0.1	55	40	< 0.1	88	85	16
23	40	< 0.1	56	40	< 0.1	89	87	19
24	40	< 0.1	57	40	< 0.1	90	89	23
25	40	< 0.1	58	40	< 0.1	91	91	27
26	40	< 0.1	59	40	< 0.1	92	93	32
27	40	< 0.1	60	40	< 0.1	93	95	37
28	40	< 0.1	61	40	< 0.1	94	97	42
29	40	< 0.1	62	40	< 0.1	95	99	47
30	40	< 0.1	63	40	< 0.1	96	101	53
31	40	< 0.1	64	40	< 0.1	97	103	58
32	40	< 0.1	65	41	< 0.1	98	105	63
						99	107	68
						100	109	73

Past-Tense Marking Standard Score Conversion Tables: 8;0–8;5

Ages 8;0–8;5 (<i>N</i> = 84; boys = 40, girls = 44) Confidence Intervals: 68% ± 1.64 90% ± 2.69 95% ± 3.21								
Past-Tense Raw Score	Standard Score	Percentile	Past-Tense Raw Score	Standard Score	Percentile	Past-Tense Raw Score	Standard Score	Percentile
0	40	< 0.1	33	40	< 0.1	66	40	< 0.1
1	40	< 0.1	34	40	< 0.1	67	40	< 0.1
2	40	< 0.1	35	40	< 0.1	68	40	< 0.1
3	40	< 0.1	36	40	< 0.1	69	40	< 0.1
4	40	< 0.1	37	40	< 0.1	70	40	< 0.1
5	40	< 0.1	38	40	< 0.1	71	40	< 0.1
6	40	< 0.1	39	40	< 0.1	72	40	< 0.1
7	40	< 0.1	40	40	< 0.1	73	40	< 0.1
8	40	< 0.1	41	40	< 0.1	74	40	< 0.1
9	40	< 0.1	42	40	< 0.1	75	41	< 0.1

10	40	< 0.1	43	40	< 0.1	76	44	< 0.1
11	40	< 0.1	44	40	< 0.1	77	46	< 0.1
12	40	< 0.1	45	40	< 0.1	78	49	< 0.1
13	40	< 0.1	46	40	< 0.1	79	51	0.1
14	40	< 0.1	47	40	< 0.1	80	54	0.1
15	40	< 0.1	48	40	< 0.1	81	57	0.2
16	40	< 0.1	49	40	< 0.1	82	59	0.3
17	40	< 0.1	50	40	< 0.1	83	62	1
18	40	< 0.1	51	40	< 0.1	84	64	1
19	40	< 0.1	52	40	< 0.1	85	67	1
20	40	< 0.1	53	40	< 0.1	86	70	2
21	40	< 0.1	54	40	< 0.1	87	72	3
22	40	< 0.1	55	40	< 0.1	88	75	5
23	40	< 0.1	56	40	< 0.1	89	78	7
24	40	< 0.1	57	40	< 0.1	90	80	9
25	40	< 0.1	58	40	< 0.1	91	83	13
26	40	< 0.1	59	40	< 0.1	92	85	16
27	40	< 0.1	60	40	< 0.1	93	88	21
28	40	< 0.1	61	40	< 0.1	94	91	27
29	40	< 0.1	62	40	< 0.1	95	93	32
30	40	< 0.1	63	40	< 0.1	96	96	39
31	40	< 0.1	64	40	< 0.1	97	98	45
32	40	< 0.1	65	40	< 0.1	98	101	53
						99	104	61
						100	106	66

Past-Tense Marking Standard Score Conversion Tables: 8;6–8;11

Ages 8;6–8;11 (<i>N</i> = 73; boys = 45, girls = 28) Confidence Intervals: 68% ± 1.76 90% ± 2.90 95% ± 3.45								
Past-Tense Raw Score	Standard Score	Percentile	Past-Tense Raw Score	Standard Score	Percentile	Past-Tense Raw Score	Standard Score	Percentile
0	40	< 0.1	33	40	< 0.1	66	40	< 0.1

1	40	< 0.1
2	40	< 0.1
3	40	< 0.1
4	40	< 0.1
5	40	< 0.1
6	40	< 0.1
7	40	< 0.1
8	40	< 0.1
9	40	< 0.1
10	40	< 0.1
11	40	< 0.1
12	40	< 0.1
13	40	< 0.1
14	40	< 0.1
15	40	< 0.1
16	40	< 0.1
17	40	< 0.1
18	40	< 0.1
19	40	< 0.1
20	40	< 0.1
21	40	< 0.1
22	40	< 0.1
23	40	< 0.1
24	40	< 0.1
25	40	< 0.1
26	40	< 0.1
27	40	< 0.1
28	40	< 0.1
29	40	< 0.1
30	40	< 0.1
31	40	< 0.1
32	40	< 0.1
34	40	< 0.1
35	40	< 0.1
36	40	< 0.1
37	40	< 0.1
38	40	< 0.1
39	40	< 0.1
40	40	< 0.1
41	40	< 0.1
42	40	< 0.1
43	40	< 0.1
44	40	< 0.1
45	40	< 0.1
46	40	< 0.1
47	40	< 0.1
48	40	< 0.1
49	40	< 0.1
50	40	< 0.1
51	40	< 0.1
52	40	< 0.1
53	40	< 0.1
54	40	< 0.1
55	40	< 0.1
56	40	< 0.1
57	40	< 0.1
58	40	< 0.1
59	40	< 0.1
60	40	< 0.1
61	40	< 0.1
62	40	< 0.1
63	40	< 0.1
64	40	< 0.1
65	40	< 0.1
67	40	< 0.1
68	40	< 0.1
69	40	< 0.1
70	40	< 0.1
71	40	< 0.1
72	40	< 0.1
73	40	< 0.1
74	40	< 0.1
75	40	< 0.1
76	40	< 0.1
77	40	< 0.1
78	40	< 0.1
79	40	< 0.1
80	40	< 0.1
81	40	< 0.1
82	40	< 0.1
83	40	< 0.1
84	42	< 0.1
85	46	< 0.1
86	50	< 0.1
87	54	0.1
88	59	0.3
89	63	1
90	67	1
91	71	3
92	75	5
93	80	9
94	84	14
95	88	21
96	92	30
97	96	39
98	101	53
99	105	63
100	109	73

Past-Tense Marking Standard Score Conversion Tables: 9;0–9;5

Ages 9;0–9;5 ($N = 26$; boys = 15, girls = 11)

Confidence Intervals:

68% \pm 2.94

90% \pm 4.84

95% \pm 5.76

Past-Tense Raw Score	Standard Score	Percentile	Past-Tense Raw Score	Standard Score	Percentile	Past-Tense Raw Score	Standard Score	Percentile
0	40	< 0.1	33	40	< 0.1	66	40	< 0.1
1	40	< 0.1	34	40	< 0.1	67	40	< 0.1
2	40	< 0.1	35	40	< 0.1	68	40	< 0.1
3	40	< 0.1	36	40	< 0.1	69	40	< 0.1
4	40	< 0.1	37	40	< 0.1	70	40	< 0.1
5	40	< 0.1	38	40	< 0.1	71	40	< 0.1
6	40	< 0.1	39	40	< 0.1	72	40	< 0.1
7	40	< 0.1	40	40	< 0.1	73	40	< 0.1
8	40	< 0.1	41	40	< 0.1	74	40	< 0.1
9	40	< 0.1	42	40	< 0.1	75	40	< 0.1
10	40	< 0.1	43	40	< 0.1	76	40	< 0.1
11	40	< 0.1	44	40	< 0.1	77	40	< 0.1
12	40	< 0.1	45	40	< 0.1	78	40	< 0.1
13	40	< 0.1	46	40	< 0.1	79	40	< 0.1
14	40	< 0.1	47	40	< 0.1	80	40	< 0.1
15	40	< 0.1	48	40	< 0.1	81	40	< 0.1
16	40	< 0.1	49	40	< 0.1	82	40	< 0.1
17	40	< 0.1	50	40	< 0.1	83	40	< 0.1
18	40	< 0.1	51	40	< 0.1	84	40	< 0.1
19	40	< 0.1	52	40	< 0.1	85	40	< 0.1
20	40	< 0.1	53	40	< 0.1	86	40	< 0.1
21	40	< 0.1	54	40	< 0.1	87	40	< 0.1
22	40	< 0.1	55	40	< 0.1	88	40	< 0.1
23	40	< 0.1	56	40	< 0.1	89	42	< 0.1
24	40	< 0.1	57	40	< 0.1	90	47	< 0.1
25	40	< 0.1	58	40	< 0.1	91	53	0.1
26	40	< 0.1	59	40	< 0.1	92	59	0.3
27	40	< 0.1	60	40	< 0.1	93	65	1

28	40	< 0.1	61	40	< 0.1	94	70	2
29	40	< 0.1	62	40	< 0.1	95	76	5
30	40	< 0.1	63	40	< 0.1	96	82	12
31	40	< 0.1	64	40	< 0.1	97	87	19
32	40	< 0.1	65	40	< 0.1	98	93	32
						99	99	47
						100	105	63