Supplemental Material S2. Results of bivariate correlations between all variables.

Variable	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
1. Age (months)	_																
2. Gender ^a	.12	_															
3. Nonverbal IQ	15	.05	_														
4. General language	15	21*	.47**	_													
5. Nonword repetition (PPC)	.07	07	.36**	.78**	_												
6. Digit span	15	.01	.24*	.62**	.61**	_											
7. Block recall	16	.13	.18	.36**	.26**	.40**	_										
8. Backward digit span	10	08	.36**	.69**	.61**	.52**	.33**	_									
9. DL Learning	07	.03	.31**	.28**	.17	.17	.16	.26**	-								
10. DL Total	07	.06	.31**	.28*	.18	.16	.16	.25**	.94**	_							
11. DL Long Delay	06	.19	.27**	.27**	.22**	.33**	.21*	.26**	.69**	.70**	_						
12. WP Learning	.02	.03	.29**	.34**	.33**	.29**	.14	.29**	.27**	.26**	.34**	_					
13. WP Total	12	.03	.37**	.46**	.39**	.36**	.20*	.39**	.33**	.33**	.39**	.94**	_				
14. WP Long Delay	04	15	.31**	.43**	.28**	.39**	.34**	.37**	.34**	.32**	.38**	.54**	.59**	_			
15. WP Del Recognition	.02	05	.44**	.64**	.59**	.38**	.20*	.66**	.34**	.36**	.37**	.42**	.51**	.43**	_		
16. Deterministic <i>t</i> -test ^b	.01	08	.23*	.35*	.35*	.36*	.30*	.22	.16	.10	.19	.04	.12	.13	.32*	_	
17. Probabilistic <i>t</i> -test	.11	.02	17	.01	.06	03	06	.06	.10	.12	.05	.08	.06	.06	.07	.14	_

Note. Values reported are Pearson's correlation coefficients (*r*). All values reported are standard scores, unless otherwise stated. PPC = percentage of phonemes correct; DL = Dot Locations (Cohen, 1997); WP = Word Pairs (Cohen, 1997).

^aPoint-biserial correlation used to determine the strength of a linear relationship between continuous variable and nominal variable with two categories (i.e., gender).

^bSpearman's rho correlation used due to violations in the assumption of normality, linearity, or homoscedasticity.

p < .05. **p < .001.