

Supplemental Material S1. Included and excluded studies. *Studies included in systematic review analysis.

1. Abdel-Aziz, M., Dewidar, H., El-Hoshy, H., & Aziz, A. A. (2009). Treatment of persistent post-adenoidectomy velopharyngeal insufficiency by sphincter pharyngoplasty. *International Journal of Pediatric Otorhinolaryngology*, 73(10), 1329–1333. <https://doi.org/10.1016/j.ijporl.2009.05.026>
2. Ackerstaff, A. H., Hilgers, F. J., Meeuwis, C. A., van der Velden, L. A., van den Hoogen, F. J., Marres, H. A., Vreeburg, G. C., & Manni, J. J. (1999). Multi-institutional assessment of the Provox 2 voice prosthesis. *Archives of Otolaryngology--Head & Neck Surgery*, 125(2), 167–173. <https://doi.org/10.1001/archotol.125.2.167>
3. Adams, A. S., Bayliss, E. A., Schmittiel, J. A., Altschuler, A., Dyer, W., Neugebauer, R., Jaffe, M., Young, J. D., Kim, E., Grant, R. W., & Diabetes Telephone Study Team. (2016). The Diabetes Telephone Study: Design and challenges of a pragmatic cluster randomized trial to improve diabetic peripheral neuropathy treatment. *Clinical Trials (London, England)*, 13(3), 286–293. <https://doi.org/10.1177/1740774516631530>
4. Adams, S. R., Wiley, D. M., Fargeix, A., George, V., Neugebauer, R. S., & Schmittiel, J. A. (2015). Employer-Based Screening for Diabetes and Prediabetes in an Integrated Health Care Delivery System: A Natural Experiment for Translation in Diabetes (NEXT-D) Study. *Journal of Occupational and Environmental Medicine*, 57(11), 1147–1153. <https://doi.org/10.1097/JOM.0000000000000548>
5. Addington-Hall, J. M., MacDonald, L. D., Anderson, H. R., Chamberlain, J., Freeling, P., Bland, J. M., & Raftery, J. (1992). Randomised controlled trial of effects of coordinating care for terminally ill cancer patients. *BMJ (Clinical Research Ed.)*, 305(6865), 1317–1322. <https://doi.org/10.1136/bmj.305.6865.1317>
6. Aharonovich, E., Greenstein, E., O'Leary, A., Johnston, B., Seol, S. G., & Hasin, D. S. (2012). HealthCall: technology-based extension of motivational interviewing to reduce non-injection drug use in HIV primary care patients - a pilot study. *AIDS Care*, 24(12), 1461–1469. <https://doi.org/10.1080/09540121.2012.663882>
7. Ahmed, S., & Hamirani, M. (2015). Self-Insertion of Needles by a Patient of Schizophrenia. *Annals Abbasi Shaheed Hospital & Karachi Medical & Dental College*, 20(2), 163–166.
8. Aikens, J. E., Rosland, A.-M., & Piette, J. D. (2015). Improvements in illness self-management and psychological distress associated with telemonitoring support for adults with diabetes. *Primary Care Diabetes*, 9(2), 127–134. <https://doi.org/10.1016/j.pcd.2014.06.003>
9. Aikens, J. E., Trivedi, R., Heapy, A., Pfeiffer, P. N., & Piette, J. D. (2015). Potential Impact of Incorporating a Patient-Selected Support Person into mHealth for Depression. *Journal of General Internal Medicine*, 30(6), 797–803. <https://doi.org/10.1007/s11606-015-3208-7>
10. Alemi, F., Mosavel, M., Stephens, R. C., Ghadiri, A., Krishnaswamy, J., & Thakkar, H. (1996). Electronic self-help and support groups. *Medical Care*, 34(10 Suppl), OS32–44. <https://doi.org/10.1097/00005650-199610003-00004>
11. Alemi, F., Stephens, R. C., Javalghi, R. G., Dyches, H., Butts, J., & Ghadiri, A. (1996). A randomized trial of a telecommunications network for pregnant women who use cocaine. *Medical Care*, 34(10), OS10–OS20.
12. Allen-Winters, S., Wakefield, D., Gaudio, E., Moore, S., Boone, K., Morris, S., & Schwartz, D. L. (2020). "Eat to Live"-Piloting a Culinary Medicine Program for Head & Neck Radiotherapy Patients. *Supportive Care in Cancer: Official Journal of the*

- Multinational Association of Supportive Care in Cancer*, 28(6), 2949–2957.
<https://doi.org/10.1007/s00520-019-05180-7>
13. Amankwaa, I., Boateng, D., Quansah, D. Y., Akuoko, C. P., & Evans, C. (2018). Effectiveness of short message services and voice call interventions for antiretroviral therapy adherence and other outcomes: A systematic review and meta-analysis. *PloS One*, 13(9), e0204091. <https://doi.org/10.1371/journal.pone.0204091>
14. Aminoff, M. J., Christine, C. W., Friedman, J. H., Chou, K. L., Lyons, K. E., Pahwa, R., Bloem, B. R., Parashos, S. A., Price, C. C., Malaty, I. A., Iansek, R., Bodis-Wollner, I., Suchowersky, O., Oertel, W. H., Zamudio, J., Oberdorf, J., Schmidt, P., & Okun, M. S. (2011). Management of the hospitalized patient with Parkinson's disease: Current state of the field and need for guidelines. *Parkinsonism & Related Disorders*, 17(3), 139–145. <https://doi.org/10.1016/j.parkreldis.2010.11.009>
15. Andersson, C. (2015). Comparison of WEB and Interactive Voice Response (IVR) Methods for Delivering Brief Alcohol Interventions to Hazardous-Drinking University Students: A Randomized Controlled Trial. *European Addiction Research*, 21(5), 240–252. <https://doi.org/10.1159/000381017>
16. Andrews, P. J. D., Sinclair, L. H., Harris, B., Baldwin, M. J., Battison, C. G., Rhodes, J. K. J., Murray, G., & De Backer, D. (2013). Study of therapeutic hypothermia (32 to 35°C) for intracranial pressure reduction after traumatic brain injury (the Eurotherm3235Trial): outcome of the pilot phase of the trial. *Trials*, 14(1), 277–277. <https://doi.org/10.1186/1745-6215-14-277>
17. Antiporda, M., Jackson, C., Smith, C. D., & Bowers, S. P. (2019). Short-Term Outcomes Predict Long-Term Satisfaction in Patients Undergoing Laparoscopic Magnetic Sphincter Augmentation. *Journal of Laparoendoscopic & Advanced Surgical Techniques. Part A*, 29(2), 198–202. <https://doi.org/10.1089/lap.2018.0598>
18. Asehnoune, K., Mrozek, S., Perrigault, P. F., Seguin, P., Dahyot-Fizelier, C., Lasocki, S., Pujol, A., Martin, M., Chabanne, R., Muller, L., Hanouz, J. L., Hammad, E., Rozec, B., Kerforne, T., Ichai, C., Cinotti, R., Geeraerts, T., Elaroussi, D., Pelosi, P., ... Roquilly, A. (2017). A multi-faceted strategy to reduce ventilation-associated mortality in brain-injured patients. The BI-VILI project: a nationwide quality improvement project. *Intensive Care Medicine*, 43(7), 957–970. <https://doi.org/10.1007/s00134-017-4764-6>
19. Austin, L. S., Landis, C. O., & Hanger, K. H. (2012). Extending the continuum of care in congestive heart failure: an interactive technology self-management solution. *The Journal of Nursing Administration*, 42(9), 442–446. <https://doi.org/10.1097/NNA.0b013e3182668342>
20. Awais, O., Luketich, J. D., Reddy, N., Bianco, V., Levy, R. M., Schuchert, M. J., Gooding, W. E., Crist, L. R., Landreneau, R. J., & Pennathur, A. (2014). Roux-en-Y near esophagojejunostomy for failed antireflux operations: outcomes in more than 100 patients. *The Annals of Thoracic Surgery*, 98(6), 1905–1911; discussion 1911–1913. <https://doi.org/10.1016/j.athoracsur.2014.07.004>
21. Azul, D., Nygren, U., Södersten, M., & Neuschaefer-Rube, C. (2017). Transmasculine People's Voice Function: A Review of the Currently Available Evidence. *Journal of Voice: Official Journal of the Voice Foundation*, 31(2), 261.e9-261.e23. <https://doi.org/10.1016/j.jvoice.2016.05.005>
22. Babcock, L., Kurowski, B. G., Zhang, N., Dexheimer, J. W., Dyas, J., & Wade, S. L. (2017). Adolescents with Mild Traumatic Brain Injury Get SMART: An Analysis of a Novel Web-Based Intervention. *Telemedicine Journal and E-Health: The Official Journal of the American Telemedicine Association*, 23(7), 600–607. <https://doi.org/10.1089/tmj.2016.0215>

23. Babu, G. R., Karthik, M., Ravi, D., Ana, Y., Shriyan, P., Hasige, K. K., Deshpande, K., Siddlingaiah, L. B., Kinra, S., & Murthy, G. V. S. (2018). What makes the pregnant women revisit public hospitals for research? Participant engagement and retention trial in a public hospital (PERTH): an RCT protocol. *BMC Pregnancy and Childbirth*, 18(1), 369. <https://doi.org/10.1186/s12884-018-2000-1>
24. Badr, H., Lipnick, D., Diefenbach, M. A., Posner, M., Kotz, T., Miles, B., & Genden, E. (2016). Development and usability testing of a web-based self-management intervention for oral cancer survivors and their family caregivers. *European Journal of Cancer Care*, 25(5), 806–821. <https://doi.org/10.1111/ecc.12396>
25. Bailey, A. N., Porter, K. J., Hill, J. L., Chen, Y., Estabrooks, P. A., & Zoellner, J. M. (2016). The impact of health literacy on rural adults' satisfaction with a multi-component intervention to reduce sugar-sweetened beverage intake. *Health Education Research*, 31(4), 492–508. <https://doi.org/10.1093/her/cyw024>
26. Barker, M., D'Angelo, S., Ntani, G., Lawrence, W., Baird, J., Jarman, M., Vogel, C., Inskip, H., Cooper, C., & Harvey, N. C. (2017). The relationship between maternal self-efficacy, compliance and outcome in a trial of vitamin D supplementation in pregnancy. *Osteoporosis International*, 28(1), 77–84. <https://doi.org/10.1007/s00198-016-3721-5>
27. Barnes, S. M., Monteith, L. L., Gerard, G. R., Hoffberg, A. S., Homaifar, B. Y., & Brenner, L. A. (2017). Problem-solving therapy for suicide prevention in veterans with moderate-to-severe traumatic brain injury. *Rehabilitation Psychology*, 62(4), 600–608. <https://doi.org/10.1037/rep0000154>
28. Barnes, V. A., Maria, B. L., Caldwell, A. L., & Hopkins, I. (2013). Prevention of Traumatic Brain Injury in Youth and Adolescents. *Journal of Child Neurology*, 28(11), 1412–1417. <https://doi.org/10.1177/0883073812464272>
29. Batty, S. (2009). Communication, swallowing and feeding in the intensive care unit patient. *Nursing in Critical Care*, 14(4), 175–179. <https://doi.org/10.1111/j.1478-5153.2009.00332.x>
30. Bayley, M. T., Lamontagne, M.-E., Kua, A., Marshall, S., Marier-Deschênes, P., Allaire, A.-S., Kagan, C., Truchon, C., Janzen, S., Teasell, R., & Swaine, B. (2018). Unique Features of the INESSS-ONF Rehabilitation Guidelines for Moderate to Severe Traumatic Brain Injury: Responding to Users' Needs. *Journal of Head Trauma Rehabilitation*, 33(5), 296–305. <https://doi.org/10.1097/HTR.0000000000000428>
31. Beales, A., Bates, K., Cartwright, J., & Whitworth, A. (2019). Lost for words: Perspectives and experiences of people with primary progressive aphasia and Alzheimer's disease and their families of participation in a lexical retrieval intervention. *International Journal of Speech-Language Pathology*, 21(5), 483–492. <https://doi.org/10.1080/17549507.2019.1625439>
32. Beck, A. M., Kjaersgaard, A., Hansen, T., & Poulsen, I. (2018). Systematic review and evidence based recommendations on texture modified foods and thickened liquids for adults (above 17 years) with oropharyngeal dysphagia - An updated clinical guideline. *Clinical Nutrition (Edinburgh, Scotland)*, 37(6 Pt A), 1980–1991. <https://doi.org/10.1016/j.clnu.2017.09.002>
33. Bedini, R., Franchi, D., Palagi, G., Belardinelli, A., Ghione, S., Mezzasalma, L., & Ripoli, A. (1997). A computerized multiparametric approach for the evaluation of cardiovascular risk in hypertensive patients. In *Computers in Cardiology 1997, Vol 24* (Vol. 24, pp. 453–455). Ieee. <https://doi.org/10.1109/CIC.1997.647932>
34. Behkam, R., Roberts, K. E., Bierhals, A. J., Jacobs, M. E., Edgar, J. D., Paniello, R. C., Woodson, G., Geest, J. P. V., & Barkmeier-Kraemer, J. M. (2017). Aortic arch compliance and idiopathic unilateral vocal fold paralysis. *Journal of Applied Physiology*, 123(2), 303–309. <https://doi.org/10.1152/japplphysiol.00239.2017>

35. Bekhet, A. K. (2017). Online Positive Thinking Training Intervention for Caregivers of Individuals with ASD: Necessity, Acceptability and Feasibility. *Issues in Mental Health Nursing*, 38(5), 443–448. <https://doi.org/10.1080/01612840.2017.1279247>
36. Bender, B. G., Apter, A., Bogen, D. K., Dickinson, P., Fisher, L., Wamboldt, F. S., & Westfall, J. M. (2010). Test of an interactive voice response intervention to improve adherence to controller medications in adults with asthma. *Journal of the American Board of Family Medicine: JABFM*, 23(2), 159–165. <https://doi.org/10.3122/jabfm.2010.02.090112>
37. Beratarrechea, A., Lee, A. G., Willner, J. M., Jahangir, E., Ciapponi, A., & Rubinstein, A. (2014). The Impact of Mobile Health Interventions on Chronic Disease Outcomes in Developing Countries: A Systematic Review. *Telemedicine and E-Health*, 20(1), 75–82. <https://doi.org/10.1089/tmj.2012.0328>
38. Besse, K. T. C., Faber-te Boveldt, N. D., Janssen, G. H. P., Vernooij-Dassen, M., Vissers, K. C. P., & Engels, Y. (2016). Pain Assessment with Short Message Service and Interactive Voice Response in Outpatients with Cancer and Pain: A Feasibility Study. *Pain Practice: The Official Journal of World Institute of Pain*, 16(3), 320–326. <https://doi.org/10.1111/papr.12278>
39. Bevilacqua, R., Maranesi, E., Riccardi, G. R., Di Donna, V., Pelliccioni, P., Luzi, R., Lattanzio, F., & Pelliccioni, G. (2019). Non-Immersive Virtual Reality for Rehabilitation of the Older People: A Systematic Review into Efficacy and Effectiveness. *Journal of Clinical Medicine*, 8(11), 1882. <https://doi.org/10.3390/jcm8111882>
40. Bick, E., Dumberger, L. D., Farquhar, D. R., Davis, H., Ramsey, E., Buckmire, R. A., & Shah, R. N. (n.d.). Does Voice Therapy Improve Vocal Outcomes in Vocal Fold Atrophy? *Annals of Otology Rhinology and Laryngology*, 0003489420952464. <https://doi.org/10.1177/0003489420952464>
41. Bieman-Copland, S., & Dywan, J. (2000). Achieving rehabilitative gains in anosognosia after TBI. *Brain and Cognition*, 44(1), 1–5.
42. Birchwood, M., Mohan, L., Meaden, A., Tarrier, N., Lewis, S., Wykes, T., Davies, L. M., Dunn, G., Peters, E., & Michail, M. (2018). The COMMAND trial of cognitive therapy for harmful compliance with command hallucinations (CTCH): a qualitative study of acceptability and tolerability in the UK. *Bmj Open*, 8(6), e021657. <https://doi.org/10.1136/bmjopen-2018-021657>
43. Birchwood, M., Peters, E., Tarrier, N., Dunn, G., Lewis, S., Wykes, T., Davies, L., Lester, H., & Michail, M. (2011). A multi-centre, randomised controlled trial of cognitive therapy to prevent harmful compliance with command hallucinations. *Bmc Psychiatry*, 11, 155. <https://doi.org/10.1186/1471-244X-11-155>
44. Boghossian, T. A., Rashid, F. J., Thompson, W., Welch, V., Moayyedi, P., Rojas-Fernandez, C., Pottie, K., & Farrell, B. (2017). Deprescribing versus continuation of chronic proton pump inhibitor use in adults. *The Cochrane Database of Systematic Reviews*, 3, CD011969. <https://doi.org/10.1002/14651858.CD011969.pub2>
45. Boland, M. V., Chang, D. S., Frazier, T., Plyler, R., Jefferys, J. L., & Friedman, D. S. (2014). Automated telecommunication-based reminders and adherence with once-daily glaucoma medication dosing: the automated dosing reminder study. *JAMA Ophthalmology*, 132(7), 845–850. <https://doi.org/10.1001/jamaophthmol.2014.857>
46. Bomyea, J., Lang, A. J., & Schnurr, P. P. (2017). TBI and Treatment Response in a Randomized Trial of Acceptance and Commitment Therapy. *The Journal of Head Trauma Rehabilitation*, 32(5), E35–E43. <https://doi.org/10.1097/HTR.0000000000000278>
47. Bonatti, H., Bammer, T., Achem, S. R., Lukens, F., DeVault, K. R., Klaus, A., & Hinder, R. A. (2007). Use of acid suppressive medications after laparoscopic antireflux

- surgery: prevalence and clinical indications. *Digestive Diseases and Sciences*, 52(1), 267–272. <https://doi.org/10.1007/s10620-006-9379-7>
48. Bookman, K., West, D., Ginde, A., Wiler, J., McIntyre, R., Hammes, A., Carlson, N., Steinbruner, D., Solley, M., Zane, R., & Kline, J. A. (2017). Embedded Clinical Decision Support in Electronic Health Record Decreases Use of High-cost Imaging in the Emergency Department: Emb ED study. *Academic Emergency Medicine*, 24(7), 839–845. <https://doi.org/10.1111/acem.13195>
49. Bosch, M., McKenzie, J. E., Ponsford, J. L., Turner, S., Chau, M., Tavender, E. J., Knott, J. C., Gruen, R. L., Francis, J. J., Brennan, S. E., Pearce, A., O'Connor, D. A., Mortimer, D., Grimshaw, J. M., Rosenfeld, J. V., Meares, S., Smyth, T., Michie, S., & Green, S. E. (2019). Evaluation of a targeted, theory-informed implementation intervention designed to increase uptake of emergency management recommendations regarding adult patients with mild traumatic brain injury: results of the NET cluster randomised trial. *Implementation Science*, 14, 4. <https://doi.org/10.1186/s13012-018-0841-7>
50. Bourseau, T., Saout, V., Ali, P., Pouliquen-Loriferne, U., Allain, P., & Dinomais, M. (2019). A Cross-Sectional Study of Treatments for Behavioral Disorders Following Traumatic Brain Injury: Comparison With French Recommendations. *Journal of Head Trauma Rehabilitation*, 34(4), E51–E60. <https://doi.org/10.1097/HTR.0000000000000452>
51. Bovend'Eerd, T. J., Dawes, H., Sackley, C., Izadi, H., & Wade, D. T. (2010). An Integrated Motor Imagery Program to Improve Functional Task Performance in Neurorehabilitation: A Single-Blind Randomized Controlled Trial. *Archives of Physical Medicine and Rehabilitation*, 91(6), 939–946. <https://doi.org/10.1016/j.apmr.2010.03.008>
52. Bowen, A., Tennant, A., Neumann, V., & Chamberlain, M. A. (1999). Evaluation of a community-based neuropsychological rehabilitation service for people with traumatic brain injury. *NeuroRehabilitation*, 13(3), 147–155. <https://doi.org/10.3233/nre-1999-13304>
53. Bowen, A., Hesketh, A., Patchick, E., Young, A., Davies, L., Vail, A., Long, A., Watkins, C., Wilkinson, M., Pearl, G., Lambon Ralph, M., Tyrrell, P., & ACT NoW investigators. (2012). Clinical effectiveness, cost-effectiveness and service users' perceptions of early, well-resourced communication therapy following a stroke: a randomised controlled trial (the ACT NoW Study). *Health Technology Assessment (Winchester, England)*, 16(26), 1–160. <https://doi.org/10.3310/hta16260>
54. Braddock, C. H., Edwards, K. A., Hasenberg, N. M., Laidley, T. L., & Levinson, W. (1999). Informed decision making in outpatient practice: time to get back to basics. *JAMA*, 282(24), 2313–2320. <https://doi.org/10.1001/jama.282.24.2313>
55. Bragstad, L. K., Bronken, B. A., Sveen, U., Hjelle, E. G., Kitzmüller, G., Martinsen, R., Kvigne, K. J., Mangset, M., & Kirkevold, M. (2019). Implementation fidelity in a complex intervention promoting psychosocial well-being following stroke: an explanatory sequential mixed methods study. *BMC Medical Research Methodology*, 19(1), 59. <https://doi.org/10.1186/s12874-019-0694-z>
56. Brar, T., Draganov, P., Yang, D., Brar, T. S., & Draganov, P. V. (2017). Endoluminal Therapy for Gastroesophageal Reflux Disease: In Between the Pill and the Knife? *Digestive Diseases & Sciences*, 62(1), 16–25. <https://doi.org/10.1007/s10620-016-4355-3>
57. Brehm, S. B., Weinrich, B., & Kelchner, L. (2018). A Practical Discussion of Current Approaches to Providing Voice Therapy to Children With Dysphonia. *Perspectives of the ASHA Special Interest Groups*, 3(3), 40–46. <https://doi.org/10.1044/persp3.SIG3.40>

58. Brendryen, H., & Kraft, P. (2008). Happy ending: a randomized controlled trial of a digital multi-media smoking cessation intervention. *Addiction (Abingdon, England)*, 103(3), 478–484; discussion 485–486. <https://doi.org/10.1111/j.1360-0443.2007.02119.x>
59. Brockway, J. A., St De Lore, J., Fann, J. R., Hart, T., Hurst, S., Fey-Hinckley, S., Savage, J., Warren, M., & Bell, K. R. (2016). Telephone-delivered problem-solving training after mild traumatic brain injury: Qualitative analysis of service members' perceptions. *Rehabilitation Psychology*, 61(3), 221–230. <https://doi.org/10.1037/rep0000077>
60. Brouha, X. D. R., Tromp, D. M., de Leeuw, J. R. J., Hordijk, G.-J., & Winnubst, J. A. M. (2005). Laryngeal cancer patients: analysis of patient delay at different tumor stages. *Head & Neck*, 27(4), 289–295. <https://doi.org/10.1002/hed.20146>
61. Brown, E., & Gray, R. (2015). Tackling medication non-adherence in severe mental illness: where are we going wrong? *Journal of Psychiatric and Mental Health Nursing*, 22(3), 192–198. <https://doi.org/10.1111/jpm.12186>
62. Brumfitt, S. M., & Sheeran, P. (1997). An evaluation of short-term group therapy for people with aphasia. *Disability and Rehabilitation*, 19(6), 221–230. <https://doi.org/10.3109/09638289709166531>
63. Buck, F., Drinnan, M., Wilson, J., & Barnard, I. S. (2007). What are the illness perceptions of people with dysphonia: a pilot study. *Journal of Laryngology and Otology*, 121(1), 31–39. <https://doi.org/10.1017/S0022215106004002>
64. Buiret, G., Rabilloud, M., Combe, C., Paliot, H., Disant, F., & Céruse, P. (2007). Larynx transplantation: laryngectomees' opinion poll. *Transplantation*, 84(12), 1584–1589. <https://doi.org/10.1097/01.tp.0000295716.21536.76>
65. Burns, C. L., Ward, E. C., Hill, A. J., Kularatna, S., Byrnes, J., & Kenny, L. M. (2017). Randomized controlled trial of a multisite speech pathology telepractice service providing swallowing and communication intervention to patients with head and neck cancer: Evaluation of service outcomes. *Head & Neck*, 39(5), 932–939. <https://doi.org/10.1002/hed.24706>
66. Burns, C. L., Ward, E. C., Hill, A. J., Malcolm, K., Bassett, L., Kenny, L. M., & Greenup, P. (2012). A pilot trial of a speech pathology telehealth service for head and neck cancer patients. *Journal of Telemedicine and Telecare*, 18(8), 443–446. <https://doi.org/10.1258/jtt.2012.gth104>
67. Burns, E. C., Burns, B., Newgard, C. D., Laurie, A., Fu, R., Graif, T., Ward, C. S., Bauer, A., Steinhardt, D., Ibsen, L. M., & Spiro, D. M. (2019). Pediatric Minor Traumatic Brain Injury With Intracranial Hemorrhage: Identifying Low-Risk Patients Who May Not Benefit From ICU Admission. *Pediatric Emergency Care*, 35(3), 161–169. <https://doi.org/10.1097/PEC.0000000000000950>
68. Bush, A., & Niania, W. (2012). Voice hearing and pseudoseizures in a Māori teenager: an example of mate Māori and Māori traditional healing. *Australasian Psychiatry: Bulletin of Royal Australian and New Zealand College of Psychiatrists*, 20(4), 348–351. <https://doi.org/10.1177/1039856212456090>
69. Butler, R. W., Fairclough, D. L., Katz, E. R., Noll, R. B., Copeland, D. R., Mulhern, R. K., Kazak, A. E., Patel, S. K., & Sahler, O. J. Z. (2008). A multicenter, randomized clinical trial of a Cognitive Remediation Program for childhood survivors of a pediatric malignancy. *Journal of Consulting and Clinical Psychology*, 76(3), 367–378. <https://doi.org/10.1037/0022-006X.76.3.367>
70. Byl, N. N., Archer, E. S., & McKenzie, A. (2009). Focal Hand Dystonia: Effectiveness of a Home Program of Fitness and Learning-based Sensorimotor and Memory Training. *Journal of Hand Therapy*, 22(2), 183–197. <https://doi.org/10.1016/j.jht.2008.12.003>

71. Capri, C. (2014). On developing an intersubjective frame for intellectual disability work. *Disability and Rehabilitation*, 36(5), 418–423. <https://doi.org/10.3109/09638288.2013.793407>
72. Carnaby-Mann, G., & Crary, M. (2005). Pill swallowing by adults with dysphagia. *Archives of Otolaryngology-Head & Neck Surgery*, 131(11), 970–975. <https://doi.org/10.1001/archotol.131.11.970>
73. Castle, T., Cunningham, M. A., & Marsh, G. M. (2012). Antidepressant medication adherence via interactive voice response telephone calls. *The American Journal of Managed Care*, 18(9), e346-355.
74. Castronovo, V., Scifo, P., Castellano, A., Aloia, M. S., Iadanza, A., Marelli, S., Cappa, S. F., Strambi, L. F., & Falini, A. (2014). White Matter Integrity in Obstructive Sleep Apnea before and after Treatment. *Sleep*, 37(9), 1465–1475. <https://doi.org/10.5665/sleep.3994>
75. Cereda, E., Beltramolli, D., Pedrollo, C., & Costa, A. (2009). Refractory myasthenia gravis, dysphagia and malnutrition: a case report to suggest disease-specific nutritional issues. *Nutrition (Burbank, Los Angeles County, Calif.)*, 25(10), 1067–1072. <https://doi.org/10.1016/j.nut.2008.12.016>
76. Chang, L. W., Njie-Carr, V., Kalenge, S., Kelly, J. F., Bollinger, R. C., & Alamo-Talisuna, S. (2013). Perceptions and acceptability of mHealth interventions for improving patient care at a community-based HIV/AIDS clinic in Uganda: A mixed methods study. *AIDS Care*, 25(7), 874–880. <https://doi.org/10.1080/09540121.2013.774315>
77. Chatto, C. A., York, P. T., Slade, C. P., & Hasson, S. M. (2018). Use of a Telehealth System to Enhance a Home Exercise Program for a Person With Parkinson Disease: A Case Report. *Journal of Neurologic Physical Therapy*, 42(1), 22–29. <https://doi.org/10.1097/NPT.0000000000000209>
78. Chen, L.-L., Li, H., Lin, R., Zheng, J.-H., Wei, Y.-P., Li, J., Chen, P., & Chen, H.-Y. (2016). Effects of a feeding intervention in patients with Alzheimer's disease and dysphagia. *Journal of Clinical Nursing*, 25(5–6), 699–707. <https://doi.org/10.1111/jocn.13013>
79. Cherney, L. R., & Halper, A. S. (2008). Novel technology for treating individuals with aphasia and concomitant cognitive deficits. *Topics in Stroke Rehabilitation*, 15(6), 542–554. <https://doi.org/10.1310/tsr1506-542>
80. Chesnut, R. M. (2015). A conceptual approach to managing severe traumatic brain injury in a time of uncertainty. In M. E. Fink, J. D. Barchas, & J. I. Sheikh (Eds.), *Affective Disorders and Traumatic Brain Injury* (Vol. 1345, pp. 99–107). Blackwell Science Publ. <https://doi.org/10.1111/nyas.12483>
81. Chin, J., Rizzo, J.-R., & Bernard, K. (2014). Remarkable recovery in a traumatic brain injury complicated by an acute stress reaction and polytrauma secondary to severe domestic violence: A case report. *American Journal of Physical Medicine & Rehabilitation*, a50–a51.
82. Cichero, J. A., Heaton, S., & Bassett, L. (2009). Triaging dysphagia: nurse screening for dysphagia in an acute hospital. *Journal of Clinical Nursing (Wiley-Blackwell)*, 18(11), 1649–1659. <https://doi.org/10.1111/j.1365-2702.2009.02797.x>
83. Cifu, D., Anderson, J., & Lopez, E. (1995). Agitation in the Older Adult with Traumatic Brain Injury. *Neurorehabilitation*, 5(3), 245–254. [https://doi.org/10.1016/1053-8135\(95\)00122-O](https://doi.org/10.1016/1053-8135(95)00122-O)
84. Citerio, G., Prisco, L., Oddo, M., Meyfroidt, G., Helbok, R., Stocchetti, N., Taccone, F., Vincent, J.-L., Robba, C., Elli, F., Sala, E., Vargiolu, A., & Lingsma, H. (2019). International prospective observational study on intracranial pressure in intensive care

- (ICU): The SYNAPSE-ICU study protocol. *Bmj Open*, 9(4), e026552.
<https://doi.org/10.1136/bmjopen-2018-026552>
85. Cizmic, A. D., Heilmann, R. M. F., Milchak, J. L., Riggs, C. S., & Billups, S. J. (2015). Impact of interactive voice response technology on primary adherence to bisphosphonate therapy: a randomized controlled trial. *Osteoporosis International: A Journal Established as Result of Cooperation between the European Foundation for Osteoporosis and the National Osteoporosis Foundation of the USA*, 26(8), 2131–2136. <https://doi.org/10.1007/s00198-015-3116-z>
86. Clark, H. M., & Solomon, N. P. (2010). Submental muscle tissue compliance during relaxation, contraction, and after tone-modification interventions. *International Journal of Orofacial Myology*, 36, 6–15.
87. *Cnossen, I. C., van Uden-Kraan, C. F., Rinkel, R. N., Aalders, I. J., de Goede, C. J., de Bree, R., Doornaert, P., Rietveld, D. H., Langendijk, J. A., & Witte, B. I. (2014). Multimodal guided self-help exercise program to prevent speech, swallowing, and shoulder problems among head and neck cancer patients: a feasibility study. *J Med Internet Res.*, 2014, 16:e74.
88. *Cnossen, I. C., van Uden-Kraan, C. F., Witte, B. I., Aalders, Y. J., de Goede, C. J. T., de Bree, R., Doornaert, P., Rietveld, D. H. F., Buter, J., Langendijk, J. A., Leemans, C. R., & Verdonck-de Leeuw, I. M. (2017). Prophylactic exercises among head and neck cancer patients during and after swallowing sparing intensity modulated radiation: adherence and exercise performance levels of a 12-week guided home-based program. *European Archives of Oto-Rhino-Laryngology*, 274(2), 1129–1138. <https://doi.org/10.1007/s00405-016-4367-9>
89. Coetzee, N., Andrewes, D., Khan, F., Hale, T., Jenkins, L., Lincoln, N., & Disler, P. (2008). Predicting compliance with treatment following stroke: A new model of adherence following rehabilitation. *Brain Impairment*, 9(2), 122–139. <https://doi.org/10.1375/brim.9.2.122>
90. Cogan, A. M., Huang, J., & Philip, J. (2019). Military Service Member Perspectives About Occupational Therapy Treatment in a Military Concussion Clinic. *OTJR: Occupation, Participation and Health*, 39(4), 232–238. <https://doi.org/10.1177/1539449218813849>
91. Cohen-Cline, H., Wernli, K. J., Bradford, S. C., Boles-Hall, M., & Grossman, D. C. (2014). Use of interactive voice response to improve colorectal cancer screening. *Medical Care*, 52(6), 496–499. <https://doi.org/10.1097/MLR.0000000000000116>
92. Cole, M. A., Muir, J. J., Gans, J. J., Shin, L. M., D'Esposito, M., Harel, B. T., & Schembri, A. (2015). Simultaneous Treatment of Neurocognitive and Psychiatric Symptoms in Veterans with Post-Traumatic Stress Disorder and History of Mild Traumatic Brain Injury: A Pilot Study of Mindfulness-Based Stress Reduction. *Military Medicine*, 180(9), 956–963. <https://doi.org/10.7205/MILMED-D-14-00581>
93. Colella, G., Cannavale, R., Vicidomini, A., Rinaldi, G., Compilato, D., & Campisi, G. (2010). Efficacy of a Spray Compound Containing a Pool of Collagen Precursor Synthetic Aminoacids (L-Proline, L-Leucine, L-Lysine and Glycine) Combined with Sodium Hyaluronate to Manage Chemo/Radiotherapy-Induced Oral Mucositis: Preliminary Data of an Open Clinical Trial. *International Journal of Immunopathology and Pharmacology*, 23(1), 143–151. <https://doi.org/10.1177/039463201002300113>
94. Connelly, K., Siek, K. A., Chaudry, B., Jones, J., Astroth, K., & Welch, J. L. (2012). An offline mobile nutrition monitoring intervention for varying-literacy patients receiving hemodialysis: a pilot study examining usage and usability. *Journal of the American Medical Informatics Association: JAMIA*, 19(5), 705–712. <https://doi.org/10.1136/amiajnl-2011-000732>

95. Connery, A. K., Peterson, R. L., Baker, D. A., & Kirkwood, M. W. (2016). The impact of pediatric neuropsychological consultation in mild traumatic brain injury: a model for providing feedback after invalid performance. *The Clinical Neuropsychologist*, 30(4), 579–598. <https://doi.org/10.1080/13854046.2016.1177596>
96. Connolly, F. R., Aitken, L. M., & Tower, M. (2014). An integrative review of self-efficacy and patient recovery post acute injury. *Journal of Advanced Nursing, Inc.*, 70(4), 714–728. <https://doi.org/10.1111/jan.12237>
97. Connolly, S., Caldwell, S. B., & Wilson, F. C. (2013). Maintaining community living with post brain injury agitation: A role for sodium valproate. *Brain Injury*, 27(6), 754–757. <https://doi.org/10.3109/02699052.2013.775503>
98. Constantinescu, G., Rieger, J., Winget, M., Paulsen, C., & Seikaly, H. (2017). Patient Perception of Speech Outcomes: The Relationship Between Clinical Measures and Self-Perception of Speech Function Following Surgical Treatment for Oral Cancer. *American Journal of Speech-Language Pathology*, 26(2), 241–247. https://doi.org/10.1044/2016_AJSLP-15-0170
99. Constantinescu, Gabriela, Rieger, Jana, Mummery, Kerry, & Hodgetts, William. (2017). Flow and Grit by Design: Exploring Gamification in Facilitating Adherence to Swallowing Therapy. *American Journal of Speech-language Pathology*, 26(4), 1296–1303. https://doi.org/10.1044/2017_AJSLP-17-0040
100. Convery, E., & Keidser, G. (2011). Transitioning hearing aid users with severe and profound loss to a new gain/frequency response: benefit, perception, and acceptance. *Journal of the American Academy of Audiology*, 22(3), 168–180. <https://doi.org/10.3766/jaaa.22.3.5>
101. Conway, A., & Walshe, M. (2015). Management of non-progressive dysarthria: practice patterns of speech and language therapists in the Republic of Ireland. *International Journal of Language & Communication Disorders*, 50(3), 374–388. <https://doi.org/10.1111/1460-6984.12143>
102. Cooke, K., & Millard, S. K. (2018). The Most Important Therapy Outcomes for School-Aged Children Who Stutter: An Exploratory Study. *American Journal of Speech-Language Pathology*, 27(3S), 1152–1163. https://doi.org/10.1044/2018_AJSLP-ODC11-17-0195
103. Corkrey, R., Parkinson, L., & Bates, L. (2005). Pressing the key pad: trial of a novel approach to health promotion advice. *Preventive Medicine*, 41(2), 657–666. <https://doi.org/10.1016/j.ypmed.2004.12.008>
104. Corkrey, R., Parkinson, L., Bates, L., Green, S., & Htun, A. T. (2005). Pilot of a novel cervical screening intervention: interactive voice response. *Australian and New Zealand Journal of Public Health*, 29(3), 261–264. <https://doi.org/10.1111/j.1467-842x.2005.tb00765.x>
105. Coronado-Vázquez, V., Navarro-Abal, Y., Magallón-Botaya, R., Cerezo Espinosa de Los Monteros, J., Cruz-Salgado, Ó., Gómez-Salgado, J., & Ramírez Durán, M. D. V. (2019). [Applicability of decision aids in emergency departments: an exploratory review]. *Revista Espanola De Salud Publica*, 93.
106. Corrigan JD, & Bogner J. (2007). Interventions to promote retention in substance abuse treatment. *Brain Injury*, 21(4), 343–356. <https://doi.org/10.1080/02699050701253103>
107. Corrigan, J. D., Bogner, J., Lamb-Hart, G., Heinemann, A. W., & Moore, D. (2005). Increasing substance abuse treatment compliance for persons with traumatic brain injury. *Psychology of Addictive Behaviors*, 19(2), 131–139. <https://doi.org/10.1037/0893-164X.19.2.131>
108. Corsten, S., Schimpf, E. J., Konradi, J., Keilmann, A., & Hardering, F. (2015). The participants' perspective: how biographic-narrative intervention influences identity

- negotiation and quality of life in aphasia. *International Journal of Language & Communication Disorders*, 50(6), 788–800. <https://doi.org/10.1111/1460-6984.12173>
109. Costa, B. O. I. da, Silva, P. O. C., Pinheiro, R. S. de A., Silva, H. F. da, & Almeida, A. A. F. de. (2017). Stage of readiness of patients with behavioral dysphonia in pre and post-group voice therapy assessments. *CoDAS*, 29(4), e20160198. <https://doi.org/10.1590/2317-1782/20172016198>
110. Coyne, K. D., Trimble, K. A., Lloyd, A., Petrando, L., Pentz, J., Van Namen, K., Fawcett, A., & Laing, C. M. (2019). Interventions to Promote Oral Medication Adherence in the Pediatric Chronic Illness Population: A Systematic Review From the Children's Oncology Group. *Journal of Pediatric Oncology Nursing: Official Journal of the Association of Pediatric Oncology Nurses*, 36(3), 219–235. <https://doi.org/10.1177/1043454219835451>
111. Crogan, N. L., Short, R., Dupler, A. E., & Heaton, G. (2015). The Influence of Cognitive Status on Elder Food Choice and Meal Service Satisfaction. *American Journal of Alzheimer's Disease and Other Dementias*, 30(7), 679–685. <https://doi.org/10.1177/1533317512461556>
112. Cummings, L. (2017). Pragmatic Disorders in Forensic Settings. In F. Poggi & A. Capone (Eds.), *Pragmatics and Law: Practical and Theoretical Perspectives* (Vol. 10, pp. 349–377). Springer International Publishing Ag. https://doi.org/10.1007/978-3-319-44601-1_14
113. Currie, A. C., Bright, T., Thompson, S. K., Smith, L., Devitt, P. G., & Watson, D. I. (2019). Acceptable outcomes after fundoplication-different views are held by patients, GPs, and surgeons. *Diseases of the Esophagus: Official Journal of the International Society for Diseases of the Esophagus*, 32(8). <https://doi.org/10.1093/dote/doz025>
114. Currier, G. F. (1991). Nonsurgical and interactive orthodontics. *Current Opinion in Dentistry*, 1(5), 598–608.
115. Dang, A. H., Gjolaj, L. N., & Peck, H. (2018). Using Rapid Cycle Improvement (Plan, Do, Study, Act) to Design a Scalable Appointment Scheduling System for Complex Oncology Clinical Trials at an Academic Cancer Center. *Journal of Oncology Practice*, 14(9), e591–e601. <https://doi.org/10.1200/JOP.18.00071>
116. Darling, J. A., & Circo, D. K. (2015). Measuring happiness in individuals with profound multiple disabilities. *Research in Developmental Disabilities*, 47, 117–125. <https://doi.org/10.1016/j.ridd.2015.09.005>
117. Davis, J., Cardell, E., & Coccetti, A. (2014). Management of dysphagia in thrombolysed stroke patients. *Journal of Clinical Practice in Speech-Language Pathology*, 16(2), 90–97. <https://doi.org/10.1080/17549507.2016.1221457>
118. de Kloet, A. J., Berger, M. A. M., Verhoeven, I. M. A. J., van Stein Callenfels, K., & Vlieland, T. P. M. V. (2012). Gaming supports youth with acquired brain injury? A pilot study. *Brain Injury*, 26(7/8), 1021–1029. <https://doi.org/10.3109/02699052.2012.654592>
119. de Maddalena, H., & Pfrang, H. (1993). [Improvement of communication behavior of laryngectomized and voice-rehabilitated patients by a psychological training program]. *HNO*, 41(6), 289–295.
120. Decker, V., Spoelstra, S., Miezio, E., Bremer, R., You, M., Given, C., & Given, B. (2009). A pilot study of an automated voice response system and nursing intervention to monitor adherence to oral chemotherapy agents. *Cancer Nursing*, 32(6), E20-29. <https://doi.org/10.1097/NCC.0b013e3181b31114>
121. Denger, B., Kinnett, K., Martin, A., Grant, S., Armstrong, C., & Khodyakov, D. (2019). Patient and caregiver perspectives on guideline adherence: the case of endocrine and bone health recommendations for Duchenne muscular dystrophy. *Orphanet Journal of Rare Diseases*, 14(1), N.PAG-N.PAG. <https://doi.org/10.1186/s13023-019-1173-7>

122. Devine, J. M., Wong, B., Gervino, E., Pascual-Leone, A., & Alexander, M. P. (2016). Independent, Community-Based Aerobic Exercise Training for People With Moderate-to-Severe Traumatic Brain Injury. *Archives of Physical Medicine & Rehabilitation*, 97(8), 1392–1397. <https://doi.org/10.1016/j.apmr.2016.04.015>
123. Dias, A. E., Limongi, J. C. P., Barbosa, E. R., & Hsing, W. T. (2016). Voice telerehabilitation in Parkinson's disease. *CoDAS*, 28(2), 176–181. <https://doi.org/10.1590/2317-1782/20162015161>
124. Dibley, L. B., Norton, C., & Jones, R. (2010). Don't eat tomatoes: patient's self-reported experiences of causes of symptoms in gastro-oesophageal reflux disease. *Family Practice*, 27(4), 410–417. <https://doi.org/10.1093/fampra/cm020>
125. Dick, S., Thomas, J., McMillan, J., Davis, K., & Miles, A. (n.d.). Swallowing rehabilitation following spinal injury: A case series. *Journal of Spinal Cord Medicine*. <https://doi.org/10.1080/10790268.2020.1762828>
126. Do you follow guidelines for traumatic brain injury? (2008). *ED Nursing*, 11(6), 68–70.
127. Dorstyn, D., Roberts, R., Murphy, G., Kneebone, I., Craig, A., Chur-Hansen, A., Migliorini, C., Potter, E., Marshall, R., Clark, J., Neeson, S., & Stewart, P. (2019). Can targeted job-information for adults with spinal cord dysfunction be effectively delivered online? A pilot study. *Journal of Spinal Cord Medicine*, 42(1), 94–101. <https://doi.org/10.1080/10790268.2017.1321821>
128. Driver, S., Reynolds, M., Woolsey, A., Callender, L., Prajapati, P. K., Bennett, M., & Kramer, K. (2018). Impact of a Community-Based Healthy Lifestyle Program on Individuals With Traumatic Brain Injury. *Journal of Head Trauma Rehabilitation*, 33(6), E49–E58. <https://doi.org/10.1097/HTR.0000000000000372>
129. Driver, Simon, Juengst, Shannon, McShan, Evan Elizabeth, Bennett, Monica, Bell, Kathleen, and Dubiel, Rosemary. "A Randomized Controlled Trial Protocol for People with Traumatic Brain Injury Enrolled in a Healthy Lifestyle Program (GLB-TBI)." Contemporary Clinical Trials Communications14 (2019): 100328. Web.
130. Duarte VM, Chhetri DK, Liu YF, Erman AA, Wang MB. Swallow preservation exercises during chemoradiation therapy maintains swallow function. *Otolaryngol-Head Neck Surg*. 2013;149(6):878–84.
131. Ducharme, J. M. (1999). A conceptual model for treatment of externalizing behaviour in acquired brain injury. *Brain Injury*, 13(9), 645–668. <https://doi.org/10.1080/026990599121232>
132. Ducharme, J. M. (2000). Treatment of maladaptive behavior in acquired brain injury: Remedial approaches in postacute settings. *Clinical Psychology Review*, 20(3), 405–426. [https://doi.org/10.1016/S0272-7358\(98\)00102-0](https://doi.org/10.1016/S0272-7358(98)00102-0)
133. Ducharme, J. M. (2003). "Errorless" rehabilitation - Strategies of proactive intervention for individuals with brain injury and their children. *Journal of Head Trauma Rehabilitation*, 18(1), 88–104. <https://doi.org/10.1097/00001199-200301000-00009>
134. Ducharme, J. M., Davidson, A., & Rushford, N. (2002). Treatment of oppositional behavior in children of parents with brain injury and chronic pain. *Journal of Emotional and Behavioral Disorders*, 10(4), 241–248. <https://doi.org/10.1177/10634266020100040601>
135. Ducharme, J. M., Spencer, T., Davidson, A., & Rushford, N. (2002). Errorless compliance training: Building a cooperative relationship between parents with brain injury and their oppositional children. *American Journal of Orthopsychiatry*, 72(4), 585–595. <https://doi.org/10.1037/0002-9432.72.4.585>
136. Ducharme, Joseph M. (2008). Errorless remediation: A success-focused and noncoercive model for managing severe problem Behavior in children. *Infants & Young Children*, 21(4), 296–305. <https://doi.org/10.1097/01.IYC.0000336542.45003.47>

137. Dworkin, J. P., & Treadway, C. (2009). Idiopathic vocal fold paralysis: clinical course and outcomes. *Journal of the Neurological Sciences*, 284(1–2), 56–62. <https://doi.org/10.1016/j.jns.2009.04.004>
138. Ekhtiari, H., Rezapour, T., Aupperle, R. L., & Paulus, M. P. (2017). Neuroscience-informed psychoeducation for addiction medicine: A neurocognitive perspective. In T. Calvey & W. M. U. Daniels (Eds.), *Brain Research in Addiction* (Vol. 235, pp. 239–264). Elsevier Science Bv. <https://doi.org/10.1016/bs.pbr.2017.08.013>
139. El Edelbi, R., Eksborg, S., & Lindemalm, S. (2015). In situ coating makes it easier for children to swallow and tolerate tablets and capsules. *Acta Paediatrica (Oslo, Norway: 1992)*, 104(9), 956–961. <https://doi.org/10.1111/apa.13041>
140. Elefant, C., Baker, F. A., Lotan, M., Lagesen, S. K., & Skeie, G. O. (2012). The effect of group music therapy on mood, speech, and singing in individuals with Parkinson's disease--a feasibility study. *Journal of Music Therapy*, 49(3), 278–302. <https://doi.org/10.1093/jmt/49.3.278>
141. Elie, D., Marino, A., Torres-Platas, S. G., Noohi, S., Semeniuk, T., Segal, M., Looper, K. J., & Rej, S. (2018). End-of-Life Care Preferences in Patients with Severe and Persistent Mental Illness and Chronic Medical Conditions: A Comparative Cross-Sectional Study. *The American Journal of Geriatric Psychiatry: Official Journal of the American Association for Geriatric Psychiatry*, 26(1), 89–97. <https://doi.org/10.1016/j.jagp.2017.09.018>
142. Epstein, A. S., Desai, A. V., Bernal, C., Romano, D., Wan, P. J., Okpako, M., Anderson, K., Chow, K., Kramer, D., Calderon, C., Klimek, V. V., Rawlins-Duell, R., Reidy, D. L., Goldberg, J. I., Cruz, E., & Nelson, J. E. (2019). Giving Voice to Patient Values Throughout Cancer: A Novel Nurse-Led Intervention. *Journal of Pain and Symptom Management*, 58(1), 72-79.e2. <https://doi.org/10.1016/j.jpainsymman.2019.04.028>
143. Epstein, R. M., Duberstein, P. R., Fenton, J. J., Fiscella, K., Hoerger, M., Tancredi, D. J., Xing, G., Gramling, R., Mohile, S., Franks, P., Kaesberg, P., Plumb, S., Cipri, C. S., Street, R. L., Shields, C. G., Back, A. L., Butow, P., Walczak, A., Tattersall, M., ... Kravitz, R. L. (2017). Effect of a Patient-Centered Communication Intervention on Oncologist-Patient Communication, Quality of Life, and Health Care Utilization in Advanced Cancer: The VOICE Randomized Clinical Trial. *JAMA Oncology*, 3(1), 92–100. <https://doi.org/10.1001/jamaoncol.2016.4373>
144. Ernst, A. O. E. (2000). Can singing exercises reduce snoring? A pilot study. *Complementary Therapies in Medicine*, 8(3), 151–156. <https://doi.org/10.1054/ctim.2000.0376>
145. Evans CC, Sherer M, Nakase-Richardson R, Mani T, & Irby JW Jr. (2008). Evaluation of an interdisciplinary team intervention to improve therapeutic alliance in post-acute brain injury rehabilitation. *Journal of Head Trauma Rehabilitation*, 23(5), 329–337. <https://doi.org/10.1097/01.htr.0000336845.06704.bc>
146. Evans, J. J., Greenfield, E., Wilson, B. A., & Bateman, A. (2009). Walking and talking therapy: Improving cognitive-motor dual-tasking in neurological illness. *Journal of the International Neuropsychological Society*, 15(1), 112–120. <https://doi.org/10.1017/S1355617708090152>
147. Farzanfar, R., Stevens, A., Vachon, L., Friedman, R., & Locke, S. E. (2007). Design and development of a mental health assessment and intervention system. *Journal of Medical Systems*, 31(1), 49–62. <https://doi.org/10.1007/s10916-006-9042-z>
148. Fenerty, S. D., West, C., Davis, S. A., Kaplan, S. G., & Feldman, S. R. (2012). The effect of reminder systems on patients' adherence to treatment. *Patient Preference and Adherence*, 6, 127–135. <https://doi.org/10.2147/PPA.S26314>

149. Fischer, M. J., Gutenbrunner, C., & Ptok, M. (2009). Intensified voice therapy: a new model for the rehabilitation of patients suffering from functional dysphonias. *International Journal of Rehabilitation Research. Internationale Zeitschrift Fur Rehabilitationsforschung. Revue Internationale De Recherches De Readaptation*, 32(4), 348–355. <https://doi.org/10.1097/MRR.0b013e32832c0d8f>
150. Fitzgerald, M. M., Kirk, G. D., & Bristow, C. A. (2011). Description and evaluation of a serious game intervention to engage low secure service users with serious mental illness in the design and refurbishment of their environment. *Journal of Psychiatric and Mental Health Nursing*, 18(4), 316–322. <https://doi.org/10.1111/j.1365-2850.2010.01668.x>
151. Flax, V. L., Negerie, M., Ibrahim, A. U., Leatherman, S., Daza, E. J., & Bentley, M. E. (2014). Integrating group counseling, cell phone messaging, and participant-generated songs and dramas into a microcredit program increases Nigerian women's adherence to international breastfeeding recommendations. *The Journal of Nutrition*, 144(7), 1120–1124. <https://doi.org/10.3945/jn.113.190124>
152. Flood, T., Wilson, I. M., & Cathcart, J. (2018). Service user involvement in radiotherapy and oncology education; the patient perspective. *Radiography (London, England: 1995)*, 24(3), 185–191. <https://doi.org/10.1016/j.radi.2018.01.003>
153. Fook, L., Morgan, R., Sharma, P., Adeko, A., & Turnbull, C. J. (2000). The impact of hearing on communication. *Postgraduate Medical Journal*, 76(892), 92–95. <https://doi.org/10.1136/pmj.76.892.92>
154. Formanek, M., Walderova, R., Banikova, S., Chmelova, I., Formankova, D., Zelenik, K., & Kominek, P. (2020). Effect of voice therapy with or without transcutaneous electrical stimulation on recovery of injured macroscopically intact recurrent laryngeal nerve after thyroid surgery. *European Archives of Oto-Rhino-Laryngology*, 277(3), 933–938. <https://doi.org/10.1007/s00405-020-05806-1>
155. Forster, A. J., Boyle, L., Shojania, K. G., Feasby, T. E., & van Walraven, C. (2009). Identifying patients with post-discharge care problems using an interactive voice response system. *Journal of General Internal Medicine*, 24(4), 520–525. <https://doi.org/10.1007/s11606-009-0910-3>
156. Forster, A. J., Erlanger, T. E., Jennings, A., Auger, C., Buckeridge, D., van Walraven, C., & Tamblyn, R. (2015). Effectiveness of a computerized drug-monitoring program to detect and prevent adverse drug events and medication non-adherence in outpatient ambulatory care: study protocol of a randomized controlled trial. *Trials*, 16, 2. <https://doi.org/10.1186/1745-6215-16-2>
157. Fortier, C. B., Kenna, A., Dams-O'Connor, K., Fonda, J., Levin, L. K., Hursh, C., Franz, H., Milberg, W. P., & McGlinchey, R. E. (2018). Feasibility of a Skills-Based Group Reintegration Workshop for OEF/OIF Veterans: STEP-Home. *The Journal of Head Trauma Rehabilitation*, 33(4), E17–E23. <https://doi.org/10.1097/HTR.0000000000000362>
158. Freyne, J., Pocock, C., Bradford, D., Harrap, K., & Brinkman, S. (2015). Designing Technology for Assessments of CALD Patients. In A. Georgiou, H. Grain, & L. K. Schaper (Eds.), *Driving Reform: Digital Health Is Everyone's Business* (Vol. 214, pp. 36–42). Los Press. <https://doi.org/10.3233/978-1-61499-558-6-36>
159. Friberg, D., Sundman, J., & Browaldh, N. (2020). Long-term evaluation of satisfaction and side effects after modified uvulopalatopharyngoplasty. *The Laryngoscope*, 130(1), 263–268. <https://doi.org/10.1002/lary.27917>
160. Fried, R., DiSalvo, M., Kelberman, C., Adler, A., McCafferty, D., Woodworth, K. Y., Green, A., Biederman, I., Faraone, S., & Biederman, J. (2020). An innovative SMS intervention to improve adherence to stimulants in children with ADHD: Preliminary

- findings. *Journal of Psychopharmacology*, 34(8), 883–890.
<https://doi.org/10.1177/0269881120908014>
161. Frohlich, S., Johnson, P., & Moriarty, J. (2011). Prevalence, management and outcomes of traumatic brain injury patients admitted to an Irish intensive care unit. *Irish Journal of Medical Science*, 180(2), 423–427.
<https://doi.org/10.1007/s11845-011-0674-8>
162. Fujimaki, Y., Tsunoda, K., Kobayashi, R., Tonghyo, C., Tanaka, F., Kuroda, H., Numata, T., Ishii, T., Kuroda, R., Masuda, S., Hashimoto, S., Misawa, H., Shindo, N., Mori, T., Mori, H., Uchiyama, N., Kamei, Y., Tanaka, M., Hamaya, H., ... Research Group for Aspiration Pneumonia, National Hospital Organization, Japan. (2017). Independent exercise for glottal incompetence to improve vocal problems and prevent aspiration pneumonia in the elderly: a randomized controlled trial. *Clinical Rehabilitation*, 31(8), 1049–1056. <https://doi.org/10.1177/0269215516673208>
163. Fukuda, S., Nakajima, K., Miyazaki, Y., Takahashi, T., Makino, T., Kurokawa, Y., Yamasaki, M., Miyata, H., Takiguchi, S., Mori, M., & Doki, Y. (2016). Laparoscopic surgery for esophageal achalasia: Multiport vs single-incision approach. *Asian Journal of Endoscopic Surgery*, 9(1), 14–20. <https://doi.org/10.1111/ases.12226>
164. Gaining Greater Adherence from Patients for Amplification. (2019). *Seminars in Hearing*, 40(3), 245–252. <https://doi.org/10.1055/s-0039-1693491>
165. Galey, J. L., Eagle, S. R., Blaney, N. A., Holland, C. L., Bitzer, H. B., Schneider, W., Okonkwo, D. O., Mucha, A., Collins, M. W., & Kontos, A. P. (2020). Effect of Patient Compliance With Treatment Recommendations on Clinical Outcomes in Chronic mTBI: A TEAM-TBI Study. *Military Medicine*, 185(7–8), E1229–E1234.
<https://doi.org/10.1093/milmed/usaa025>
166. Galvagno Jr., S. M., Mabry, R. L., Maddry, J., Kharod, C. U., Walrath, B. D., Powell, E., Shackelford, S., & Galvagno, S. M. J. (2018). Measuring US Army medical evacuation: Metrics for performance improvement. *Journal of Trauma & Acute Care Surgery*, 84(1), 150–156. <https://doi.org/10.1097/TA.0000000000001715>
167. Ganjali, R., Taherzadeh, Z., Ghorban Sabbagh, M., Nazemiyan, F., Mamdouhi, F., Tabesh, H., Badiee Aval, S., Golmakani, R., Mostafavi, S. M., & Eslami, S. (2019). Effect of an interactive voice response system on self-management in kidney transplant recipients: Protocol for a randomized controlled trial. *Medicine*, 98(6), e14291. <https://doi.org/10.1097/MD.00000000000014291>
168. Garcia, J. M., Chambers, E., & Molander, M. (2005). Thickened liquids: practice patterns of speech-language pathologists. *American Journal of Speech-Language Pathology*, 14(1), 4–13. [https://doi.org/10.1044/1058-0360\(2005/003\)](https://doi.org/10.1044/1058-0360(2005/003))
169. Garner, A. A., Mann, K. P., Fearnside, M., Poynter, E., & Gebiski, V. (2015). The Head Injury Retrieval Trial (HIRT): a single-centre randomised controlled trial of physician prehospital management of severe blunt head injury compared with management by paramedics only. *Emergency Medicine Journal*, 32(11), 869–875.
<https://doi.org/10.1136/emmermed-2014-204390>
170. Garvie PA, Lensing S, & Rai SN. (2007). Efficacy of a pill-swallowing training intervention to improve antiretroviral medication adherence in pediatric patients with HIV/AIDS. *Pediatrics*, 119(4), e893-9. <https://doi.org/10.1542/peds.2006-1488>
171. Gelano, T. F., Assefa, N., Bacha, Y. D., Mahamed, A. A., Roba, K. T., & Hambisa, M. T. (2018). Effect of Mobile-health on maternal health care service utilization in Eastern Ethiopia: study protocol for a randomized controlled trial. *Trials*, 19(1), 102.
<https://doi.org/10.1186/s13063-018-2446-5>
172. Gibreal, O., Hajeer, M. Y., & Brad, B. (2019). Evaluation of the levels of pain and discomfort of piezocision-assisted flapless corticotomy when treating severely

- crowded lower anterior teeth: a single-center, randomized controlled clinical trial. *BMC Oral Health*, 19(1), 57. <https://doi.org/10.1186/s12903-019-0758-9>
173. Gichane, M. W., Sullivan, K. A., Shayo, A. M., Mmbaga, B. T., O' Donnell, K., Cunningham, C. K., & Dow, D. E. (2018). Caregiver role in HIV medication adherence among HIV-infected orphans in Tanzania. *AIDS Care*, 30(6), 701–705. <https://doi.org/10.1080/09540121.2017.1391986>
174. Gieser, S. N. (2017). *Integration of Multimodal Sensor Data for Targeted Assessment & Intervention* [Doctoral thesis]. University of Texas Arlington Research Commons. <http://hdl.handle.net/10106/27262>
175. Gillivan-Murphy, P., Miller, N., & Carding, P. (2019). Voice treatment in Parkinson's disease: patient perspectives. *Research and Reviews in Parkinsonism*, 9, 29–42. <https://doi.org/10.2147/JPRLS.S180183>
176. Giordana, M. T., Ferrero, P., Grifoni, S., Pellerino, A., Naldi, A., & Montuschi, A. (2011). Dementia and cognitive impairment in amyotrophic lateral sclerosis: a review. *Neurological Sciences*, 32(1), 9–16. <https://doi.org/10.1007/s10072-010-0439-6>
177. Giralt, J., Tao, Y., Kortmann, R.-D., Zasadny, X., Contreras-Martinez, J., Ceruse, P., Arias de la Vega, F., Lalla, R. V., Ozsahin, E. M., Pajkos, G., Mazar, A., Attali, P., Bossi, P., Vasseur, B., Sonis, S., Henke, M., & Bensadoun, R.-J. (2020). Randomized Phase 2 Trial of a Novel Clonidine Mucoadhesive Buccal Tablet for the Amelioration of Oral Mucositis in Patients Treated With Concomitant Chemoradiation Therapy for Head and Neck Cancer. *International Journal of Radiation Oncology, Biology, Physics*, 106(2), 320–328. <https://doi.org/10.1016/j.ijrobp.2019.10.023>
178. Giuffrida, J. P., Lerner, A., Steiner, R., & Daly, J. (2008). Upper-extremity stroke therapy task discrimination using motion sensors and electromyography. *Ieee Transactions on Neural Systems and Rehabilitation Engineering*, 16(1), 82–90. <https://doi.org/10.1109/TNSRE.2007.914454>
179. Gmeiner, D., von Rahden, B. H. A., Meco, C., Hutter, J., Oberascher, G., & Stein, H. J. (2007). Flexible versus rigid endoscopy for treatment of foreign body impaction in the esophagus. *Surgical Endoscopy*, 21(11), 2026–2029. <https://doi.org/10.1007/s00464-007-9252-6>
180. Godecke, E., Hird, K., Lalor, E. E., Rai, T., & Phillips, M. R. (2012). Very early poststroke aphasia therapy: a pilot randomized controlled efficacy trial. *International Journal of Stroke: Official Journal of the International Stroke Society*, 7(8), 635–644. <https://doi.org/10.1111/j.1747-4949.2011.00631.x>
181. Goldman, R. E., Sanchez-Hernandez, M., Ross-Degnan, D., Piette, J. D., Trinacty, C. M., & Simon, S. R. (2008). Developing an automated speech-recognition telephone diabetes intervention. *International Journal for Quality in Health Care: Journal of the International Society for Quality in Health Care*, 20(4), 264–270. <https://doi.org/10.1093/intqhc/mzn021>
182. Gong, E., Gu, W., Luo, E., Tan, L., Donovan, J., Sun, C., Yang, Y., Zang, L., Bao, P., & Yan, L. L. (2019). Development and Local Contextualization of Mobile Health Messages for Enhancing Disease Management Among Community-Dwelling Stroke Patients in Rural China: Multimethod Study. *JMIR MHealth and UHealth*, 7(12), e15758. <https://doi.org/10.2196/15758>
183. Gong, E., Gu, W., Sun, C., Turner, E. L., Zhou, Y., Li, Z., Bettger, J. P., Oldenburg, B., Amaya-Burns, A., Wang, Y., Xu, L.-Q., Yao, J., Dong, D., Xu, Z., Li, C., Hou, M., & Yan, L. L. (2019). System-integrated technology-enabled model of care to improve the health of stroke patients in rural China: protocol for SINEMA-a cluster-randomized controlled trial. *American Heart Journal*, 207, 27–39. <https://doi.org/10.1016/j.ahj.2018.08.015>

184. Goswami, U., Black, A., Krohn, B., Meyers, W., & Iber, C. (2019). Smartphone-based delivery of oropharyngeal exercises for treatment of snoring: a randomized controlled trial. *Sleep & Breathing = Schlaf & Atmung*, 23(1), 243–250. <https://doi.org/10.1007/s11325-018-1690-y>
185. Govardhan, C., Murdock, J., Norouz-Knutsen, L., Valcu-Pinkerton, S., & Zaghi, S. (2019). Lingual and Maxillary Labial Frenuloplasty with Myofunctional Therapy as a Treatment for Mouth Breathing and Snoring. *Case Reports in Otolaryngology*, 2019, 3408053. <https://doi.org/10.1155/2019/3408053>
186. Govender, R., Smith, C. H., Taylor, S. A., Barratt, H., & Gardner, B. (2017). Swallowing interventions for the treatment of dysphagia after head and neck cancer: a systematic review of behavioural strategies used to promote patient adherence to swallowing exercises. *BMC Cancer*, 17(1), 43. <https://doi.org/10.1186/s12885-016-2990-x>
187. Govender, R., Smith, C. H., Taylor, S. A., Grey, D., Wardle, J., & Gardner, B. (2015). Identification of behaviour change components in swallowing interventions for head and neck cancer patients: protocol for a systematic review. *Systematic Reviews*, 4, 89. <https://doi.org/10.1186/s13643-015-0077-4>
188. Govender, R., Wood, C., Taylor, S., Smith, C., Barratt, H., Gardner, B., Wood, C. E., Taylor, S. A., & Smith, C. H. (2017). Patient Experiences of Swallowing Exercises After Head and Neck Cancer: A Qualitative Study Examining Barriers and Facilitators Using Behaviour Change Theory. *Dysphagia (0179051X)*, 32(4), 559–569. <https://doi.org/10.1007/s00455-017-9799-x>
189. Granda-Cameron, C., DeMille, D., Lynch, M. P., Huntzinger, C., Alcorn, T., Levicoff, J., Roop, C., & Mintzer, D. (2010). An interdisciplinary approach to manage cancer cachexia. *Clinical Journal of Oncology Nursing*, 14(1), 72–80. <https://doi.org/10.1188/10.CJON.72-80>
190. Grant, R. W., Lyles, C., Uratsu, C. S., Vo, M. T., Bayliss, E. A., & Heisler, M. (2019). Visit Planning Using a Waiting Room Health IT Tool: The Aligning Patients and Providers Randomized Controlled Trial. *Annals of Family Medicine*, 17(2), 141–149. <https://doi.org/10.1370/afm.2352>
191. Greaney, M. L., Puleo, E., Sprunck-Harrild, K., Bennett, G. G., Cunningham, M. A., Gillman, M. W., Coeling, M., & Emmons, K. M. (2012). Electronic reminders for cancer prevention: factors associated with preference for automated voice reminders or text messages. *Preventive Medicine*, 55(2), 151–154. <https://doi.org/10.1016/j.ypmed.2012.05.014>
192. Griffith R. (2006). Improving patients' adherence to medical regimens. *Practice Nurse*, 31(4), 21–26.
193. Guilkey, R. E., Draucker, C. B., Wu, J., Yu, Z., & Kroenke, K. (2018). Acceptability of a telecare intervention for persistent musculoskeletal pain. *Journal of Telemedicine and Telecare*, 24(1), 44–50. <https://doi.org/10.1177/1357633X16670815>
194. Guler, J., de Vries, P. J., Seris, N., Shabalala, N., & Franz, L. (2018). The importance of context in early autism intervention: A qualitative South African study. *Autism: The International Journal of Research and Practice*, 22(8), 1005–1017. <https://doi.org/10.1177/1362361317716604>
195. Gureje, O., Oladeji, B. D., Araya, R., Montgomery, A. A., Kola, L., Kirmayer, L., Zekowitz, P., & Groleau, D. (2015). Expanding care for perinatal women with depression (EXPONATE): study protocol for a randomized controlled trial of an intervention package for perinatal depression in primary care. *Bmc Psychiatry*, 15, 136. <https://doi.org/10.1186/s12888-015-0537-3>

196. Haddock, G., Sellwood, W., Tarrier, N., & Yusupoff, L. (1994). Developments in Cognitive-Behavior Therapy for Persistent Psychotic Symptoms. *Behaviour Change*, 11(4), 200–212. <https://doi.org/10.1017/S0813483900004472>
197. Hainarosie, R., Pietrosanu, C., Zainea, V., Ionita, I. G., Stefanescu, D. C., Rusescu, A., Iana, R.-O., Daoud, M., Pituru, S., Pantea Stoian, A., & Hainarosie, M. (2018). *Vocal Granuloma Management. The Role of Botox Injection*(S. V. G. Bertesteanu & R. Grigore, Eds.). Filodiritto Publisher.
198. Hajdu SF, Wessel I, Johansen C, Kristensen CA, Kadkhoda ZT, Plaschke CC, Dalton SO. Swallowing therapy and progressive resistance training in head and neck cancer patients undergoing radiotherapy treatment: randomized control trial protocol and preliminary data. *Acta Oncol*. 2017;56:354–9.
199. Hajdú, S. F., Christensen, M. B., Kristensen, M. Ø., Wessel, I., Johansen, C., & Dalton, S. (2019). Adherence to preventive swallowing exercises for head and neck cancer patients undergoing (chemo)radiotherapy treatment. *Acta Oncologica (Stockholm, Sweden)*, 58(5), 658–664. <https://doi.org/10.1080/0284186X.2018.1563715>
200. Håkanson, B. S., Lundell, L., Bylund, A., & Thorell, A. (2019). Comparison of Laparoscopic 270° Posterior Partial Fundoplication vs Total Fundoplication for the Treatment of Gastroesophageal Reflux Disease: A Randomized Clinical Trial. *JAMA Surgery*, 154(6), 479–486. <https://doi.org/10.1001/jamasurg.2019.0047>
201. Halaweish, I., Riebe-Rodgers, J., Randall, A., & Ehrlich, P. F. (2018). Compliance with evidence-based guidelines for computed tomography of children with head and abdominal trauma. *Journal of Pediatric Surgery*, 53(4), 748–751. <https://doi.org/10.1016/j.jpedsurg.2017.07.008>
202. Haley, K. L., Cunningham, K. T., Barry, J., & de Riesthal, M. (2019). Collaborative Goals for Communicative Life Participation in Aphasia: The FOURC Model. *American Journal of Speech-Language Pathology*, 28(1), 1–13. https://doi.org/10.1044/2018_AJSLP-18-0163
203. Hall, C. S., Fottrell, E., Wilkinson, S., & Byass, P. (2014). Assessing the impact of mHealth interventions in low- and middle-income countries - what has been shown to work? *Global Health Action*, 7, 1–12. <https://doi.org/10.3402/gha.v7.25606>
204. Harman, J. L., Scott, A., & Jurbergs, N. (n.d.). Pill-Swallowing Training in Very Young Children With Cancer: A Case Series and Developmental Considerations. *Journal of Pediatric Oncology Nursing*, 1043454220958636. <https://doi.org/10.1177/1043454220958636>
205. Harrison, M., Palmer, R., & Cooper, C. (2020). Factors Associated With Adherence to Self-Managed Aphasia Therapy Practice on a Computer—A Mixed Methods Study Alongside a Randomized Controlled Trial. *Frontiers in Neurology*, 11, 582328. <https://doi.org/10.3389/fneur.2020.582328>
206. Hart T, Seignourel PJ, & Sherer M. (2009). A longitudinal study of awareness of deficit after moderate to severe traumatic brain injury. *Neuropsychological Rehabilitation*, 19(2), 161–176. <https://doi.org/10.1080/09602010802188393>
207. *Hart, T., Hawkey, K., & Whyte, J. (2002). Use of a portable voice organizer to remember therapy goals in traumatic brain injury rehabilitation: a within-subjects trial. *The Journal of Head Trauma Rehabilitation*, 17(6), 556–570. <https://doi.org/10.1097/00001199-200212000-00007>
208. Hartnick, C. J., & Zeitels, S. M. (2005). Pediatric video laryngo-stroboscopy. *International Journal of Pediatric Otorhinolaryngology*, 69(2), 215–219. <https://doi.org/10.1016/j.ijporl.2004.08.021>
209. Harvey L, de Jong I, Goehl G, & Mardwedel S. (2006). Twelve weeks of nightly stretch does not reduce thumb web-space contractures in people with a neurological

- condition: A randomised controlled trial. *Australian Journal of Physiotherapy*, 52(4), 251–258. [https://doi.org/10.1016/s0004-9514\(06\)70004-6](https://doi.org/10.1016/s0004-9514(06)70004-6)
210. Hasin, D. S., Aharonovich, E., & Greenstein, E. (2014). HealthCall for the smartphone: technology enhancement of brief intervention in HIV alcohol dependent patients. *Addiction Science & Clinical Practice*, 9, 5. <https://doi.org/10.1186/1940-0640-9-5>
211. Hassett LM, Moseley AM, Tate RL, Harmer AR, Fairbairn TJ, & Leung J. (2009). Efficacy of a fitness centre-based exercise programme compared with a home-based exercise programme in traumatic brain injury: a randomized controlled trial. *Journal of Rehabilitation Medicine (Stiftelsen Rehabiliteringsinformation)*, 41(4), 247–255. <https://doi.org/10.2340/16501977-0316>
212. Hazell, C. M., Hayward, M., Cavanagh, K., Jones, A.-M., & Strauss, C. (2018). Guided self-help cognitive-behaviour Intervention for VoiceEs (GiVE): Results from a pilot randomised controlled trial in a transdiagnostic sample. *Schizophrenia Research*, 195, 441–447. <https://doi.org/10.1016/j.schres.2017.10.004>
213. Hegel, M. T. (1988). Application of a token economy with a non-compliant closed head-injured male. *Brain Injury*, 2(4), 333–338. <https://doi.org/10.3109/02699058809150904>
214. Heisler, M., Halasyamani, L., Resnicow, K., Neaton, M., Shanahan, J., Brown, S., & Piette, J. D. (2007). "I am not alone": the feasibility and acceptability of interactive voice response-facilitated telephone peer support among older adults with heart failure. *Congestive Heart Failure (Greenwich, Conn.)*, 13(3), 149–157. <https://doi.org/10.1111/j.1527-5299.2007.06412.x>
215. Henriques, M. A., Costa, M. A., & Cabrita, J. (2012). Adherence and medication management by the elderly. *Journal of Clinical Nursing*, 21(21–22), 3096–3105. <https://doi.org/10.1111/j.1365-2702.2012.04144.x>
216. Heskestad, B., Waterloo, K., Ingebrigtsen, T., Romner, B., Harr, M. E., & Helseth, E. (2012). An observational study of compliance with the Scandinavian guidelines for management of minimal, mild and moderate head injury. *Scandinavian Journal of Trauma Resuscitation & Emergency Medicine*, 20, 32. <https://doi.org/10.1186/1757-7241-20-32>
217. Heyworth, L., Kleinman, K., Oddleifson, S., Bernstein, L., Frampton, J., Lehrer, M., Salvato, K., Weiss, T. W., Simon, S. R., & Connelly, M. (2014). Comparison of interactive voice response, patient mailing, and mailed registry to encourage screening for osteoporosis: a randomized controlled trial. *Osteoporosis International: A Journal Established as Result of Cooperation between the European Foundation for Osteoporosis and the National Osteoporosis Foundation of the USA*, 25(5), 1519–1526. <https://doi.org/10.1007/s00198-014-2629-1>
218. Higgins, M., McKevitt, C., & Wolfe, C. D. A. (2005). Reading to stroke unit patients: perceived impact and potential of an innovative arts based therapy. *Disability and Rehabilitation*, 27(22), 1391–1398. <https://doi.org/10.1080/09638280500164727>
219. Hill, T. K., & Colistra, A. L. (2014). Addiction-Related Cognitive Impairment in Substance Use Disorder Treatment: Behavioral Suggestions for Addictions Treatment Practitioners. *Alcoholism Treatment Quarterly*, 32(1), 19–32. <https://doi.org/10.1080/07347324.2013.831688>
220. Ho, P. M., Lambert-Kerzner, A., Carey, E. P., Fahdi, I. E., Bryson, C. L., Melnyk, S. D., Bosworth, H. B., Radcliff, T., Davis, R., Mun, H., Weaver, J., Barnett, C., Barón, A., & Del Giacco, E. J. (2014). Multifaceted intervention to improve medication adherence and secondary prevention measures after acute coronary syndrome hospital discharge: a randomized clinical trial. *JAMA Internal Medicine*, 174(2), 186–193. <https://doi.org/10.1001/jamainternmed.2013.12944>

221. Hodge, F. S., Cadogan, M., Itty, T. L., Williams, A., & Finney, A. (2016). Culture-broker and medical decoder: contributions of caregivers in American Indian cancer trajectories. *Journal of Community and Supportive Oncology*, 14(5), 221–228. <https://doi.org/10.12788/jcso.0254>
222. Hommel, K. A., & Baldassano, R. N. (2010). Brief report: Barriers to treatment adherence in pediatric inflammatory bowel disease. *Journal of Pediatric Psychology*, 35(9), 1005–1010. <https://doi.org/10.1093/jpepsy/jsp126>
223. Horwarth, M., Ball, A., & Smith, R. (2005). Taste preference and rating of commercial and natural thickeners. *Rehabilitation Nursing: The Official Journal of the Association of Rehabilitation Nurses*, 30(6), 239–246. <https://doi.org/10.1002/j.2048-7940.2005.tb00118.x>
224. Howard, J. M., Mongan, A.-M., Manning, B. J., Byrne, P., Lawler, P., Ravi, N., & Reynolds, J. V. (2010). Outcomes in achalasia from a surgical unit where pneumatic dilatation is first-line therapy. *Diseases of the Esophagus: Official Journal of the International Society for Diseases of the Esophagus*, 23(6), 465–472. <https://doi.org/10.1111/j.1442-2050.2010.01055.x>
225. Hsiao, K. Y., Li, W. C., Chang, C. H., Lin, M. H. C., Yang, J. T., Wang, P. C., & Chen, K. H. (2017). An evaluation of the ACEP guideline for mild head injuries in Taiwan. *Hong Kong Journal of Emergency Medicine*, 24(2), 73–78.
226. Huahua Liu, Yu Shi, Yuting Shi, Ruiping Hu, & Hong Jiang. (2016). Nursing management of post-stroke dysphagia in a tertiary hospital: a best practice implementation project. *JBI Database of Systematic Reviews & Implementation Reports*, 14(7), 266–274. <https://doi.org/10.11124/JBISRIR-2016-002971>
227. Huang, S., & Li, M. (2017). Piloting a mHealth intervention to improve newborn care awareness among rural Cambodian mothers: a feasibility study. *BMC Pregnancy and Childbirth*, 17(1), 356. <https://doi.org/10.1186/s12884-017-1541-z>
228. Huang, X., Chen, S., Zhao, H., Zeng, X., Lian, J., Tseng, Y., & Chen, J. (2017). Efficacy of transoral incisionless fundoplication (TIF) for the treatment of GERD: a systematic review with meta-analysis. *Surgical Endoscopy*, 31(3), 1032–1044. <https://doi.org/10.1007/s00464-016-5111-7>
229. Hufford, B. J., Williams, M. K., Malec, J. F., & Cravotta, D. (2012). Use of behavioural contracting to increase adherence with rehabilitation treatments on an inpatient brain injury unit: A case report. *Brain Injury*, 26(13/14), 1743–1749. <https://doi.org/10.3109/02699052.2012.698791>
230. Hundley, V., Phipps, B., Treadwell, M., Baker, C., Horn, J., & van Teijlingen, E. (2013). Intervention in childbirth: should we allow women to choose? *The Practising Midwife*, 16(11), 11–13.
231. Hung, L., Au-Yeung, A., Helmer, C., Ip, A., Elijah, L., Wilkins-Ho, M., & Chaudhury, H. (2018). Feasibility and acceptability of an iPad intervention to support dementia care in the hospital setting. *Contemporary Nurse*, 54(4–5), 350–361. <https://doi.org/10.1080/10376178.2018.1505436>
232. Hurwitz, M., Lucas, S., Bell, K. R., Temkin, N., Dikmen, S., & Hoffman, J. (2020). Use of Amitriptyline in the Treatment of Headache After Traumatic Brain Injury: Lessons Learned From a Clinical Trial. *Headache*, 60(4), 713–723. <https://doi.org/10.1111/head.13748>
233. Hussain, A., & Shakeel, M. (2010). Selective lateral laser thyroarytenoid myotomy for adductor spasmodic dysphonia. *The Journal of Laryngology and Otology*, 124(8), 886–891. <https://doi.org/10.1017/S0022215110000253>
234. Hutcheson KA, Bhayani MK, Beadle BM, Gold KA, Shinn EH, Lai SY, Lewin J. Eat and exercise during radiotherapy or chemoradiotherapy for pharyngeal cancers: use it or lose it. *JAMA Otolaryngol Head Neck Surg*. 2013;139:1127–34.

235. Hutchison, J., Ward, R., Lacroix, J., Hebert, P., Skippen, P., Barnes, M., Meyer, P., Morris, K., Kirpalani, H., Singh, R., Dirks, P., Bohn, D., & Moher, D. (2006). Hypothermia pediatric head injury trial: The value of a pretrial clinical evaluation phase. *Developmental Neuroscience*, 28(4–5), 291–301. <https://doi.org/10.1159/000094155>
236. Hutt, E., Reznickova, N., Morgenstern, N., Frederickson, E., & Kramer, A. M. (2004). Improving care for nursing home-acquired pneumonia in a managed care environment. *American Journal of Managed Care*, 10(10), 681–686.
237. Hwang, S. Y., & Kim, J. S. (2015). Risk Factor-tailored Small Group Education for Patients with First-time Acute Coronary Syndrome. *Asian Nursing Research*, 9(4), 291–297. <https://doi.org/10.1016/j.anr.2015.07.005>
238. Hypher, R. E., Brandt, A. E., Risnes, K., Ro, T. B., Skovlund, E., Andersson, S., Finnanger, T. G., & Stubberud, J. (2019). Paediatric goal management training in patients with acquired brain injury: study protocol for a randomised controlled trial. *Bmj Open*, 9(8). <https://doi.org/10.1136/bmjopen-2019-029273>
239. Ikeda, Y., Sasaki, T., Kuwahata, S., Imamura, M., Tanoue, K., Komaki, S., Hashiguchi, M., Kuroda, A., Akasaki, Y., Hamada, C., & Ohishi, M. (2018). Questionnaire Survey From the Viewpoint of Concordance in Patient and Physician Satisfaction Concerning Hypertensive Treatment in Elderly Patients – Patients Voice Study. *Circulation Journal: Official Journal of the Japanese Circulation Society*, 82(4), 1051–1061. <https://doi.org/10.1253/circj.CJ-17-1015>
240. Inadomi, J. M., McIntyre, L., Bernard, L., & Fendrick, A. M. (2003). Step-down from multiple- to single-dose proton pump inhibitors (PPIs): a prospective study of patients with heartburn or acid regurgitation completely relieved with PPIs. *The American Journal of Gastroenterology*, 98(9), 1940–1944. <https://doi.org/10.1111/j.1572-0241.2003.07665.x>
241. Isshiki, N., & Sanuki, T. (2010). Surgical tips for type II thyroplasty for adductor spasmodic dysphonia: modified technique after reviewing unsatisfactory cases. *Acta Oto-Laryngologica*, 130(2), 275–280. <https://doi.org/10.3109/00016480903036255>
242. Ivers, N., Schwalm, J.-D., Witteman, H. O., Presseau, J., Taljaard, M., McCready, T., Bosiak, B., Cunningham, J., Smarz, S., Desveaux, L., Tu, J. V., Atzema, C., Oakes, G., Isaranuwachai, W., Grace, S. L., Bhatia, R. S., Natarajan, M., & Grimshaw, J. M. (2017). Interventions Supporting Long-term Adherence aNd Decreasing cardiovascular events (ISLAND): Pragmatic randomized trial protocol. *American Heart Journal*, 190, 64–75. <https://doi.org/10.1016/j.ahj.2017.05.007>
243. Jacobsen, L., Patel, A., Fox, M., Miller, S., Bradford, K., & Jhaveri, R. (2015). A Pilot Study of the Pediatric Oral Medications Screener (POMS). *Hospital Pediatrics*, 5(11), 586–590. <https://doi.org/10.1542/hpeds.2015-0027>
244. Jacquot, J. M., Pouderoux, P., Piat, C., & Strubel, D. (2001). Management. *Presse Medicale*, 30(33), 1645–1656.
245. Jagani, M., Legay, H., Ranmal, S. R., Bertrand, J., Ooi, K., & Tuleu, C. (2016). Can a Flavored Spray (Pill Glide) Help Children Swallow Their Medicines? A Pilot Study. *Pediatrics*, 138(6). <https://doi.org/10.1542/peds.2016-0680>
246. Jaquet, Y., Lang, F., Pilloud, R., Savary, M., & Monnier, P. (2005). Partial cricotracheal resection for pediatric subglottic stenosis: long-term outcome in 57 patients. *The Journal of Thoracic and Cardiovascular Surgery*, 130(3), 726–732. <https://doi.org/10.1016/j.jtcvs.2005.04.020>
247. Jeansonne, L. O., White, B. C., Pilger, K. E., Shane, M. D., Zagorski, S., Davis, S. S., Hunter, J. G., Lin, E., & Smith, C. D. (2007). Ten-year follow-up of laparoscopic Heller myotomy for achalasia shows durability. *Surgical Endoscopy*, 21(9), 1498–1502. <https://doi.org/10.1007/s00464-007-9500-9>

248. Jenner, J. A., & van de Willige, G. (2001). HIT, hallucination focused integrative treatment as early intervention in psychotic adolescents with auditory hallucinations: a pilot study. *Acta Psychiatrica Scandinavica*, 103(2), 148–152. <https://doi.org/10.1034/j.1600-0447.2001.00189.x>
249. Jennings, H. M., Morrison, J., Akter, K., Kuddus, A., Ahmed, N., Kumer Shaha, S., Nahar, T., Haghparast-Bidgoli, H., Khan, A. A., Azad, K., & Fottrell, E. (2019). Developing a theory-driven contextually relevant mHealth intervention. *Global Health Action*, 12(1), 1550736. <https://doi.org/10.1080/16549716.2018.1550736>
250. Jha, R. M., Elmer, J., Zusman, B. E., Desai, S., Puccio, A. M., Okonkwo, D. O., Park, S. Y., Shutter, L. A., Wallisch, J. S., Conley, Y. P., & Kochanek, P. M. (2018). Intracranial Pressure Trajectories: A Novel Approach to Informing Severe Traumatic Brain Injury Phenotypes*. *Critical Care Medicine*, 46(11), 1792–1802. <https://doi.org/10.1097/CCM.0000000000003361>
251. Ji-Su PARK, Gihyoun LEE, & Young-Jin JUNG. (2019). EFFECTS OF GAME-BASED CHIN TUCK AGAINST RESISTANCE EXERCISE VS HEAD-LIFT EXERCISE IN PATIENTS WITH DYSPHAGIA AFTER STROKE: AN ASSESSOR-BLIND, RANDOMIZED CONTROLLED TRIAL. *Journal of Rehabilitation Medicine (Stiftelsen Rehabiliteringsinformation)*, 51(10), 749–754. <https://doi.org/10.2340/16501977-2603>
252. Jiménez García, I., Sala Moya, N., Riera Munt, M., Herrera Rodríguez, M. V., Povedano Panadés, M., & Virgili Casas, M. N. (2015). [The patient's opinion matters: experience in the nutritional care in an ALS multidisciplinary team]. *Nutricion Hospitalaria*, 31 Suppl 5, 56–66. <https://doi.org/10.3305/nh.2015.31.sup5.9132>
253. Juhasz, A., Sundaram, A., Hoshino, M., Lee, T. H., & Mittal, S. K. (2012). Outcomes of surgical management of symptomatic large recurrent hiatus hernia. *Surgical Endoscopy*, 26(6), 1501–1508. <https://doi.org/10.1007/s00464-011-2072-8>
254. Kaldoja, M.-L., Saard, M., Lange, K., Raud, T., Teeveer, O.-K., & Kolk, A. (2015). Neuropsychological benefits of computer-assisted cognitive rehabilitation (using FORAMENRehab program) in children with mild traumatic brain injury or partial epilepsy: A pilot study. *Journal of Pediatric Rehabilitation Medicine*, 8(4), 271–283. <https://doi.org/10.3233/PRM-150346>
255. Kalinowska, E., Tarnowski, W., Bielecki, K., & Banasiewicz, J. (2006). Quality of life before and after laparoscopic fundoplication. Does quality of life depend on psychological factors? Preliminary report. *Wiadomosci Lekarskie (Warsaw, Poland: 1960)*, 59(11–12), 772–777.
256. Kamal, A. K., Khalid, W., Muqeet, A., Jamil, A., Farhat, K., Gillani, S. R. A., Zulfikar, M., Saif, M., Muhammad, A. A., Zaidi, F., Mustafa, M., Gowani, A., Sharif, S., Bokhari, S. S., Tai, J., Rahman, N., Sultan, F. A. T., Sayani, S., & Virani, S. S. (2018). Making prescriptions “talk” to stroke and heart attack survivors to improve adherence: Results of a randomized clinical trial (The Talking Rx Study). *PloS One*, 13(12), e0197671. <https://doi.org/10.1371/journal.pone.0197671>
257. Kamal, A. K., Muqeet, A., Farhat, K., Khalid, W., Jamil, A., Gowani, A., Muhammad, A. A., Zaidi, F., Khan, D., Elahi, T., Sharif, S., Raz, S., Zafar, T., Bokhari, S. S., Rahman, N., Sultan, F. A. T., Sayani, S., & Virani, S. S. (2016). Using a tailored health information technology- driven intervention to improve health literacy and medication adherence in a Pakistani population with vascular disease (Talking Rx) - study protocol for a randomized controlled trial. *Trials*, 17(1), 121. <https://doi.org/10.1186/s13063-016-1244-1>
258. Kamolz T, Granderath FA, Pointner R, Kamolz, T., Granderath, F. A., & Pointner, R. (2003). The outcome of laparoscopic antireflux surgery in relation to patients' subjective degree of compliance with former antireflux medication. *Surgical*

- Laparoscopy, Endoscopy & Percutaneous Techniques*, 13(3), 155–160.
<https://doi.org/10.1097/00129689-200306000-00003>
259. Kamolz, T., Granderath, F. A., Bammer, T., Pasiut, M., & Pointner, R. (2001). Psychological intervention influences the outcome of laparoscopic antireflux surgery in patients with stress-related symptoms of gastroesophageal reflux disease. *Scandinavian Journal of Gastroenterology*, 36(8), 800–805.
<https://doi.org/10.1080/003655201750313306>
260. Kamolz, T., Granderath, F. A., Bammer, T., Wykypiel, H., & Pointner, R. (2002). "Floppy" Nissen vs. Toupet laparoscopic fundoplication: quality of life assessment in a 5-year follow-up (part 2). *Endoscopy*, 34(11), 917–922. <https://doi.org/10.1055/s-2002-35309>
261. Kamolz, T., Granderath, P. A., Bammer, T., Pasiut, M., Wykypiel, H., Herrmann, R., & Pointner, R. (2002). Mid- and long-term quality of life assessments after laparoscopic fundoplication and refundoplication: a single unit review of more than 500 antireflux procedures. *Digestive and Liver Disease: Official Journal of the Italian Society of Gastroenterology and the Italian Association for the Study of the Liver*, 34(7), 470–476. [https://doi.org/10.1016/s1590-8658\(02\)80104-9](https://doi.org/10.1016/s1590-8658(02)80104-9)
262. Kant, R., Bogyi, A. M., Carosella, N. W., Fishman, E., Kane, V., & Coffey, C. E. (1995). ECT as a therapeutic option in severe brain injury. *Convulsive Therapy*, 11(1), 45–50.
263. Kasarskis, E. J., Mendiondo, M. S., Wells, S., Malguizo, M. S., Thompson, M., Healey, M., Kryscio, R. J., & ALS Nutrition/NIPPV Study Group. (2011). The ALS Nutrition/NIPPV Study: design, feasibility, and initial results. *Amyotrophic Lateral Sclerosis: Official Publication of the World Federation of Neurology Research Group on Motor Neuron Diseases*, 12(1), 17–25.
<https://doi.org/10.3109/17482968.2010.515225>
264. Kassavou, A., & Sutton, S. (2017). Reasons for non-adherence to cardiometabolic medications, and acceptability of an interactive voice response intervention in patients with hypertension and type 2 diabetes in primary care: a qualitative study. *BMJ Open*, 7(8), e015597. <https://doi.org/10.1136/bmjopen-2016-015597>
265. Kassavou, A., & Sutton, S. (2018). Automated telecommunication interventions to promote adherence to cardio-metabolic medications: meta-analysis of effectiveness and meta-regression of behaviour change techniques. *Health Psychology Review*, 12(1), 25–42. <https://doi.org/10.1080/17437199.2017.1365617>
266. Kassavou, A., Houghton, V., Edwards, S., Brimicombe, J., & Sutton, S. (2019). Development and piloting of a highly tailored digital intervention to support adherence to antihypertensive medications as an adjunct to primary care consultations. *BMJ Open*, 9(1), e024121. <https://doi.org/10.1136/bmjopen-2018-024121>
267. Katirci, Y., Ocak, T., Karamercan, M. A., Kocasaban, D., Yurdakul, M. S., Baspinar, I., & Coskun, F. (2013). Compliance with Catch Rules in Administering Computerized Tomography Scans to Children Admitted to the Emergency Department with Minor Head Trauma. *Acta Medica Mediterranea*, 29(4), 717–722.
268. Katz-Sidlow, R. J., & Sidlow, R. (2003). A look at the pediatrician as parent: Experiences with the introduction of varicella vaccine. *Clinical Pediatrics*, 42(7), 635–640. <https://doi.org/10.1177/000992280304200710>
269. Kebede, A. S., Ajayi, I. O., & Arowojolu, A. O. (2019). Effect of enhanced reminders on postnatal clinic attendance in Addis Ababa, Ethiopia: a cluster randomized controlled trial. *Global Health Action*, 12(1), 1609297.
<https://doi.org/10.1080/16549716.2019.1609297>
270. Kelleher, D. C., Waterhouse, L. J., Parsons, S. E., Fritzeen, J. L., Burd, R. S., & Carter, E. A. (2013). Factors associated with patient exposure and environmental

- control during pediatric trauma resuscitation. *Journal of Trauma and Acute Care Surgery*, 74(2), 622–627. <https://doi.org/10.1097/TA.0b013e31827d5f9e>
271. Kempe, K. L., Shetterly, S. M., France, E. K., & Levin, T. R. (2012). Automated phone and mail population outreach to promote colorectal cancer screening. *The American Journal of Managed Care*, 18(7), 370–378.
272. Kerr, Z. Y., Snook, E. M., Lynall, R. C., Dompier, T. P., Sales, L., Parsons, J. T., & Hainline, B. (2015). Concussion-Related Protocols and Preparticipation Assessments Used for Incoming Student-Athletes in National Collegiate Athletic Association Member Institutions. *Journal of Athletic Training (Allen Press)*, 50(11), 1174–1181. <https://doi.org/10.4085/1062-6050-50.11.11>
273. Kesler SR, Lacayo NJ, & Jo B. (2011). A pilot study of an online cognitive rehabilitation program for executive function skills in children with cancer-related brain injury. *Brain Injury*, 25(1), 101–112. <https://doi.org/10.3109/02699052.2010.536194>
274. Kilroy-Findley, A. (2017). The challenges for wound healing in patients with schizophrenia. *Wounds UK*, 13, 30–40.
275. Kim, Y., Park, J.-E., Lee, B.-W., Jung, C.-H., & Park, D.-A. (2019). Comparative effectiveness of telemonitoring versus usual care for type 2 diabetes: A systematic review and meta-analysis. *Journal of Telemedicine and Telecare*, 25(10), 587–601. <https://doi.org/10.1177/1357633X18782599>
276. Kimura, Y., Kishimoto, S., Sumi, T., Uchiyama, M., Ohno, K., Kobayashi, H., & Kano, M. (2019). Improving the Quality of Life of Patients With Severe Dysphagia by Surgically Closing the Larynx. *The Annals of Otology, Rhinology, and Laryngology*, 128(2), 96–103. <https://doi.org/10.1177/0003489418808300>
277. Kirschen, M. P., Lourie, K., Snyder, M., Agarwal, K., DiDonato, P., Kraus, B., Madu, C., Geddes, K., Nadkarni, V., Davis, D., Wolfe, H., & Topjian, A. (2019). Routine Neurological Assessments by Nurses in the Pediatric Intensive Care Unit. *Critical Care Nurse*, 39(3), 20–32. <https://doi.org/10.4037/ccn2019198>
278. Kirse, D. J., Werle, A. H., Murphy, J. V., Eyen, T. P., Bruegger, D. E., Hornig, G. W., & Torkelson, R. D. (2002). Vagus nerve stimulator implantation in children. *Archives of Otolaryngology--Head & Neck Surgery*, 128(11), 1263–1268. <https://doi.org/10.1001/archotol.128.11.1263>
279. Kleinmann, A. E., Luiselli, J. K., DiGennaro, F. D., Pace, G. M., Langone, S. R., & Cochran, C. (2009). Systems-Level Assessment of Interobserver Agreement (IOA) for Implementation of Protective Holding (Therapeutic Restraint) in a Behavioral Healthcare Setting. *Journal of Developmental and Physical Disabilities*, 21(6), 473–483. <https://doi.org/10.1007/s10882-009-9157-5>
280. Klingberg, T., Fernell, E., Olesen, P. J., Johnson, M., Gustafsson, P., Dahlstrom, K., Gillberg, C. G., Forssberg, H., & Westerberg, H. (2005). Computerized training of working memory in children with ADHD - A randomized, controlled trial. *Journal of the American Academy of Child and Adolescent Psychiatry*, 44(2), 177–186. <https://doi.org/10.1097/00004583-200502000-00010>
281. Knollman-Porter, K., Dietz, A., & Dahlem, K. (2018). Intensive Auditory Comprehension Treatment for Severe Aphasia: A Feasibility Study. *American Journal of Speech-Language Pathology*, 27(3), 936–949. https://doi.org/10.1044/2018_AJSLP-17-0117
282. Kohlhardt, J., Vivanti, A., & Lewis, D. (2016). Implementation of a long-term weight chart in inpatient rehabilitation units. *Journal of the Australasian Rehabilitation Nurses' Association (JARNA)*, 19(3), 14–18. <https://search.informit.org/doi/10.3316/informit.705014177722110>
283. Kranzler, H. R., Tennen, H., Armeli, S., Chan, G., Covault, J., Arias, A., & Oncken, C. (2009). Targeted naltrexone for problem drinkers. *Journal of Clinical*

- Psychopharmacology*, 29(4), 350–357.
<https://doi.org/10.1097/JCP.0b013e3181ac5213>
284. Krekeler, B. N., Broadfoot, C. K., Johnson, S., Connor, N. P., & Rogus-Pulia, N. (2018). Patient Adherence to Dysphagia Recommendations: A Systematic Review. *Dysphagia*, 33(2), 173–184. <https://doi.org/10.1007/s00455-017-9852-9>
285. Krekeler, B. N., Vitale, K., Yee, J., Powell, R., & Rogus-Pulia, N. (2020). Adherence to Dysphagia Treatment Recommendations: A Conceptual Model. *Journal of Speech, Language & Hearing Research*, 63(6), 1641–1657.
https://doi.org/10.1044/2020_JSLHR-19-00270
286. Krellman, J. W., Kolakowsky-Hayner, S. A., Spielman, L., Dijkers, M., Hammond, F. M., Bogner, J., Hart, T., Cantor, J. B., & Tsaousides, T. (2014). Predictors of Follow-Up Completeness in Longitudinal Research on Traumatic Brain Injury: Findings From the National Institute on Disability and Rehabilitation Research Traumatic Brain Injury Model Systems Program. *Archives of Physical Medicine & Rehabilitation*, 95(4), 633–641. <https://doi.org/10.1016/j.apmr.2013.10.016>
287. Kringle, E. A., Terhorst, L., Butters, M. A., & Skidmore, E. R. (2018). Clinical Predictors of Engagement in Inpatient Rehabilitation Among Stroke Survivors With Cognitive Deficits: An Exploratory Study. *Journal of the International Neuropsychological Society: JINS*, 24(6), 572–583.
<https://doi.org/10.1017/S1355617718000085>
288. Krisciunas, G. P., Castellano, K., McCulloch, T. M., Lazarus, C. L., Pauloski, B. R., Meyer, T. K., Graner, D., Van Daele, D. J., Silbergleit, A. K., Crujido, L. R., Rybin, D., Doros, G., Kotz, T., & Langmore, S. E. (2017). Impact of Compliance on Dysphagia Rehabilitation in Head and Neck Cancer Patients: Results from a Multi-center Clinical Trial. *Dysphagia*, 32(2), 327–336. <https://doi.org/10.1007/s00455-016-9760-4>
289. Krishna, S., Balas, E. A., Boren, S. A., & Maglaveras, N. (2002). Patient acceptance of educational voice messages: a review of controlled clinical studies. *Methods of Information in Medicine*, 41(5), 360–369.
290. Krishna, Santosh, Boren, S. A., & Balas, E. A. (2009). Healthcare via Cell Phones: A Systematic Review. *Telemedicine Journal and E-Health*, 15(3), 231–240.
<https://doi.org/10.1089/tmj.2008.0099>
291. Kroenke, K., Evans, E., Weitlauf, S., McCalley, S., Porter, B., Williams, T., Baye, F., Lourens, S. G., Matthias, M. S., & Bair, M. J. (2018). Comprehensive vs. Assisted Management of Mood and Pain Symptoms (CAMMPS) trial: Study design and sample characteristics. *Contemporary Clinical Trials*, 64, 179–187.
<https://doi.org/10.1016/j.cct.2017.10.006>
292. Kuipers K, Rassafiani M, Ashburner J, Griffin J, Worley L, Moes L, Fleming J, & Copley J. (2009). Do clients with acquired brain injury use the splints prescribed by occupational therapists? A descriptive study. *NeuroRehabilitation*, 24(4), 365–375.
<https://doi.org/10.3233/NRE-2009-0491>
293. *Kurland, J., Anna Liu, & Stokes, P. (2018). Effects of a Tablet-Based Home Practice Program With Telepractice on Treatment Outcomes in Chronic Aphasia. *Journal of Speech, Language & Hearing Research*, 61(5), 1140–1156.
https://doi.org/10.1044/2018_JSLHR-L-17-0277
294. Kurland, J., Wilkins, A. R., & Stokes, P. (2014). iPractice: piloting the effectiveness of a tablet-based home practice program in aphasia treatment. *Seminars in speech and language*, 35(1), 51–63. <https://doi.org/10.1055/s-0033-1362991>
295. Kurowski, B. G., Wade, S. L., Dexheimer, J. W., Dyas, J., Zhang, N., & Babcock, L. (2016). Feasibility and Potential Benefits of a Web-Based Intervention Delivered Acutely After Mild Traumatic Brain Injury in Adolescents: A Pilot Study. *The Journal of*

- Head Trauma Rehabilitation*, 31(6), 369–378.
<https://doi.org/10.1097/HTR.0000000000000180>
296. Laasch, H. U., Nicholson, D. A., Kay, C. L., Attwood, S., & Bancewicz, J. (1998). The clinical effectiveness of the Gianturco oesophageal stent in malignant oesophageal obstruction. *Clinical Radiology*, 53(9), 666–672. [https://doi.org/10.1016/s0009-9260\(98\)80293-6](https://doi.org/10.1016/s0009-9260(98)80293-6)
297. Lai, P. S. M., Chua, S. S., & Chan, S. P. (2012). Pharmaceutical care issues encountered by post-menopausal osteoporotic women prescribed bisphosphonates. *Journal of Clinical Pharmacy and Therapeutics*, 37(5), 536–543. <https://doi.org/10.1111/j.1365-2710.2012.01335.x>
298. Lakshminarayan K, Rostambeigi N, Fuller CC, Peacock JM, Tsai AW, Lakshminarayan, K., Rostambeigi, N., Fuller, C. C., Peacock, J. M., & Tsai, A. W. (2012). Impact of an electronic medical record-based clinical decision support tool for dysphagia screening on care quality. *Stroke (00392499)*, 43(12), 3399–3401. <https://doi.org/10.1161/STROKEAHA.112.662536>
299. Lam, P. W., Lum, C. M., & Leung, M. F. (2007). Drug non-adherence and associated risk factors among Chinese geriatric patients in Hong Kong. *Hong Kong Medical Journal = Xianggang Yi Xue Za Zhi*, 13(4), 284–292.
300. Lambert-Kerzner, A., Del Giacco, E. J., Fahdi, I. E., Bryson, C. L., Melnyk, S. D., Bosworth, H. B., Davis, R., Mun, H., Weaver, J., Barnett, C., Radcliff, T., Hubbard, A., Bosket, K. D., Carey, E., Virchow, A., Mihalko-Corbitt, R., Kaufman, A., Marchant-Miros, K., Ho, P. M., & Multifaceted Intervention to Improve Cardiac Medication Adherence and Secondary Prevention Measures (Medication) Study Investigators. (2012). Patient-centered adherence intervention after acute coronary syndrome hospitalization. *Circulation. Cardiovascular Quality and Outcomes*, 5(4), 571–576. <https://doi.org/10.1161/CIRCOUTCOMES.111.962290>
301. Lambert-Kerzner, A., Havranek, E. P., Plomondon, M. E., Albright, K., Moore, A., Gryniiewicz, K., Magid, D., & Ho, P. M. (2010). Patients' perspectives of a multifaceted intervention with a focus on technology: a qualitative analysis. *Circulation. Cardiovascular Quality and Outcomes*, 3(6), 668–674. <https://doi.org/10.1161/CIRCOUTCOMES.110.949800>
302. Lamberts, K. F., Fasotti, L., Boelen, D. H. E., & Spikman, J. M. (2017). Self-Awareness After Brain Injury: Relation with Emotion Recognition and Effects of Treatment. *Brain Impairment*, 18(1), 130–137. <https://doi.org/10.1017/BrImp.2016.28>
303. Lang, R. A., Spelsberg, F. W., Naumann, A., Dellian, M., Jauch, K.-W., & Hüttl, T. P. (2007). [Zenker's diverticulum treated by transoral diverticulostomy: technique and results]. *Zentralblatt Fur Chirurgie*, 132(5), 451–456. <https://doi.org/10.1055/s-2007-981312>
304. Larson EB, Ramaiya M, Zollman FS, Pacini S, Hsu N, Patton JL, & Dvorkin AY. (2011). Tolerance of a virtual reality intervention for attention remediation in persons with severe TBI. *Brain Injury*, 25(3), 274–281. <https://doi.org/10.3109/02699052.2010.551648>
305. Laures-Gore, J., McCusker, T., & Hartley, L. L. (2017). Aphasia rehabilitation during adolescence: a case report. *Disability & Rehabilitation*, 39(12), 1235–1242. <https://doi.org/10.1080/09638288.2016.1191550>
306. Lazo-Porras, M., Bernabe-Ortiz, A., Sacksteder, K. A., Gilman, R. H., Malaga, G., Armstrong, D. G., & Jaime Miranda, J. (2016). Implementation of foot thermometry plus mHealth to prevent diabetic foot ulcers: study protocol for a randomized controlled trial. *Trials*, 17, 206. <https://doi.org/10.1186/s13063-016-1333-1>
307. Lecky, F., Russell, W., Fuller, G., McClelland, G., Pennington, E., Goodacre, S., Han, K., Curran, A., Holliman, D., Freeman, J., Chapman, N., Stevenson, M., Byers, S.,

- Mason, S., Potter, H., Coats, T., Mackway-Jones, K., Peters, M., Shewan, J., & Strong, M. (2016). The Head Injury Transportation Straight to Neurosurgery (HITS-NS) randomised trial: a feasibility study. *Health Technology Assessment*, 20(1), 1-+. <https://doi.org/10.3310/hta20010>
308. Leder, S. B., Suiter, D. M., Warner, H. L., Acton, L. M., & Siegel, M. D. (2012). Safe initiation of oral diets in hospitalized patients based on passing a 3-ounce (90 cc) water swallow challenge protocol. *Qjm-an International Journal of Medicine*, 105(3), 257–263. <https://doi.org/10.1093/qjmed/hcr193>
309. Leder, Steven B., Judson, B. L., Sliwinski, E., & Madson, L. (2013). Promoting Safe Swallowing When Puree is Swallowed Without Aspiration but Thin Liquid is Aspirated: Nectar is Enough. *Dysphagia*, 28(1), 58–62. <https://doi.org/10.1007/s00455-012-9412-2>
310. Lee, J. S., Kim, J. P., Ryu, J. S., & Woo, S. H. (2018). Effect of wound massage on neck discomfort and voice changes after thyroidectomy. *Surgery*, 164(5), 965–971. <https://doi.org/10.1016/j.surg.2018.05.029>
311. Lee, J.-H., Suh, Y. J., Song, R.-Y., Yi, J. W., Yu, H. W., Kwon, H., Choi, J. Y., & Lee, K. E. (2017). Preoperative flap-site injection with ropivacaine and epinephrine in BABA robotic and endoscopic thyroidectomy safely reduces postoperative pain A CONSORT-compliant double-blinded randomized controlled study (PAIN-BREKOR trial). *Medicine*, 96(22), e6896. <https://doi.org/10.1097/MD.00000000000006896>
312. Légner, A., Tsuboi, K., Bathla, L., Lee, T., Morrow, L. E., & Mittal, S. K. (2011). Reoperative antireflux surgery for dysphagia. *Surgical Endoscopy*, 25(4), 1160–1167. <https://doi.org/10.1007/s00464-010-1333-2>
313. Leirer, V. O., Morrow, D. G., Pariante, G., & Doksum, T. (1989). Increasing influenza vaccination adherence through voice mail. *Journal of the American Geriatrics Society*, 37(12), 1147–1150. <https://doi.org/10.1111/j.1532-5415.1989.tb06679.x>
314. Leiter AE, & Windsor J. (1996). Compliance of geriatric dysphagic patients with safe-swallowing instructions. *Journal of Medical Speech-Language Pathology*, 4(4), 289–299.
315. *Lemoncello, R., Sohlberg, M. M., Fickas, S., Albin, R., & Harn, B. E. (2011b). Phase I evaluation of the television assisted prompting system to increase completion of home exercises among stroke survivors. *Disability & Rehabilitation: Assistive Technology*, 6(5), 440–452. <https://doi-org.libproxy.nau.edu/10.3109/17483107.2010.542571>
316. *Lemoncello, R., Sohlberg, M., Fickas, S., & Prideaux, J. (2011a). A randomised controlled crossover trial evaluating Television Assisted Prompting (TAP) for adults with acquired brain injury. *Neuropsychological Rehabilitation*, 21(6), 825–846. <https://doi-org.libproxy.nau.edu/10.1080/09602011.2011.618661>
317. Leung, S. F., French, P., Chui, C., & Arthur, D. (2007). Computerized mental health assessment in integrative health clinics: a cross-sectional study using structured interview. *International Journal of Mental Health Nursing*, 16(6), 441–446. <https://doi.org/10.1111/j.1447-0349.2007.00500.x>
318. Low J, Wyles C, Wilkinson T, Sainsbury R. The effect of compliance on clinical outcomes for patients with dysphagia on videofluoroscopy. *Dysphagia*. 2001;16:123–7.
319. Luft, A. R. (2012). How to gain evidence in neurorehabilitation: a personal view. *Biomedical Engineering-Biomedizinische Technik*, 57(6), 427–433. <https://doi.org/10.1515/bmt-2011-0135>
320. Maatouk, J., Barklow, T. A., Zakaria, W., & Al-Abbadi, M. A. (2009). Anaplastic thyroid carcinoma arising in long-standing multinodular goiter following radioactive iodine therapy: report of a case diagnosed by fine needle aspiration. *Acta Cytologica*, 53(5), 581–583. <https://doi.org/10.1159/000325388>

321. MacDonald, A., Lee, P., Davies, P., Daly, A., Lilburn, M., Gokmen Ozel, H., Preece, M. A., Hendriks, C., & Chakrapani, A. (2008). Long-term compliance with a novel vitamin and mineral supplement in older people with PKU. *Journal of Inherited Metabolic Disease*, 31(6), 718–723. <https://doi.org/10.1007/s10545-008-0960-4>
322. Mackenzie, C., Kelly, S., Paton, G., Brady, M., & Muir, M. (2013). The Living with Dysarthria group for post-stroke dysarthria: the participant voice. *International Journal of Language & Communication Disorders*, 48(4), 402–420. <https://doi.org/10.1111/1460-6984.12017>
323. *Mackenzie, C., Muir, M., Allen, C., & Jensen, A. (2014). Non-speech oro-motor exercises in post-stroke dysarthria intervention: a randomized feasibility trial. *International Journal of Language & Communication Disorders*, 49(5), 602–617. <https://doi.org/10.1111/1460-6984.12096>
324. Magid, D. J., Ho, P. M., Olson, K. L., Brand, D. W., Welch, L. K., Snow, K. E., Lambert-Kerzner, A. C., Plomondon, M. E., & Havranek, E. P. (2011). A multimodal blood pressure control intervention in 3 healthcare systems. *The American Journal of Managed Care*, 17(4), e96–103.
325. Mahmood, Zanjbeel MS; Clark, Jillian M. R. PhD; Jak, Amy J. PhD; Huckans, Marilyn PhD; O'Neil, Maya E. PhD; Roost, Mai S. PhD; Williams, Rhonda M. PhD; Pagulayan, Kathleen F. PhD; Turner, Aaron P. PhD; Storzbach, Daniel PhD; Twamley, Elizabeth W. PhD Predictors of Intervention Adherence in Compensatory Cognitive Training for Veterans With a History of Mild Traumatic Brain Injury, *Journal of Head Trauma Rehabilitation: January/February 2021 - Volume 36 - Issue 1 - p 20-24* doi: 10.1097/HTR.0000000000000596
326. Mallet, K., Shamloul, R., Pugliese, M., Power, E., Corbett, D., Hatcher, S., Shamy, M., Stotts, G., Zakutney, L., Dukelow, S., & Dowlatshahi, D. (2019). RecoverNow: A patient perspective on the delivery of mobile tablet-based stroke rehabilitation in the acute care setting. *International Journal of Stroke: Official Journal of the International Stroke Society*, 14(2), 174–179. <https://doi.org/10.1177/1747493018790031>
327. Marcoux, J., Alkutbi, M., Lamoureux, J., Feyz, M., Saluja, R. S., & de Guise, E. (2017). Discharge Against Medical Advice in Traumatic Brain Injury: Follow-Up and Readmission Rate. *Canadian Journal of Neurological Sciences*, 44(3), 311–317. <https://doi.org/10.1017/cjn.2016.241>
328. Marsch, L. A., Carroll, K. M., & Kiluk, B. D. (2014). Technology-based interventions for the treatment and recovery management of substance use disorders: a JSAT special issue. *Journal of Substance Abuse Treatment*, 46(1), 1–4. <https://doi.org/10.1016/j.jsat.2013.08.010>
329. Marshall, J., Booth, T., Devane, N., Galliers, J., Greenwood, H., Hilari, K., Talbot, R., Wilson, S., & Woolf, C. (2016). Evaluating the Benefits of Aphasia Intervention Delivered in Virtual Reality: Results of a Quasi-Randomised Study. *Plos One*, 11(8), e0160381. <https://doi.org/10.1371/journal.pone.0160381>
330. Marshall, J., Devane, N., Edmonds, L., Talbot, R., Wilson, S., Woolf, C., & Zwart, N. (2018). Delivering word retrieval therapies for people with aphasia in a virtual communication environment. *Aphasiology*, 32(9), 1054–1074. <https://doi.org/10.1080/02687038.2018.1488237>
331. Mascia, L., Zavala, E., Bosma, K., Pasero, D., Decaroli, D., Andrews, P., Isnardi, D., Davi, A., Arguis, M. J., Bernardino, M., & Ducati, A. (2007). High tidal volume is associated with the development of acute lung injury after severe brain injury: An international observational study. *Critical Care Medicine*, 35(8), 1815–1820. <https://doi.org/10.1097/01.ccm.0000275269.77467.df>
332. Matta, Z., Chambers, E., Mertz Garcia, J., & McGowan Helverson, J. M. (2006). Sensory characteristics of beverages prepared with commercial thickeners used for

- dysphagia diets. *Journal of the American Dietetic Association*, 106(7), 1049–1054. <https://doi.org/10.1016/j.jada.2006.04.022>
333. Matthes, J., & Caples, H. (2014). Ethical Issues in Using Deception to Facilitate Rehabilitation for a Patient With Severe Traumatic Brain Injury. *Journal of Trauma Nursing*, 21(4), 186–190. <https://doi.org/10.1097/JTN.0000000000000062>
334. McCann, L., Groot, P., Charnley, C., & Gardner, A. (2009). Excellence in regional stroke care: An evaluation of the implementation of a stroke care unit in regional Australia. *Australian Journal of Rural Health*, 17(5), 273–278. <https://doi.org/10.1111/j.1440-1584.2009.01098.x>
335. McCarron, R. H., Watson, S., & Gracey, F. (2019). What do Kids with Acquired Brain Injury Want? Mapping Neuropsychological Rehabilitation Goals to the International Classification of Functioning, Disability and Health. *Journal of the International Neuropsychological Society: JINS*, 25(4), 403–412. <https://doi.org/10.1017/S1355617719000213>
336. McCarthy, D. E., & Versella, M. V. (2019). Quitting Failure and Success With and Without Using Medication: Latent Classes of Abstinence and Adherence to Nicotine Monotherapy, Combination Therapy, and Varenicline. *Nicotine & Tobacco Research: Official Journal of the Society for Research on Nicotine and Tobacco*, 21(11), 1488–1495. <https://doi.org/10.1093/ntr/nty157>
337. McCarty, C. A., Zatzick, D., Stein, E., Wang, J., Hilt, R., Rivara, F. P., & Seattle Sports Concussion Research Collaborative. (2016). Collaborative Care for Adolescents With Persistent Postconcussive Symptoms: A Randomized Trial. *Pediatrics*, 138(4). <https://doi.org/10.1542/peds.2016-0459>
338. McCloskey, R., Jarrett, P., Stewart, C., & Keeping-Burke, L. (2015). Recruitment and Retention Challenges in a Technology-Based Study with Older Adults Discharged from a Geriatric Rehabilitation Unit. *Rehabilitation Nursing: The Official Journal of the Association of Rehabilitation Nurses*, 40(4), 249–259. <https://doi.org/10.1002/rnj.149>
339. McHorney, C. A., Robbins, J., Lomax, K., Rosenbek, J. C., Chignell, K., Kramer, A. E., & Bricker, D. E. (2002). The SWAL-QOL and SWAL-CARE outcomes tool for oropharyngeal dysphagia in adults: III. Documentation of reliability and validity. *Dysphagia*, 17(2), 97–114. <https://doi.org/10.1007/s00455-001-0109-1>
340. McLellan, T. L., & McKinlay, A. (2011). Does the way concussion is portrayed affect public awareness of appropriate concussion management: the case of rugby league. *British Journal of Sports Medicine*, 45(12), 993–996. <https://doi.org/10.1136/bjsm.2011.083618>
341. McLeod, T., Morris, M., Birchwood, M., & Dovey, A. (2007). Cognitive behavioural therapy group work with voice hearers. Part 1. *British Journal of Nursing (Mark Allen Publishing)*, 16(4), 248–252. <https://doi.org/10.12968/bjon.2007.16.4.22995>
342. McQueen, R., & O'Shanick, G. J. (2014). Facilitation of functional independence after neurotrauma: Strategies for increasing physiologic readiness. *NeuroRehabilitation*, 34(4), 637–643. <https://doi.org/10.3233/NRE-141070>
343. Mehuys, E., Dupond, L., Petrovic, M., Christiaens, T., Van Bortel, L., Adriaens, E., De Bolle, L., Van Tongelen, I., Remon, J.-P., & Boussey, K. (2012). Medication management among home-dwelling older patients with chronic diseases: possible roles for community pharmacists. *The Journal of Nutrition, Health & Aging*, 16(8), 721–726. <https://doi.org/10.1007/s12603-012-0028-x>
344. Meister, J., Kuehn, H., Shehata-Dieler, W., Kraus, F., Hagen, R., & Kleinsasser, N. (2016). [Patient Satisfaction after Pitch Elevation and Development of a Therapy Algorithm]. *Laryngo- Rhino- Otologie*, 95(11), 774–782. <https://doi.org/10.1055/s-0042-103590>

345. Merry, A. F., Webster, C. S., Hannam, J., Mitchell, S. J., Henderson, R., Reid, P., Edwards, K.-E., Jardim, A., Pak, N., Cooper, J., Hopley, L., Frampton, C., & Short, T. G. (2011). Multimodal system designed to reduce errors in recording and administration of drugs in anaesthesia: prospective randomised clinical evaluation. *Bmj-British Medical Journal*, 343, d5543. <https://doi.org/10.1136/bmj.d5543>
346. Messing, B. P., Ward, E. C., Lazarus, C., Ryniak, K., Kim, M., Silinonte, J., Gold, D., Thompson, C. B., Pitman, K. T., Blanco, R., Sobel, R., Harrer, K., Ulmer, K., Neuner, G., Patel, K., Tang, M., & Lee, G. (2019). Establishing a Multidisciplinary Head and Neck Clinical Pathway: An Implementation Evaluation and Audit of Dysphagia-Related Services and Outcomes. *Dysphagia* (0179051X), 34(1), 89–104. <https://doi.org/10.1007/s00455-018-9917-4>
347. Meyer, P. G., Ducrocq, S., Rackelbom, T., Orliaguet, G., Renier, D., & Carli, P. (2005). Surgical evacuation of acute subdural hematoma improves cerebral hemodynamics in children: a transcranial Doppler evaluation. *Childs Nervous System*, 21(2), 133–137. <https://doi.org/10.1007/s00381-004-1016-1>
348. *Misono, S., Banks, K., Gaillard, P., et al. The clinical utility of vocal dosimetry for assessing voice rest. *Laryngoscope*. 2014;125:171–176. <https://doi.org/10.1002/lary.24887>.
349. *Mitchell, C., Bowen, A., Tyson, S., & Conroy, P. (2018) A feasibility randomized controlled trial of ReaDySpeech for people with dysarthria after stroke. *Clin Rehabil*. August 32;(8); 1037-1046
350. Momany, M. C., Martinez-Gutierrez, J., Soto, M., Capurro, D., Ciampi, F., Thompson, B., & Puschel, K. (2017). Development of mobile technologies for the prevention of cervical cancer in Santiago, Chile study protocol: a randomized controlled trial. *BMC Cancer*, 17(1), 847. <https://doi.org/10.1186/s12885-017-3870-8>
351. Montgomery, P., Forchuk, C., Duncan, C., Rose, D., Bailey, P. H., & Veluri, R. (2008). Supported housing programs for persons with serious mental illness in rural northern communities: a mixed method evaluation. *BMC Health Services Research*, 8, 156. <https://doi.org/10.1186/1472-6963-8-156>
352. Moore, J., Greenberg, C., & Thibeault, S. L. (2017). Predictors of Six-month Change in the Voice Handicap Index in a Treatment-seeking Population. *Journal of Voice: Official Journal of the Voice Foundation*, 31(1), 41–47. <https://doi.org/10.1016/j.jvoice.2016.02.004>
353. Moore, M. D., Gray, K. D., Panjwani, S., Finnerty, B., Ciecereg, T., Afaneh, C., Fahey, T. J., Crawford, C. V., & Zarnegar, R. (2020). Impact of procedural multimedia instructions for pH BRAVO testing on patient comprehension: a prospective randomized study. *Diseases of the Esophagus: Official Journal of the International Society for Diseases of the Esophagus*, 33(1). <https://doi.org/10.1093/dote/doz068>
354. Moore, M., Winkelman, A., Kwong, S., Segal, S. P., Manley, G. T., & Shumway, M. (2014). The emergency department social work intervention for mild traumatic brain injury (SWIFT-Acute): a pilot study. *Brain Injury*, 28(4), 448–455. <https://doi.org/10.3109/02699052.2014.890746>
355. Moritz, S., Favrod, J., Andreou, C., Morrison, A. P., Bohn, F., Veckenstedt, R., Tonn, P., & Karow, A. (2013). Beyond the Usual Suspects: Positive Attitudes Towards Positive Symptoms Is Associated With Medication Noncompliance in Psychosis. *Schizophrenia Bulletin*, 39(4), 917–922. <https://doi.org/10.1093/schbul/sbs005>
356. Morjaria, P., Bastawrous, A., Murthy, G. V. S., Evans, J., & Gilbert, C. (2017). Effectiveness of a novel mobile health education intervention (Peek) on spectacle wear among children in India: study protocol for a randomized controlled trial. *Trials*, 18(1), 168. <https://doi.org/10.1186/s13063-017-1888-5>

357. Morrison, L. J., Rizoli, S. B., Schwartz, B., Rhind, S. G., Simitciu, M., Perreira, T., Macdonald, R., Trompeo, A., Stuss, D. T., Black, S. E., Kiss, A., Baker, A. J., (2009). The Toronto prehospital hypertonic resuscitation-head injury and multi organ dysfunction trial (TOPHR HIT)--methods and data collection tools. *Trials*, 10, 105. <https://doi.org/10.1186/1745-6215-10-105>
358. Morrison, D., Wyke, S., Saunderson, K., McConnachie, A., Agur, K., Chaudhuri, R., Thomas, M., Thomson, N. C., Yardley, L., & Mair, F. S. (2016). Findings from a pilot Randomised trial of an Asthma Internet Self-management Intervention (RAISIN). *BMJ Open*, 6(5), e009254. <https://doi.org/10.1136/bmjopen-2015-009254>
359. Morrison, L. J., Baker, A. J., Rhind, S. G., Kiss, A., MacDonald, R. D., Schwartz, B., Perreira, T., Simitciu, M., Trompeo, A., Black, S. E., Stuss, D. T., & Rizoli, S. B. (2011). The Toronto prehospital hypertonic resuscitation-head injury and multiorgan dysfunction trial: Feasibility study of a randomized controlled trial. *Journal of Critical Care*, 26(4), 363–372. <https://doi.org/10.1016/j.jcrc.2010.08.021>
360. Moshabela, M., Zuma, T., Orne-Gliemann, J., Iwuji, C., Larmarange, J., McGrath, N., & ANRS 12249 TasP Study Group. (2016). "It is better to die": experiences of traditional health practitioners within the HIV treatment as prevention trial communities in rural South Africa (ANRS 12249 TasP trial). *AIDS Care*, 28 Suppl 3, 24–32. <https://doi.org/10.1080/09540121.2016.1181296>
361. Mubyazi, G., Bloch, P., Kamugisha, M., Kitua, A., & Ijumba, J. (2005). Intermittent preventive treatment of malaria during pregnancy: a qualitative study of knowledge, attitudes and practices of district health managers, antenatal care staff and pregnant women in Korogwe District, North-Eastern Tanzania. *Malaria Journal*, 4, 31. <https://doi.org/10.1186/1475-2875-4-31>
362. Murray, M. F., Giovanni, M. A., Klinger, E., George, E., Marinacci, L., Getty, G., Brawarsky, P., Rocha, B., Orav, E. J., Bates, D. W., & Haas, J. S. (2013). Comparing electronic health record portals to obtain patient-entered family health history in primary care. *Journal of General Internal Medicine*, 28(12), 1558–1564. <https://doi.org/10.1007/s11606-013-2442-0>
363. Nagar, R., Venkat, P., Stone, L. D., Engel, K. A., Sadda, P., & Shahnawaz, M. (2018). A cluster randomized trial to determine the effectiveness of a novel, digital pendant and voice reminder platform on increasing infant immunization adherence in rural Udaipur, India. *Vaccine*, 36(44), 6567–6577. <https://doi.org/10.1016/j.vaccine.2017.11.023>
364. Narad, M. E., Bedell, G., King, J. A., Johnson, J., Turkstra, L. S., Haarbauer-Krupa, J., & Wade, S. L. (2018). Social Participation and Navigation (SPAN): Description and usability of app-based coaching intervention for adolescents with TBI. *Developmental Neurorehabilitation*, 21(7), 439–448. <https://doi.org/10.1080/17518423.2017.1354092>
365. Nations, M. K., & Monte, C. M. G. (1996). "I'm not dog, no!": Cries of resistance against cholera control campaigns. *Social Science & Medicine*, 43(6), 1007–1024. [https://doi.org/10.1016/0277-9536\(96\)00083-4](https://doi.org/10.1016/0277-9536(96)00083-4)
366. Nelson, L. A., Mulvaney, S. A., Gebretsadik, T., Johnson, K. B., & Osborn, C. Y. (2016). The MESSAGING for Diabetes (MED) intervention improves short-term medication adherence among low-income adults with type 2 diabetes. *Journal of Behavioral Medicine*, 39(6), 995–1000. <https://doi.org/10.1007/s10865-016-9774-2>
367. Nelson, L. A., Mulvaney, S. A., Johnson, K. B., & Osborn, C. Y. (2017). mHealth Intervention Elements and User Characteristics Determine Utility: A Mixed-Methods Analysis. *Diabetes Technology & Therapeutics*, 19(1), 9–17. <https://doi.org/10.1089/dia.2016.0294>
368. Newell M. (1997). Patient contracting for improved outcomes. *Journal of Care Management*, 3(4), 76–85.

369. Ng, E. M. W., Polatajko, H. J., Marziali, E., Hunt, A., & Dawson, D. R. (2013). Telerehabilitation for addressing executive dysfunction after traumatic brain injury. *Brain Injury*, 27(5), 548–564. <https://doi.org/10.3109/02699052.2013.766927>
370. NiaNia, W., Bush, A., & Epston, D. (2019). He korowai o ngā tīpuna: Voice hearing and communication from ancestors. *Australasian Psychiatry: Bulletin of Royal Australian and New Zealand College of Psychiatrists*, 27(4), 345–347. <https://doi.org/10.1177/1039856219833792>
371. Nickel, F., Müller, P. C., de la Garza, J. R., Tapking, C., Benner, L., Fischer, L., Steinemann, D. C., Rupp, C., Linke, G. R., & Müller-Stich, B. P. (2019). Heller myotomy versus endoscopic balloon dilatation for achalasia: A single center experience. *Medicine*, 98(44), e17714. <https://doi.org/10.1097/MD.00000000000017714>
372. Nikopoulos, C. K., Nikopoulou-Smyrni, P., & Konstantopoulos, K. (2013). Effects of video modelling on emerging speech in an adult with traumatic brain injury: preliminary findings. *Brain Injury*, 27(11), 1256–1262. <https://doi.org/10.3109/02699052.2013.809550>
373. Nosek, M. A., Robinson-Whelen, S., Hughes, R. B., & Nosek, T. M. (2016). An Internet-based virtual reality intervention for enhancing self-esteem in women with disabilities: Results of a feasibility study. *Rehabilitation Psychology*, 61(4), 358–370. <https://doi.org/10.1037/rep0000107>
374. Nygren, U., Nordenskjöld, A., Arver, S., & Södersten, M. (2016). Effects on Voice Fundamental Frequency and Satisfaction with Voice in Trans Men during Testosterone Treatment-A Longitudinal Study. *Journal of Voice: Official Journal of the Voice Foundation*, 30(6), 766.e23-766.e34. <https://doi.org/10.1016/j.jvoice.2015.10.016>
375. Nyholm, L., Howells, T., & Enblad, P. (2017). Predictive Factors That May Contribute to Secondary Insults With Nursing Interventions in Adults With Traumatic Brain Injury. *Journal of Neuroscience Nursing*, 49(1), 49–55. <https://doi.org/10.1097/JNN.0000000000000260>
376. O'Brien, J. A., Ward, A. J., Jones, M. K. C., McMillan, C., & Lordan, N. (2003). Utilization of health care services by patients with chronic obstructive pulmonary disease. *Respiratory Medicine*, 97, S53–S58. [https://doi.org/10.1016/S0954-6111\(03\)80015-X](https://doi.org/10.1016/S0954-6111(03)80015-X)
377. O'Connell, M. A., & Cherry, J. C. (2000). The Health Hero (R) online service - A new Internet-based communications platform for disease management, case management and performance measurement. *Disease Management & Health Outcomes*, 7(3), 149–161. <https://doi.org/10.2165/00115677-200007030-00004>
378. O'Keeffe, S. T. (2018). Use of modified diets to prevent aspiration in oropharyngeal dysphagia: is current practice justified? *BMC Geriatrics*, 18(1), 1–10. <https://doi.org/10.1186/s12877-018-0839-7>
379. Oates, L. L., Moghaddam, N., Evangelou, N., & das Nair, R. (2020). Behavioural activation treatment for depression in individuals with neurological conditions: a systematic review. *Clinical Rehabilitation*, 34(3), 310–319. <https://doi.org/10.1177/0269215519896404>
380. Occomore, L. C., & Knight, Z. (2015). A weekly speech and language therapy service for head and neck radiotherapy patients during treatment: maximizing accessibility and efficiency. *Journal of Community and Supportive Oncology*, 13(7), 248–255. <https://doi.org/10.12788/jcso.0149>
381. Orlu-Gul, M., Raimi-Abraham, B., Jamieson, E., Wei, L., Murray, M., Stawarz, K., Stegemann, S., Tuleu, C., & Smith, F. J. (2014). Public engagement workshop: How

- to improve medicines for older people? *International Journal of Pharmaceutics*, 459(1–2), 65–69. <https://doi.org/10.1016/j.ijpharm.2013.11.024>
382. Osborn, C. Y., & Mulvaney, S. A. (2013). Development and feasibility of a text messaging and interactive voice response intervention for low-income, diverse adults with type 2 diabetes mellitus. *Journal of Diabetes Science and Technology*, 7(3), 612–622. <https://doi.org/10.1177/193229681300700305>
383. Owen-Smith, A. A., Smith, D. H., Rand, C. S., Tom, J. O., Laws, R., Waterbury, A., Williams, A., & Vollmer, W. M. (2016). Difference in Effectiveness of Medication Adherence Intervention by Health Literacy Level. *The Permanente Journal*, 20(3), 15–200. <https://doi.org/10.7812/TPP/15-200>
384. Owens, M. D., Kirouac, M., Hagler, K., Rowell, L. N., & Williams, E. C. (2018). "Being able to speak": What individuals in jail perceived as helpful about participating in alcohol-related brief interventions. *Substance Abuse*, 39(3), 342–347. <https://doi.org/10.1080/08897077.2017.1393034>
385. Oyesanya, T. O., LeCroy, T., Sweatman, M., Hatch, D., Nyankori, L., Kang, Y., MacCaughelty, T., O'Pry, L., & Johnson, S. (2020). A Medication Management Intervention for Patients and Families with SCI and ABI. *Western Journal of Nursing Research*, 42(12), 1113–1128. <https://doi.org/10.1177/0193945920926436>
386. Page, S. J., & Wallace, S. E. (2014). Speech Language Pathologists' Opinions of Constraint-Induced Language Therapy. *Topics in Stroke Rehabilitation*, 21(4), 332–338. <https://doi.org/10.1310/tsr2104-332>
387. Paleri, V., Patterson, J., Rousseau, N., Moloney, E., Craig, D., Tzelis, D., Wilkinson, N., Franks, J., Hynes, A. M., Heaven, B., Hamilton, D., Guerrero-Urbano, T., Donnelly, R., Barclay, S., Rapley, T., & Stocken, D. (2018). Gastrostomy versus nasogastric tube feeding for chemoradiation patients with head and neck cancer: the TUBE pilot RCT. *Health Technology Assessment*, 22(16), 1-+. <https://doi.org/10.3310/hta22160>
388. *Palmer R, Enderby P, Hawley M. (2007) Addressing the needs of speakers with longstanding dysarthria: computerized and traditional therapy compared. Vol 42 (No. S1): 61-79.
389. *Palmer R, Dimairo, M., Cooper, C., Enderby, P., Brady, M., Bowen, A., Latimer, N., Julious, S., Cross, E., Alshreef, A., Harrison, M., Bradley, E., Witts, H., & Chater, T. (2019). Self-managed, computerised speech and language therapy for patients with chronic aphasia post-stroke compared with usual care or attention control (Big CACTUS): A multicentre, single-blinded, randomised controlled trial. *The Lancet Neurology*, 18(9), 821–833. [https://doi.org/10.1016/S1474-4422\(19\)30192-9](https://doi.org/10.1016/S1474-4422(19)30192-9)
390. Palmer, A. D., Bolognone, R. K., Thomsen, S., Britton, D., Schindler, J., & Graville, D. J. (2019). The Safety and Efficacy of Expiratory Muscle Strength Training for Rehabilitation After Supracricoid Partial Laryngectomy: A Pilot Investigation. *The Annals of Otolaryngology, Rhinology, and Laryngology*, 128(3), 169–176. <https://doi.org/10.1177/0003489418812901>
391. Palmer, M. J., Henschke, N., Bergman, H., Villanueva, G., Maayan, N., Tamrat, T., Mehl, G. L., Glenton, C., Lewin, S., Fønhus, M. S., & Free, C. (2020). Targeted client communication via mobile devices for improving maternal, neonatal, and child health. *The Cochrane Database of Systematic Reviews*, 8, CD013679. <https://doi.org/10.1002/14651858.CD013679>
392. *Palmer, R. , Enderby, P. , Cooper, C. , Latimer, N. , Julious, S. , Paterson, G. , Dimairo, M. , Dixon, S. , Mortley, J. , Hilton, R. , Delaney, A. & Hughes, H. (2012). Computer Therapy Compared With Usual Care for People With Long-Standing Aphasia Poststroke. *Stroke*, 43(7), 1904–1911. doi: 10.1161/STROKEAHA.112.650671.

393. Palmer, R., Enderby, P., & Paterson, G. (2013). Using computers to enable self-management of aphasia therapy exercises for word finding: the patient and carer perspective. *International Journal of Language & Communication Disorders*, 48(5), 508–521. <https://doi.org/10.1111/1460-6984.12024>
394. Papaspyrou, G., Schick, B., Papaspyrou, S., Wiegand, S., & Al Kadah, B. (2016). Laser surgery for Zenker's diverticulum: European combined study. *European Archives of Oto-Rhino-Laryngology*, 273(1), 183–188. <https://doi.org/10.1007/s00405-014-3486-4>
395. Parkes, R. J., Palmer, J., Wingham, J., & Williams, D. H. (2019). Is virtual clinic follow-up of hip and knee joint replacement acceptable to patients and clinicians? A sequential mixed methods evaluation. *BMJ Open Quality*, 8(1), e000502. <https://doi.org/10.1136/bmjopen-2018-000502>
396. Parnas, J., & Henriksen, M. G. (2013). Subjectivity and Schizophrenia: Another Look at Incomprehensibility and Treatment Nonadherence. *Psychopathology*, 46(5), 320–329. <https://doi.org/10.1159/000351837>
397. Patel, A., Jacobsen, L., Jhaveri, R., & Bradford, K. K. (2015). Effectiveness of Pediatric Pill Swallowing Interventions: A Systematic Review. *Pediatrics*, 135(5), 883–889. <https://doi.org/10.1542/peds.2014-2114>
398. Patterson, J., Toft, K., McAuley, F., King, E., McLachlan, K., Roe, J. W. G., & Wells, M. (2019). Feasibility and outcomes of fibreoptic endoscopic evaluation of swallowing following prophylactic swallowing rehabilitation in head and neck cancer. *Clinical Otolaryngology*, 44(4), 549–556. <https://doi.org/10.1111/coa.13331>
399. Pegg, P. O., Jr. (2003). *The impact of patient-centered information on patients' treatment adherence, satisfaction, and outcomes in traumatic brain injury rehabilitation*. (UMI Order AAI3094840) [Virginia Commonwealth University].
400. Pennell, C., Wilson, T., Bruce, M., Dykie, A., Arthur, L. G., Lindholm, E., & Ciullo, S. (2020). Adherence to PECARN criteria in children transferred to a pediatric trauma center: An opportunity for improvement? *American Journal of Emergency Medicine*, 38(7), 1546.e1-1546.e4. <https://doi.org/10.1016/j.ajem.2020.04.042>
401. Pennington L, Roddam H, Burton C, Russell I, Godfrey C, & Russell D. (2005). Promoting research use in speech and language therapy: a cluster randomized controlled trial to compare the clinical effectiveness and costs of two training strategies. *Clinical Rehabilitation*, 19(4), 387–397. <https://doi.org/10.1191/0269215505cr8780a>
402. Pennington, L., Akor, W. A., Laws, K., & Goldbart, J. (2018). Parent-mediated communication interventions for improving the communication skills of preschool children with non-progressive motor disorders. *Cochrane Database of Systematic Reviews*, 7, CD012507. <https://doi.org/10.1002/14651858.CD012507.pub2>
403. Pennington, L., Stamp, E., Smith, J., Kelly, H., Parker, N., Stockwell, K., Aluko, P., Othman, M., Brittain, K., & Vale, L. (2019). Internet delivery of intensive speech and language therapy for children with cerebral palsy: a pilot randomised controlled trial. *BMJ Open*, 9(1), e024233. <https://doi.org/10.1136/bmjopen-2018-024233>
404. Penrod, B., Gardella, L., & Fernand, J. (2012). An evaluation of a progressive high-probability instructional sequence combined with low-probability demand fading in the treatment of food selectivity. *Journal of Applied Behavior Analysis*, 45(3), 527–537. <https://doi.org/10.1901/jaba.2012.45-527>
405. Perry, A., Lee, S. H., Cotton, S., & Kennedy, C. (2016). Therapeutic exercises for affecting post-treatment swallowing in people treated for advanced-stage head and neck cancers. *Cochrane Database of Systematic Reviews*, 8, CD011112. <https://doi.org/10.1002/14651858.CD011112.pub2>

406. Perry, K. A., Kanji, A., Drosdeck, J. M., Linn, J. G., Chan, A., Muscarella, P., & Melvin, W. S. (2014). Efficacy and durability of robotic Heller myotomy for achalasia: patient symptoms and satisfaction at long-term follow-up. *Surgical Endoscopy*, 28(11), 3162–3167. <https://doi.org/10.1007/s00464-014-3576-9>
407. Petheram, B. (1991). Microcomputers as a supplement to aphasia therapy. *Neurolinguistics*, 6(2), 177-195.
<https://www.sciencedirect.com/science/article/pii/0911604491900065>
408. *Phase I evaluation of the television assisted prompting system to increase ...: EBSCOhost*. (n.d.). Retrieved January 26, 2021, from
<http://web.b.ebscohost.com.libproxy.nau.edu/ehost/pdfviewer/pdfviewer?vid=1&sid=e5f72d10-133d-47c7-abf7-3d174afb2a22%40sessionmgr103>
409. Pichayapinyo, P., Saslow, L. R., Aikens, J. E., Marinec, N., Sillabutra, J., Rattanapongsai, P., & Piette, J. D. (2019). Feasibility study of automated interactive voice response telephone calls with community health nurse follow-up to improve glycaemic control in patients with type 2 diabetes. *International Journal of Nursing Practice*, 25(6), e12781. <https://doi.org/10.1111/ijn.12781>
410. Pietrosanu, C., Ionita, I., Hainarosie, R., Meius, A., Iana, O., Panea, C., & Zainea, V. (2017). *Postoperative Pain Control Following Tonsillectomy* (E. Bratila & M. Cirstoiu, Eds.). Filodiritto Publisher.
411. Piette, J. D., Striplin, D., Marinec, N., Chen, J., Trivedi, R. B., Aron, D. C., Fisher, L., & Aikens, J. E. (2015). A Mobile Health Intervention Supporting Heart Failure Patients and Their Informal Caregivers: A Randomized Comparative Effectiveness Trial. *Journal of Medical Internet Research*, 17(6), e142.
<https://doi.org/10.2196/jmir.4550>
412. Pinna, G. D., Maestri, R., Andrews, D., Witkowski, T., Capomolla, S., Scanferlato, J. L., Gobbi, E., Ferrari, M., Ponikowski, P., Sleight, P., Mortara, A., & Johnson, P. (2007). Home telemonitoring of vital signs and cardiorespiratory signals in heart failure patients: System architecture and feasibility of the HHH model. *International Journal of Cardiology*, 120(3), 371–379. <https://doi.org/10.1016/j.ijcard.2006.10.029>
413. Pisegna, J. M., Yang, S., Purcell, A., & Rubio, A. (2017). A Mixed-Methods Study of Patient Views on Reflux Symptoms and Medication Routines. *Journal of Voice*, 31(3), 381.e15-381.e25. <https://doi.org/10.1016/j.jvoice.2016.06.024>
414. Plesca, V., Zainea, V., Pietrosanu, C., Ionita, I. G., Breazu, A., Ruscescu, A., Iana, O. R., Marinescu, A., Stefanescu, D. C., & Hainarosie, R. (2018). *Pain in Tonsillectomy* (S. V. G. Bertesteanu & R. Grigore, Eds.). Filodiritto Publisher.
415. Polaha, J., Dalton, W. T., & Lancaster, B. M. (2008). Parental report of medication acceptance among youth: implications for everyday practice. *Southern Medical Journal*, 101(11), 1106–1112. <https://doi.org/10.1097/SMJ.0b013e318180645d>
416. Posadzki, P., Mastellos, N., Ryan, R., Gunn, L. H., Felix, L. M., Pappas, Y., Gagnon, M.-P., Julious, S. A., Xiang, L., Oldenburg, B., & Car, J. (2016). Automated telephone communication systems for preventive healthcare and management of long-term conditions. *The Cochrane Database of Systematic Reviews*, 12, CD009921.
<https://doi.org/10.1002/14651858.CD009921.pub2>
417. Prigatano, G. P., & Sherer, M. (2020). Impaired Self-Awareness and Denial During the Postacute Phases After Moderate to Severe Traumatic Brain Injury. *Frontiers in Psychology*, 11, 1569. <https://doi.org/10.3389/fpsyg.2020.01569>
418. Pülz, S., Schützenberger, A., Grässel, E., Köllner, V., Eysholdt, U., & Rosanowski, F. (2009). [Satisfaction of dysphonic patients with psychosomatic assessment and intervention]. *HNO*, 57(9), 902–909. <https://doi.org/10.1007/s00106-009-1949-5>
419. Purves, B. A., Petersen, J., & Puurveen, G. (2013). An aphasia mentoring program: perspectives of speech-language pathology students and of mentors with

- aphasia. *American Journal of Speech-Language Pathology*, 22(2), S370-379. [https://doi.org/10.1044/1058-0360\(2013/12-0071\)](https://doi.org/10.1044/1058-0360(2013/12-0071))
420. Purvis, T., Middleton, S., Craig, L. E., Kilkenny, M. F., Dale, S., Hill, K., D'Este, C., & Cadilhac, D. A. (2019). Inclusion of a care bundle for fever, hyperglycaemia and swallow management in a National Audit for acute stroke: evidence of upscale and spread. *Implementation Science*, 14(1), 87. <https://doi.org/10.1186/s13012-019-0934-y>
421. Ramaiya, M. K., Sullivan, K. A., O' Donnell, K., Cunningham, C. K., Shayo, A. M., Mmbaga, B. T., & Dow, D. E. (2016). A Qualitative Exploration of the Mental Health and Psychosocial Contexts of HIV-Positive Adolescents in Tanzania. *PloS One*, 11(11), e0165936. <https://doi.org/10.1371/journal.pone.0165936>
422. Rameau, A., Foltz, R. S., Wagner, K., & Zur, K. B. (2012). Multidisciplinary approach to vocal cord dysfunction diagnosis and treatment in one session: A single institutional outcome study. *International Journal of Pediatric Otorhinolaryngology*, 76(1), 31–35. <https://doi.org/10.1016/j.ijporl.2011.09.017>
423. Ratanjee-Vanmali, H., Swanepoel, D. W., & Laplante-Lévesque, A. (2020). Patient Uptake, Experience, and Satisfaction Using Web-Based and Face-to-Face Hearing Health Services: Process Evaluation Study. *Journal of Medical Internet Research*, 22(3), e15875. <https://doi.org/10.2196/15875>
424. Rayan N, Barnes S, Fleming N, Kudyakov R, Ballard D, Gentilello LM, & Shafi S. (2012). Barriers to compliance with evidence-based care in trauma. *Journal of Trauma & Acute Care Surgery*, 72(3), 585–593. <https://doi.org/10.1097/ta.0b013e318243da4d>
425. Reed, N., Greenspoon, D., Iverson, G. L., DeMatteo, C., Fait, P., Gauvin-Lepage, J., Hunt, A., & Gagnon, I. J. (2015). Management of persistent postconcussion symptoms in youth: a randomised control trial protocol. *BMJ Open*, 5(7), e008468. <https://doi.org/10.1136/bmjopen-2015-008468>
426. Renaud, M. I., Klees, C., van Haastregt, J. C., Catsman-Berrevoets, C. E., van de Port, I. G., Lambregts, S. A., & van Heugten, C. M. (2020). Process evaluation of "Brains Ahead!": an intervention for children and adolescents with mild traumatic brain injury within a randomized controlled trial. *Clinical Rehabilitation*, 34(5), 688–697. <https://doi.org/10.1177/0269215520911439>
427. Ricketts, E. J., Goetz, A. R., Capriotti, M. R., Bauer, C. C., Brei, N. G., Himle, M. B., Espil, F. M., Snorrason, Í., Ran, D., & Woods, D. W. (2016). A randomized waitlist-controlled pilot trial of voice over Internet protocol-delivered behavior therapy for youth with chronic tic disorders. *Journal of Telemedicine and Telecare*, 22(3), 153–162. <https://doi.org/10.1177/1357633X15593192>
428. Riegler, L. J., Neils-Strunjas, J., Boyce, S., Wade, S. L., & Scheifele, P. M. (2013). Cognitive intervention results in web-based videophone treatment adherence and improved cognitive scores. *Medical Science Monitor*, 19, 269–275. <https://doi.org/10.12659/MSM.883885>
429. Rigby, J., Vela, L., & Housman, J. (2013). Understanding Athletic Trainers' Beliefs Toward a Multifaceted Sport-Related Concussion Approach: Application of the Theory of Planned Behavior. *Journal of Athletic Training*, 48(5), 636–644. <https://doi.org/10.4085/1062-6050-48.3.10>
430. Rigotti, N. A., Chang, Y., Rosenfeld, L. C., Japuntich, S. J., Park, E. R., Tindle, H. A., Levy, D. E., Reid, Z. Z., Streck, J., Gomperts, T., Kelley, J. H. K., & Singer, D. E. (2017). Interactive Voice Response Calls to Promote Smoking Cessation after Hospital Discharge: Pooled Analysis of Two Randomized Clinical Trials. *Journal of General Internal Medicine*, 32(9), 1005–1013. <https://doi.org/10.1007/s11606-017-4085-z>

431. Rinsky-Halivni, L., Klebanov, M., Lerman, Y., & Paltiel, O. (2017). Adherence to Voice Therapy Recommendations Is Associated With Preserved Employment Fitness Among Teachers With Work-Related Dysphonia. *Journal of Voice*, 31(3), 386.e19-386.e26. <https://doi.org/10.1016/j.jvoice.2016.09.011>
432. Ripley, D. L., Morey, C. E., Gerber, D., Harrison-Felix, C., Brenner, L. A., Pretz, C. R., Cusick, C., & Wesnes, K. (2014). Atomoxetine for attention deficits following traumatic brain injury: Results from a randomized controlled trial. *Brain Injury*, 28(12), 1514–1522. <https://doi.org/10.3109/02699052.2014.919530>
433. Rivara, F. P., Ennis, S. K., Mangione-Smith, R., MacKenzie, E. J., & Jaffe, K. M. (2012). Quality of Care Indicators for the Rehabilitation of Children With Traumatic Brain Injury. *Archives of Physical Medicine & Rehabilitation*, 93(3), 381-385.e9. <https://doi.org/10.1016/j.apmr.2011.08.015>
434. Robbins, J., Gensler, G., Hind, J., Logemann, J. A., Lindblad, A. S., Brandt, D., Baum, H., Lilienfeld, D., Kosek, S., Lundy, D., Dikeman, K., Kazandjian, M., Gramigna, G. D., McGarvey-Toler, S., & Miller Gardner, P. J. (2008). Comparison of 2 interventions for liquid aspiration on pneumonia incidence: a randomized trial. *Annals of Internal Medicine*, 148(7), 509–518. <https://doi.org/10.7326/0003-4819-148-7-200804010-00007>
435. Roberts, M., Potter, J., McColl, J., & Reilly, J. (2003). Can prescription of sip-feed supplements increase energy intake in hospitalised older people with medical problems? *The British Journal of Nutrition*, 90(2), 425–429. <https://doi.org/10.1079/bjn2003898>
436. Robertson, S. (2010). The efficacy of oro-facial and articulation exercises in dysarthria following stroke. *International Journal of Language & Communication Disorders*, 36(S1), 292–297. <https://doi.org/10.3109/13682820109177900>
437. Robinson, B., Dunst, C. M., Cassera, M. A., Reavis, K. M., Sharata, A., & Swanstrom, L. L. (2015). 20 years later: laparoscopic fundoplication durability. *Surgical Endoscopy*, 29(9), 2520–2524. <https://doi.org/10.1007/s00464-014-4012-x>
438. Robotham, D., Satkunanathan, S., Reynolds, J., Stahl, D., & Wykes, T. (2016). Using digital notifications to improve attendance in clinic: systematic review and meta-analysis. *BMJ Open*, 6(10), e012116. <https://doi.org/10.1136/bmjopen-2016-012116>
439. Rodgers, M., Meisel, Z., Wiebe, D., Crits-Christoph, P., & Rhodes, K. V. (2019). Wireless Participant Incentives Using Reloadable Bank Cards to Increase Clinical Trial Retention With Abused Women Drinkers: A Natural Experiment. *Journal of Interpersonal Violence*, 34(13), 2774–2796. <https://doi.org/10.1177/0886260516662849>
440. Rodrigues, R., Poongulali, S., Balaji, K., Atkins, S., Ashorn, P., & De Costa, A. (2015). "The phone reminder is important, but will others get to know about my illness?" Patient perceptions of an mHealth antiretroviral treatment support intervention in the HIVIND trial in South India. *BMJ Open*, 5(11), e007574. <https://doi.org/10.1136/bmjopen-2015-007574>
441. Rodrigues, R., Shet, A., Antony, J., Sidney, K., Arumugam, K., Krishnamurthy, S., D'Souza, G., & DeCosta, A. (2012). Supporting adherence to antiretroviral therapy with mobile phone reminders: results from a cohort in South India. *PloS One*, 7(8), e40723. <https://doi.org/10.1371/journal.pone.0040723>
442. Rose, G. L., Badger, G. J., Skelly, J. M., MacLean, C. D., Ferraro, T. A., & Helzer, J. E. (2017). A Randomized Controlled Trial of Brief Intervention by Interactive Voice Response. *Alcohol and Alcoholism*, 52(3), 335–343. <https://doi.org/10.1093/alcalc/agw102>
443. Rose, G. L., MacLean, C. D., Skelly, J., Badger, G. J., Ferraro, T. A., & Helzer, J. E. (2010). Interactive voice response technology can deliver alcohol screening and brief

- intervention in primary care. *Journal of General Internal Medicine*, 25(4), 340–344. <https://doi.org/10.1007/s11606-009-1233-0>
444. Rosenvinge, S. K., & Starke, I. D. (2005). Improving care for patients with dysphagia. *Age & Ageing*, 34(6), 587–593. <https://doi.org/10.1093/ageing/afi187>
445. Rosland, A.-M., Piette, J. D., Trivedi, R., Kerr, E. A., Stoll, S., Tremblay, A., & Heisler, M. (2018). Engaging family supporters of adult patients with diabetes to improve clinical and patient-centered outcomes: study protocol for a randomized controlled trial. *Trials*, 19(1), 394. <https://doi.org/10.1186/s13063-018-2785-2>
446. Rubin, A. D., Wodchis, W. P., Spak, C., Kileny, P. R., & Hogikyan, N. D. (2004). Longitudinal effects of Botox injections on voice-related quality of life (V-RQOL) for patients with adductory spasmodic dysphonia: part II. *Archives of Otolaryngology--Head & Neck Surgery*, 130(4), 415–420. <https://doi.org/10.1001/archotol.130.4.415>
447. Rumbach, A. F., Ward, E. C., Cornwell, P. L., Vassett, L. V., Spermon, M. L., Plaza, A. L., & Muller, M. J. (2011). Dysphagia rehabilitation after severe burn injury: an interdisciplinary and multidisciplinary collaborative. *Journal of Medical Speech-Language Pathology*, 19(1), 25–34.
448. Saard, M., Bachmann, M., Sepp, K., Pertens, L., Kornet, K., Reinart, L., Koop, C., & Kolk, A. (2019). Positive outcome of visuospatial deficit rehabilitation in children with epilepsy using computer-based FORAMENRehab program. *Epilepsy & Behavior*, 100, UNSP 106521. <https://doi.org/10.1016/j.yebeh.2019.106521>
449. Sackley, C. M., Smith, C. H., Rick, C., Brady, M. C., Ives, N., Patel, R., Roberts, H., Dowling, F., Jowett, S., Wheatley, K., Patel, S., Kelly, D., Sands, G., & Clarke, C. (2014). Lee Silverman voice treatment versus standard NHS speech and language therapy versus control in Parkinson's disease (PD COMM pilot): study protocol for a randomized controlled trial. *Trials*, 15(1), 213–213. <https://doi.org/10.1186/1745-6215-15-213>
450. Sahyouni, R., Mahmoodi, A., Mahmoodi, A., Rajaii, R. R., Hasjim, B. J., Bustillo, D., Huang, M., Tran, D. K., & Chen, J. W. (2017). Interactive iBook-Based Patient Education in a NeuroTrauma Clinic. *Neurosurgery*, 81(5), 787–794. <https://doi.org/10.1093/neuros/nyx095>
451. Sakayori, T., Maki, Y., Ohkubo, M., Ishida, R., Hirata, S., & Ishii, T. (2016). Longitudinal Evaluation of Community Support Project to Improve Oral Function in Japanese Elderly. *The Bulletin of Tokyo Dental College*, 57(2), 75–82. <https://doi.org/10.2209/tdcpublish.2015-0035>
452. Salazar, A. M., Warden, D. L., Schwab, K., et al. (2000). Cognitive Rehabilitation for Traumatic Brain Injury: A Randomized Trial. *JAMA*, 283(23), 3075–3081. doi:10.1001/jama.283.23.3075
453. Santos, L. R., Almeida, L., Teixeira, L. C., et al. Adherence to voice therapy guidelines after discharge from vocal treatment in teachers: a prospective study. *Rev CEFAC*. 2012;14:714–720. <https://doi.org/10.1590/S1516-18462011005000105>
454. Sanui, M., King, D. R., Feinstein, A. J., Varon, A. J., Cohn, S. M., & Proctor, K. G. (2006). Effects of arginine vasopressin during resuscitation from hemorrhagic hypotension after traumatic brain injury. *Critical Care Medicine*, 34(2), 433–438. <https://doi.org/10.1097/01.CCM.0000196206.83534.39>
455. Sanuki, T., Yumoto, E., Toya, Y., & Kumai, Y. (2016). Voice tuning with new instruments for type II thyroplasty in the treatment of adductor spasmodic dysphonia. *Auris, Nasus, Larynx*, 43(5), 537–540. <https://doi.org/10.1016/j.anl.2015.12.015>
456. Saquib, J., King, A. C., Castro, C. M., Tinker, L. F., Sims, S., Shikany, J. M., Bea, J. W., Lacroix, A. Z., Van Horn, L., & Stefanick, M. L. (2016). A pilot study combining Go4Life® materials with an interactive voice response system to promote physical

- activity in older women. *Journal of Women & Aging*, 28(5), 454–462.
<https://doi.org/10.1080/08952841.2015.1018065>
457. Sasieta, H. C., Iyer, V. N., Orbelo, D. M., Patton, C., Pittelko, R., Keogh, K., Lim, K. G., & Ekblom, D. C. (2016). Bilateral Thyroarytenoid Botulinum Toxin Type A Injection for the Treatment of Refractory Chronic Cough. *JAMA Otolaryngology--Head & Neck Surgery*, 142(9), 881–888. <https://doi.org/10.1001/jamaoto.2016.0972>
458. Schneider, J., Waterbury, A., Feldstein, A., Donovan, J., Vollmer, W. M., Dubanoski, J., Clark, S., & Rand, C. (2011). Maximizing acceptability and usefulness of an automated telephone intervention: Lessons from a developmental mixed-methods approach. *Health Informatics Journal*, 17(1), 72–88.
<https://doi.org/10.1177/1460458210391220>
459. Schoenberger, M., Hansen, N. R., Pedersen, D. T., Zeeman, P., & Jorgensen, J. R. (2010). The Relationship Between Physical Fitness and Work Integration Following Stroke. *Brain Impairment*, 11(3), 262–269. <https://doi.org/10.1375/brim.11.3.262>
460. Schoenberger, M., Humle, F., Zeeman, P., & Teasdale, T. W. (2006). Patient compliance in brain injury rehabilitation in relation to awareness and cognitive and physical improvement. *Neuropsychological Rehabilitation*, 16(5), 561–578.
<https://doi.org/10.1080/09602010500263084>
461. Schroder, K. E. E., & Johnson, C. J. (2009). Interactive voice response technology to measure HIV-related behavior. *Current HIV/AIDS Reports*, 6(4), 210–216.
<https://doi.org/10.1007/s11904-009-0028-6>
462. Schwarz, E., & Bahn, S. (2008). Cerebrospinal fluid: identification of diagnostic markers for schizophrenia. *Expert Review of Molecular Diagnostics*, 8(2), 209–216.
<https://doi.org/10.1586/14737159.8.2.209>
463. Schwarz, K., Fontanari, A. M. V., Schneider, M. A., Borba Soll, B. M., da Silva, D. C., Spritzer, P. M., Kazumi Yamaguti Dorfman, M. E., Kuhl, G., Costa, A. B., Cielo, C. A., Villas Bôas, A. P., & Lobato, M. I. R. (2017). Laryngeal surgical treatment in transgender women: A systematic review and meta-analysis. *The Laryngoscope*, 127(11), 2596–2603. <https://doi.org/10.1002/lary.26692>
464. Searl, J., Wilson, K., Haring, K., Dietsch, A., Lyons, K., & Pahwa, R. (2011). Feasibility of group voice therapy for individuals with Parkinson's disease. *Journal of Communication Disorders*, 44(6), 719–732.
<https://doi.org/10.1016/j.jcomdis.2011.05.001>
465. Sekhon, M. S., Griesdale, D. E., Ainslie, P. N., Gooderham, P., Foster, D., Czosnyka, M., Robba, C., & Cardim, D. (2019). Intracranial pressure and compliance in hypoxic ischemic brain injury patients after cardiac arrest. *Resuscitation*, 141, 96–103.
<https://doi.org/10.1016/j.resuscitation.2019.05.036>
466. Seliger, G., Krol, I., Worlitzsch, D., Kantelhardt, E. J., Moritz, S., & Tchirikov, M. (2020). Reduction of Visitor- and Staff-Associated Risk of Infection by Complex Intervention in the Department of Feto-Maternal Medicine. *Zeitschrift Fur Geburtshilfe Und Neonatologie*, 224(05), 297–305. <https://doi.org/10.1055/a-1226-7257>
467. Serogl, H. G., Klages, U., & Zentner, A. (2000). Functional and social discomfort during orthodontic treatment--effects on compliance and prediction of patients' adaptation by personality variables. *European Journal of Orthodontics*, 22(3), 307–315.
<https://doi.org/10.1093/ejo/22.3.307>
468. Sharma, B., Tomaszczyk, J. C., Dawson, D., Turner, G. R., Colella, B., & Green, R. E. A. (2017). Feasibility of online self-administered cognitive training in moderate-severe brain injury. *Disability & Rehabilitation*, 39(14), 1380–1390.
<https://doi.org/10.1080/09638288.2016.1195453>

469. Sharp, H. M., & Bryant, K. N. (2003). Ethical issues in dysphagia: when patients refuse assessment or treatment. *Seminars in Speech and Language*, 24(4), 285–299. <https://doi.org/10.1055/s-2004-815578>
470. Shawyer, F., Farhall, J., Mackinnon, A., Trauer, T., Sims, E., Ratcliff, K., Lerner, C., Thomas, N., Castle, D., Mullen, P., & Copolov, D. (2012). A randomised controlled trial of acceptance-based cognitive behavioural therapy for command hallucinations in psychotic disorders. *Behaviour Research and Therapy*, 50(2), 110–121. <https://doi.org/10.1016/j.brat.2011.11.007>
471. Sheard, L., O'Hara, J., Armitage, G., Wright, J., Cocks, K., McEachan, R., Watt, I., Lawton, R., & Yorkshire Quality & Safety Research Group. (2014). Evaluating the PRASE patient safety intervention - a multi-centre, cluster trial with a qualitative process evaluation: study protocol for a randomised controlled trial. *Trials*, 15, 420. <https://doi.org/10.1186/1745-6215-15-420>
472. Shelby, R. A., Dorfman, C. S., Bosworth, H. B., Keefe, F., Sutton, L., Owen, L., Corsino, L., Erkanli, A., Reed, S. D., Arthur, S. S., Somers, T., Barrett, N., Huettel, S., Gonzalez, J. M., & Kimmick, G. (2019). Testing a behavioral intervention to improve adherence to adjuvant endocrine therapy (AET). *Contemporary Clinical Trials*, 76, 120–131. <https://doi.org/10.1016/j.cct.2018.11.010>
473. Sherrard, H., Struthers, C., Kearns, S. A., Wells, G., Chen, L., & Mesana, T. (2009). Using technology to create a medication safety net for cardiac surgery patients: a nurse-led randomized control trial. *Canadian Journal of Cardiovascular Nursing = Journal Canadien En Soins Infirmiers Cardio-Vasculaires*, 19(3), 9–15.
474. Shet, A., Arumugam, K., Rodrigues, R., Rajagopalan, N., Shubha, K., Raj, T., D'souza, G., & De Costa, A. (2010). Designing a mobile phone-based intervention to promote adherence to antiretroviral therapy in South India. *AIDS and Behavior*, 14(3), 716–720. <https://doi.org/10.1007/s10461-009-9658-3>
475. Shet, A., De Costa, A., Kumarasamy, N., Rodrigues, R., Rewari, B. B., Ashorn, P., Eriksson, B., Diwan, V., & HIVIND Study Team. (2014). Effect of mobile telephone reminders on treatment outcome in HIV: evidence from a randomised controlled trial in India. *BMJ (Clinical Research Ed.)*, 349, g5978. <https://doi.org/10.1136/bmj.g5978>
476. Shim JS, Oh B-M, Han TR. Factors associated with compliance with viscosity-modified diet among dysphagic patients. *Ann Rehabil Med*. 2013;37:628–32.
477. Shinn, E. H., Basen-Engquist, K., Baum, G., Steen, S., Bauman, R. F., Morrison, W., Garden, A. S., Sheil, C., Kilgore, K., & Hutcheson, K. A. (2013). Adherence to preventive exercises and self-reported swallowing outcomes in post-radiation head and neck cancer patients. *Head Neck*, 35, 1707–12.
478. Shuler, N., & Carroll, R. A. (2019). Training Supervisors to Provide Performance Feedback Using Video Modeling with Voiceover Instructions. *Behavior Analysis in Practice*, 12(3), 576–591. <https://doi.org/10.1007/s40617-018-00314-5>
479. Sidney, K., Antony, J., Rodrigues, R., Arumugam, K., Krishnamurthy, S., D'souza, G., De Costa, A., & Shet, A. (2012). Supporting patient adherence to antiretrovirals using mobile phone reminders: patient responses from South India. *AIDS Care*, 24(5), 612–617. <https://doi.org/10.1080/09540121.2011.630357>
480. Sikorskii, A., Given, C. W., Siddiqi, A.-E.-A., Champion, V., McCorkle, R., Spoelstra, S. L., & Given, B. A. (2015). Testing the differential effects of symptom management interventions in cancer. *Psycho-Oncology*, 24(1), 25–32. <https://doi.org/10.1002/pon.3555>
481. Silva, M. A., Nakase-Richardson, R., Sherer, M., Barnett, S. D., Evans, C. C., & Yablon, S. A. (2012). Posttraumatic Confusion Predicts Patient Cooperation During Traumatic Brain Injury Rehabilitation. *American Journal of Physical Medicine & Rehabilitation*, 91(10), 890–893. <https://doi.org/10.1097/PHM.0b013e31825a1648>

482. Silver, J. K., & Baima, J. (2013). Cancer Prehabilitation An Opportunity to Decrease Treatment-Related Morbidity, Increase Cancer Treatment Options, and Improve Physical and Psychological Health Outcomes. *American Journal of Physical Medicine & Rehabilitation*, 92(8), 715–727. <https://doi.org/10.1097/PHM.0b013e31829b4afe>
483. Silverman, E. P., Garvan, C., Shrivastav, R., & Sapienza, C. M. (2012). Combined modality treatment of adductor spasmodic dysphonia. *Journal of Voice: Official Journal of the Voice Foundation*, 26(1), 77–86. <https://doi.org/10.1016/j.jvoice.2010.08.004>
484. Simoni, J. M., Beima-Sofie, K., Amico, K. R., Hosek, S. G., Johnson, M. O., & Mensch, B. S. (2019). Debrief Reports to Expedite the Impact of Qualitative Research: Do They Accurately Capture Data from In-depth Interviews? *AIDS and Behavior*, 23(8), 2185–2189. <https://doi.org/10.1007/s10461-018-02387-3>
485. Slifer KJ, Eischen SE, & Busby S. (2002). Using counterconditioning to treat behavioural distress during subcutaneous injections in a paediatric rehabilitation patient. *Brain Injury*, 16(10), 901–916. <https://doi.org/10.1080/02699050210131948>
486. Smith, D. H., Feldstein, A. C., Perrin, N. A., Yang, X., Rix, M. M., Raebel, M. A., Magid, D. J., Simon, S. R., & Soumerai, S. B. (2009). Improving laboratory monitoring of medications: an economic analysis alongside a clinical trial. *The American Journal of Managed Care*, 15(5), 281–289.
487. Smith, D. H., O’Keeffe-Rosetti, M., Owen-Smith, A. A., Rand, C., Tom, J., Vupputuri, S., Laws, R., Waterbury, A., Hankerson-Dyson, D. D., Yonehara, C., Williams, A., Schneider, J., Dickerson, J. F., & Vollmer, W. M. (2016). Improving Adherence to Cardiovascular Therapies: An Economic Evaluation of a Randomized Pragmatic Trial. *Value in Health: The Journal of the International Society for Pharmacoeconomics and Outcomes Research*, 19(2), 176–184. <https://doi.org/10.1016/j.jval.2015.11.013>
488. Smith, M. (2008). Monitoring intracranial pressure in traumatic brain injury. *Anesthesia and Analgesia*, 106(1), 240–248. <https://doi.org/10.1213/01.ane.0000297296.52006.8e>
489. Sohlberg McKay Moore, Lemoncello Rik, & Lee Jaime. (2011). The Effect of Choice on Compliance Using Telerehabilitation for Direct Attention Training: A Comparison of “Push” Versus “Pull” Scheduling. *Perspectives on Neurophysiology and Neurogenic Speech and Language Disorders*, 21(3), 94–106. <https://doi.org/10.1044/nnsld21.3.94>
490. Sommer JL, & Witkiewicz PM. (2004). The therapeutic challenges of dual diagnosis: TBI/SCI. *Brain Injury*, 18(12), 1297–1308. <https://doi.org/10.1080/02699050410001672288>
491. Sommer, C., & Schultz-Coulon, H.-J. (2007). [Long-term results after microlaryngoscopic removal of Reinke’s edema]. *HNO*, 55(5), 365–374. <https://doi.org/10.1007/s00106-006-1476-6>
492. Souza BO, Tonon IG, Souza EVS, et al. Adherence and satisfaction of teachers participants of the Comprehensive Vocal Rehabilitation Program. *Disturb Comun*. 2017;29:284–291. <http://dx.doi.org/10.23925/2176-2724.2017v29i2p284-291>.
493. Sparrow, D., Aloia, M., Demolles, D. A., & Gottlieb, D. J. (2010). A telemedicine intervention to improve adherence to continuous positive airway pressure: a randomised controlled trial. *Thorax*, 65(12), 1061–1066. <https://doi.org/10.1136/thx.2009.133215>
494. Spencer L. (2009). Research and commentary. Swallowing interventions. *Paediatric Nursing*, 21(6), 13–13.
495. Spoelstra, S. L., Given, B. A., Given, C. W., Grant, M., Sikorskii, A., You, M., & Decker, V. (2013). An intervention to improve adherence and management of

- symptoms for patients prescribed oral chemotherapy agents: an exploratory study. *Cancer Nursing*, 36(1), 18–28. <https://doi.org/10.1097/NCC.0b013e3182551587>
496. Sproson, L., Pownall, S., Enderby, P., & Freeman, J. (2018). Combined electrical stimulation and exercise for swallow rehabilitation post-stroke: a pilot randomized control trial. *International Journal of Language & Communication Disorders*, 53(2), 405–417. <https://doi.org/10.1111/1460-6984.12359>
497. Stark, B.C. & Warburton, E.A. Improved language in chronic aphasia after self-delivered iPad speech therapy. *Neuropsychological Rehabilitation*, 28(5):818-831.
498. Starmer, H. M. (2017). Swallowing Exercises in Head and Neck Cancer. *Perspectives of the ASHA Special Interest Groups*, 2(13), 21–26. <https://doi.org/10.1044/persp2.SIG13.21>
499. Stasyshyn, A. R. (2016). [THE KEY CAUSES OF SUCCESS OF VIDEOLAPAROSCOPIC OPERATIONS FOR GASTROESOPHAGEAL REFLUX DISEASE AND HIATAL HERNIA]. *Klinichna Khirurgiia*, 12, 13–16.
500. Stegemoller, E. L., Diaz, K., Craig, J., & Brown, D. (2020). The Feasibility of Group Therapeutic Singing Telehealth for Persons with Parkinson’s Disease in Rural Iowa. *Telemedicine and E-Health*, 26(1), 66–70. <https://doi.org/10.1089/tmj.2018.0315>
501. Stegemöller, E. L., Hurt, T. R., O’Connor, M. C., Camp, R. D., Green, C. W., Pattee, J. C., & Williams, E. K. (2018). Experiences of Persons With Parkinson’s Disease Engaged in Group Therapeutic Singing. *Journal of Music Therapy*, 54(4), 405–431. <https://doi.org/10.1093/jmt/thx012>
502. Steinberg, D. M., Levine, E. L., Lane, I., Askew, S., Foley, P. B., Puleo, E., & Bennett, G. G. (2014). Adherence to self-monitoring via interactive voice response technology in an eHealth intervention targeting weight gain prevention among Black women: randomized controlled trial. *Journal of Medical Internet Research*, 16(4), e114. <https://doi.org/10.2196/jmir.2996>
503. Steiner, J. F., Shainline, M. R., Bishop, M. C., & Xu, S. (2016). Reducing Missed Primary Care Appointments in a Learning Health System: Two Randomized Trials and Validation of a Predictive Model. *Medical Care*, 54(7), 689–696. <https://doi.org/10.1097/MLR.0000000000000543>
504. Steiner, L. A., Balestreri, M., Johnston, A. J., Coles, J. P., Smielewski, P., Pickard, J. D., Menon, D. K., & Czosnyka, M. (2005). Predicting the response of intracranial pressure to moderate hyperventilation. *Acta Neurochirurgica*, 147(5), 477–483. <https://doi.org/10.1007/s00701-005-0510-x>
505. Steinkamp, J. M., Goldblatt, N., Borodovsky, J. T., LaVertu, A., Kronish, I. M., Marsch, L. A., & Schuman-Olivier, Z. (2019). Technological Interventions for Medication Adherence in Adult Mental Health and Substance Use Disorders: A Systematic Review. *Jmir Mental Health*, 6(3), UNSP e12493. <https://doi.org/10.2196/12493>
506. Stone, M. E., Marsh, J., Cucuzzo, J., Reddy, S. H., Teperman, S., & Kaban, J. M. (2014). Factors associated with trauma clinic follow-up compliance after discharge: Experience at an urban Level I trauma center. *Journal of Trauma and Acute Care Surgery*, 76(1), 185–190. <https://doi.org/10.1097/TA.0b013e3182aafcd5>
507. Stuart, G. W., Laraia, M. T., Ornstein, S. M., & Nietert, P. J. (2003). An interactive voice response system to enhance antidepressant medication compliance. *Topics in Health Information Management*, 24(1), 15–20.
508. Stubi, C. L. F., Landry, P. R., Petignat, C., Blaise, J. B., Genton, B., Darioli, R., & Burnier, M. (2000). Compliance to live oral Ty21a typhoid vaccine, and its effect on viability. *Journal of Travel Medicine*, 7(3), 133–137.
509. *Sullivan, K. W., Solomon, N. P., Pramuka, M., Quinn, J. E., Teixeira, K. A., & French, L. M. (2015). Computer-based cognitive rehabilitation research in a military treatment

- facility: Recruitment, compliance, and lessons learned. *Work-a Journal of Prevention Assessment & Rehabilitation*, 50(1), 131–142. <https://doi.org/10.3233/WOR-141986>
510. Sveen, U., Thommessen, B., Bautz-Holter, E., Wyller, T. B., & Laake, K. (2004). Well-being and instrumental activities of daily living after stroke. *Clinical Rehabilitation*, 18(3), 267–274. <https://doi.org/10.1191/0269215504cr719oa>
511. Swendeman, D., Jana, S., Ray, P., Mindry, D., Das, M., & Bhakta, B. (2015). Development and Pilot Testing of Daily Interactive Voice Response (IVR) Calls to Support Antiretroviral Adherence in India: A Mixed-Methods Pilot Study. *AIDS and Behavior*, 19 Suppl 2, 142–155. <https://doi.org/10.1007/s10461-014-0983-9>
512. Swigert, N. B. (2017). Demonstrating Professionalism and Skill in Dysphagia Documentation. *Perspectives of the ASHA Special Interest Groups*, 2(13), 49–56. <https://doi.org/10.1044/persp2.SIG13.49>
513. Swoboda, S. M., Earsing, K., Strauss, K., Lane, S., & Lipsett, P. A. (2004). Electronic monitoring and voice prompts improve hand hygiene and decrease nosocomial infections in an intermediate care unit. *Critical Care Medicine*, 32(2), 358–363. <https://doi.org/10.1097/01.CCM.0000108866.48795.0F>
514. Szturm, T., Imran, Z., Pooyania, S., Kanitkar, A., & Mahana, B. (n.d.). Evaluation of a Game Based Tele Rehabilitation Platform for In-Home Therapy of Hand-Arm Function Post Stroke: Feasibility Study. *Pm&r*. <https://doi.org/10.1002/pmrj.12354>
515. Talving, P., Karamanos, E., Teixeira, P. G., Skiada, D., Lam, L., Belzberg, H., Inaba, K., & Demetriades, D. (2013). Intracranial pressure monitoring in severe head injury: compliance with Brain Trauma Foundation guidelines and effect on outcomes: a prospective study Clinical article. *Journal of Neurosurgery*, 119(5), 1248–1254. <https://doi.org/10.3171/2013.7.JNS122255>
516. Tan, D. W., Lim, A. M. E., Ong, D. Y., Peng, L. L., Chan, Y. H., Ibrahim, I., & Sen Kuan, W. (2018). Computed tomography of the head for adult patients with minor head injury: are clinical decision rules a necessary evil? *Singapore Medical Journal*, 59(4), 199–204. <https://doi.org/10.11622/smedj.2017046>
517. Tatachar, A., Cole, L. C., Nguyen, H. L., & Heinrich, K. (2019). Evaluation of pharmacy-based telephone interventions on medication pick-up rates: a retrospective, quality improvement study at charity outpatient clinics. *The International Journal of Pharmacy Practice*, 27(6), 510–519. <https://doi.org/10.1111/ijpp.12563>
518. Taub E, Griffin A, Nick J, Gammons K, Uswatte G, & Law CR. (2007). Pediatric CI therapy for stroke-induced hemiparesis in young children. *Developmental Neurorehabilitation*, 10(1), 3–18. <https://doi.org/10.1080/13638490601151836>
519. Taub, E., Uswatte, G., Mark, V. W., & Morris, D. M. (2006). The learned nonuse phenomenon: Implications for rehabilitation. *Europa Medicophysica*, 42(3), 241–255. <https://www.minervamedica.it/en/journals/europa-medicophysica/article.php?cod=R33Y2006N03A0241>
520. Taylor, P. N., Burridge, J. H., Dunkerley, A. L., Lamb, A., Wood, D. E., Norton, J. A., & Swain, I. D. (1999). Patients' perceptions of the Odstock Dropped Foot Stimulator (ODFS). *Clinical Rehabilitation*, 13(5), 439–446. <https://doi.org/10.1191/026921599677086409>
521. Taylor-Rubin, C., Croot, K., & Nickels, L. (2019). Adherence to lexical retrieval treatment in Primary Progressive Aphasia and implications for candidacy. *Aphasiology*, 33(10), 1182–1201. <https://doi.org/10.1080/02687038.2019.1621031>
522. Teel, E. F., Marshall, S. W., Appelbaum, L. G., Battaglini, C. L., Carneiro, K. A., Guskiewicz, K. M., Register-Mihalik, J. K., & Mihalik, J. P. (2019). A Randomized Controlled Trial Investigating the Feasibility and Adherence to an Aerobic Training

- Program in Healthy Individuals. *Journal of Sport Rehabilitation*, 28(7), 692–698. <https://doi.org/10.1123/jsr.2018-0007>
523. Teeling, S. P., Coetzee, H., Phillips, M., McKiernan, M., Ní ShÉ, É., & Igoe, A. (2019). Reducing risk of development or exacerbation of nutritional deficits by optimizing patient access to mealtime assistance. *International Journal for Quality in Health Care: Journal of the International Society for Quality in Health Care*, 31(Supplement_1), 6–13. <https://doi.org/10.1093/intqhc/mzz060>
524. Tepas JJ 3rd, Pracht EE, Orban BL, & Flint LM. (2013). High-volume trauma centers have better outcomes treating traumatic brain injury. *Journal of Trauma & Acute Care Surgery*, 74(1), 143–148. <https://doi.org/10.1097/TA.0b013e3182788b5a>
525. Threats, T. T. (2007). Use of the ICF in dysphagia management. *Seminars in Speech and Language*, 28(4), 323–333. <https://doi.org/10.1055/s-2007-986529>
526. Tindall, R. M., Allott, K., Simmons, M., Roberts, W., & Hamilton, B. E. (2019). The missing voice of engagement: an exploratory study from the perspectives of case-managers at an early intervention service for first-episode psychosis. *BMC Psychiatry*, 19(1), 312. <https://doi.org/10.1186/s12888-019-2315-0>
527. Titsworth, W. L., Abram, J., Fullerton, A., Hester, J., Guin, P., Waters, M. F., & Mocco, J. (2013). Prospective quality initiative to maximize dysphagia screening reduces hospital-acquired pneumonia prevalence in patients with stroke. *Stroke* (00392499), 44(11), 3154–3160. <https://doi.org/10.1161/STROKEAHA.111.000204>
528. Titze, I. R., Riede, T., Palaparthi, A., Hynan, L. S., Hamilton, A., Toles, L., & Maue, T. (2018). Individualized Patient Vocal Priorities for Tailored Therapy. *Journal of Speech, Language & Hearing Research*, 61(12), 2884–2894. https://doi.org/10.1044/2018_JSLHR-S-18-0109
529. Toglia, J., Lee, A., Steinberg, C., & Waldman-Levi, A. (2020). Establishing and measuring treatment fidelity of a complex cognitive rehabilitation intervention: The multicontext approach. *British Journal of Occupational Therapy*, 83(6), 363–374. <https://doi.org/10.1177/0308022619898091>
530. Torbey, C. F., Achkar, E., Rice, T. W., Baker, M., & Richter, J. E. (1999). Long-term outcome of achalasia treatment: the need for closer follow-up. *Journal of Clinical Gastroenterology*, 28(2), 125–130. <https://doi.org/10.1097/00004836-199903000-00008>
531. Torrence, J. M., Baylor, C. R., Yorkston, K. M., & Spencer, K. A. (2016). Addressing Communicative Participation in Treatment Planning for Adults: A Survey of U.S. Speech-Language Pathologists. *American Journal of Speech-Language Pathology*, 25(3), 355–370. https://doi.org/10.1044/2015_AJSLP-15-0049
532. Toth, A., Schmalfuss, I., Heaton, S. C., Gabrielli, A., Hannay, H. J., Papa, L., Brophy, G. M., Wang, K. K. W., Bueki, A., Schwarcz, A., Hayes, R. L., Robertson, C. S., & Robicsek, S. A. (2015). Lateral Ventricle Volume Asymmetry Predicts Midline Shift in Severe Traumatic Brain Injury. *Journal of Neurotrauma*, 32(17), 1307–1311. <https://doi.org/10.1089/neu.2014.3696>
533. Trahan E, Pépin M, & Hopps S. (2006). Impaired awareness of deficits and treatment adherence among people with traumatic brain injury or spinal cord injury. *Journal of Head Trauma Rehabilitation*, 21(3), 226–235. <https://doi.org/10.1097/00001199-200605000-00003>
534. Tsaousides, T., D'Antonio, E., Varbanova, V., & Spielman, L. (2014). Delivering group treatment via videoconference to individuals with traumatic brain injury: A feasibility study. *Neuropsychological Rehabilitation*, 24(5), 784–803. <https://doi.org/10.1080/09602011.2014.907186>
535. Tsoli, S., Sutton, S., & Kassavou, A. (2018). Interactive voice response interventions targeting behaviour change: a systematic literature review with meta-analysis and

- meta-regression. *BMJ Open*, 8(2), e018974. <https://doi.org/10.1136/bmjopen-2017-018974>
536. Tsuboi, K., Gazallo, J., Yano, F., Filipi, C. J., & Mittal, S. K. (2010). Good training allows excellent results for laparoscopic Nissen fundoplication even early in the surgeon's experience. *Surgical Endoscopy*, 24(11), 2723–2729. <https://doi.org/10.1007/s00464-010-1034-x>
537. Tye-Murray, N., Sommers, M. S., Mauzé, E., Schroy, C., Barcroft, J., & Spehar, B. (2012). Using Patient Perceptions of Relative Benefit and Enjoyment to Assess Auditory Training. *Journal of the American Academy of Audiology*, 23(8), 623–634. <https://doi.org/10.3766/jaaa.23.8.7>
538. Vaezipour, A., Whelan, B.-M., Wall, K., & Theodoros, D. (2019). Acceptance of Rehabilitation Technology in Adults With Moderate to Severe Traumatic Brain Injury, Their Caregivers, and Healthcare Professionals: A Systematic Review. *The Journal of Head Trauma Rehabilitation*, 34(4), E67–E82. <https://doi.org/10.1097/HTR.0000000000000462>
539. Valovich McLeod, T. C., Lewis, J. H., Whelihan, K., & Welch Bacon, C. E. (2017). Rest and Return to Activity After Sport-Related Concussion: A Systematic Review of the Literature. *Journal of Athletic Training (Allen Press)*, 52(3), 262–287. <https://doi.org/10.4085/1052-6050-51.6.06>
540. van der Kolk, N. M., de Vries, N. M., Kessels, R. P. C., Joosten, H., Zwinderman, A. H., Post, B., & Bloem, B. R. (2019). Effectiveness of home-based and remotely supervised aerobic exercise in Parkinson's disease: a double-blind, randomised controlled trial. *Lancet Neurology*, 18(11), 998–1008. [https://doi.org/10.1016/S1474-4422\(19\)30285-6](https://doi.org/10.1016/S1474-4422(19)30285-6)
541. van der Molen, L., van Rossum, M.A., Burkhead, L.M. et al. A Randomized Preventive Rehabilitation Trial in Advanced Head and Neck Cancer Patients Treated with Chemoradiotherapy: Feasibility, Compliance, and Short-term Effects. *Dysphagia* 26, 155–170 (2011). <https://doi.org/10.1007/s00455-010-9288-y>
542. van der Westhuizen, L., Von, S. J., Wilkerson, B. J., Johnson, B. L., Jones, Y., Cobb, W. S., & Smith, D. E. (2011). Impact of Nissen fundoplication on laryngopharyngeal reflux symptoms. *The American Surgeon*, 77(7), 878–882. <https://doi.org/10.1177/000313481107700723>
543. Van Hulle A, & Hux K. (2006). Improvement patterns among survivors of brain injury: three case examples documenting the effectiveness of memory compensation strategies. *Brain Injury*, 20(1), 101–109. <https://doi.org/10.1080/02699050500309684>
544. van Leer E, & Connor NP. (2010). Patient perceptions of voice therapy adherence. *Journal of Voice*, 24(4), 458–469. <https://doi.org/10.1016/j.jvoice.2008.12.009>
545. *van Leer, E., Lewis, B., & Porcaro, N. (2021). Effect of an iOS App on Voice Therapy Adherence and Motivation. *American Journal of Speech-Language Pathology*, 30(1), 210–227.
546. *van Leer, E., & Connor, N. P. (2012). Use of Portable Digital Media Players Increases Patient Motivation and Practice in Voice Therapy. *Journal of Voice*, 26(4), 447–453. <https://doi.org/10.1016/j.jvoice.2011.05.006>
547. *van Leer, E., & Connor, N.P. (2015). Predicting and Influencing Voice Therapy Adherence Using Social-Cognitive Factors and Mobile Video. *American Journal of Speech-Language Pathology*, 24(2), 164–176.
548. van Leer, E., Hapner, E. R., & Connor, N. P. (2008). Transtheoretical Model of Health Behavior Change Applied to Voice Therapy. *Journal of Voice*, 22(6), 688–698. <https://doi.org/10.1016/j.jvoice.2007.01.011>

549. Van Scoy, L. J., Levi, B. H., Witt, P., Bramble, C., Richardson, C., Putzig, I., Levi, A. R., Wasserman, E., Chinchilli, V., Tucci, A., & Green, M. J. (2020). Association of Participation in an End-of-Life Conversation Game With Advance Care Planning Behavior and Perspectives Among African American Individuals. *JAMA Network Open*, 3(5), e204315. <https://doi.org/10.1001/jamanetworkopen.2020.4315>
550. van-Velthoven, M. H. M. M. T., Tudor Car, L., Gentry, S., & Car, J. (2013). Telephone delivered interventions for preventing HIV infection in HIV-negative persons. *The Cochrane Database of Systematic Reviews*, 5, CD009190. <https://doi.org/10.1002/14651858.CD009190.pub2>
551. Vauth, R. (2011). If antipsychotic drugs are not sufficient. *Nervenheilkunde*, 30(4), 239–244.
552. Verhelst, H., Vander Linden, C., Vingerhoets, G., & Caeyenberghs, K. (2017). How to Train an Injured Brain? A Pilot Feasibility Study of Home-Based Computerized Cognitive Training. *Games for Health Journal*, 6(1), 28–38. <https://doi.org/10.1089/g4h.2016.0043>
553. Veroff, D. R., Ochoa-Arvelo, T., & Venator, B. (2013). A randomized study of telephonic care support in populations at risk for musculoskeletal preference-sensitive surgeries. *BMC Medical Informatics and Decision Making*, 13, 21. <https://doi.org/10.1186/1472-6947-13-21>
554. Vertigan, A. E., Theodoros, D. G., Winkworth, A. L., & Gibson, P. G. (2007). Chronic cough: A tutorial for speech-language pathologists. *Journal of Medical Speech-Language Pathology*, 15(3), 189–206.
555. Vignal, J. C., Luc, G., Wagner, T., Cunha, A. S., & Collet, D. (2012). Re-operation for failed gastro-esophageal fundoplication. What results to expect? *Journal of Visceral Surgery*, 149(1), e61-65. <https://doi.org/10.1016/j.jviscsurg.2011.12.004>
556. Vinson, K. N., Zraick, R. I., & Ragland, F. J. (2010). Injection versus medialization laryngoplasty for the treatment of unilateral vocal fold paralysis: follow-up at six months. *The Laryngoscope*, 120(9), 1802–1807. <https://doi.org/10.1002/lary.20982>
557. Vogiatzaki, E., & Krukowski, A. (2019). Maintaining Mental Wellbeing of Elderly at Home. In I. Ganchev, N. M. Garcia, C. Dobre, C. X. Mavromoustakis, & R. Goleva (Eds.), *Enhanced Living Environments: Algorithms, Architectures, Platforms, and Systems*(Vol. 11369, pp. 177–209). Springer International Publishing Ag. https://doi.org/10.1007/978-3-030-10752-9_8
558. Vollmer, W. M., Feldstein, A., Smith, D. H., Dubanoski, J. P., Waterbury, A., Schneider, J. L., Clark, S. A., & Rand, C. (2011). Use of health information technology to improve medication adherence. *The American Journal of Managed Care*, 17(12 Spec No.), SP79-87.
559. von Wuehlisch, F. S., & Pascoe, M. (2011). Maximizing health literacy and client recall in a developing context: speech-language therapist and client perspectives. *International Journal of Language & Communication Disorders*, 46(5), 592–607. <https://doi.org/10.1111/j.1460-6984.2011.00014.x>
560. Wade, S. L., Carey, J., & Wolfe, C. R. (2006). The efficacy of an online cognitive-behavioral family intervention in improving child behavior and social competence following pediatric brain injury. *Rehabilitation Psychology*, 51(3), 179–189. <https://doi.org/10.1037/0090-5550.51.3.179>
561. Walker-Engstrom, M. L., Tegelberg, A., Wilhelmsson, B., & Ringqvist, I. (2002). 4-year follow-up of treatment with dental appliance or uvulopalatopharyngoplasty in patients with obstructive sleep apnea - A randomized study. *Chest*, 121(3), 739–746. <https://doi.org/10.1378/chest.121.3.739>

562. *Wall LR, Ward EC, Cartmill B, Hill AJ, Porceddu SV. Adherence to a prophylactic swallowing therapy program during (chemo) radiotherapy: impact of service-delivery model and patient factors. *Dysphagia*. 2016. doi:10.1007/s00455-016-9757-z.
563. Wang, Z., Zheng, Q., & Jin, Z. (2012). Meta-analysis of robot-assisted versus conventional laparoscopic Nissen fundoplication for gastro-oesophageal reflux disease. *ANZ Journal of Surgery*, 82(3), 112–117. <https://doi.org/10.1111/j.1445-2197.2011.05964.x>
564. Ward, E. C., Wall, L. R., Burns, C. L., Cartmill, B., & Hill, A. J. (2017). Application of telepractice for head and neck cancer management: a review of speech language pathology service models. *Current Opinion in Otolaryngology & Head and Neck Surgery*, 25(3), 169–174. <https://doi.org/10.1097/MOO.0000000000000357>
565. Watts, C. R. (2016). A retrospective study of long-term treatment outcomes for reduced vocal intensity in hypokinetic dysarthria. *BMC Ear, Nose and Throat Disorders*, 16(2). <https://link.springer.com/article/10.1186/s12901-016-0022-8>.
566. Wei, X., Hicks, J. P., Pasang, P., Zhang, Z., Haldane, V., Liu, X., Yin, T., Wang, L., Shi, D., Ge, S., Walley, J., Upshur, R., & Hu, J. (2019). Protocol for a randomised controlled trial to evaluate the effectiveness of improving tuberculosis patients' treatment adherence via electronic monitors and an app versus usual care in Tibet. *Trials*, 20(1), 273. <https://doi.org/10.1186/s13063-019-3364-x>
567. Wells, M., & King, E. (2017). Patient adherence to swallowing exercises in head and neck cancer. *Current Opinion in Otolaryngology & Head and Neck Surgery*, 25(3), 175–181. <https://doi.org/10.1097/MOO.0000000000000356>
568. Welner, S. L., Simon, J. A., & Welner, B. (2002). Maximizing health in menopausal women with disabilities. *Menopause-the Journal of the North American Menopause Society*, 9(3), 208–219. <https://doi.org/10.1097/00042192-200205000-00009>
569. Welton, C., Morrison, M., Catalig, M., Chris, J., & Pataki, J. (2016). Can an interprofessional tracheostomy team improve weaning to decannulation times? A quality improvement evaluation. *Canadian Journal of Respiratory Therapy*, 52(1), 7–11.
570. Wenke, R. J., Stabler, P., Walton, C., Coman, L., Lawrie, M., O'Neill, J., Theodoros, D., & Cardell, E. (2014). Is more intensive better? Client and service provider outcomes for intensive versus standard therapy schedules for functional voice disorders. *Journal of Voice: Official Journal of the Voice Foundation*, 28(5), 652.e31-652.e43. <https://doi.org/10.1016/j.jvoice.2014.02.005>
571. Westerfelt, A. (2004). A qualitative investigation of adherence issues for men who are HIV positive. *Social Work*, 49(2), 231–239. <https://doi.org/10.1093/sw/49.2.231>
572. Williams, G., Ada, L., Hassett, L., Morris, M. E., Clark, R., Bryant, A. L., & Olver, J. (2016). Ballistic strength training compared with usual care for improving mobility following traumatic brain injury: protocol for a randomised, controlled trial. *Journal of Physiotherapy (Elsevier)*, 62(3), 164–164. <https://doi.org/10.1016/j.jphys.2016.04.003>
573. Wilson, H. J., Dasgupta, K., & Michael, K. (2018). Implementation of the Agitated Behavior Scale in the Electronic Health Record. *Rehabilitation Nursing*, 43(1), 21–25. <https://doi.org/10.1002/rnj.297>
574. Wilz, G., & Meichsner, F. (2012). Involving family members of chronically ill patients in physician-patient communication. *Bundesgesundheitsblatt-Gesundheitsforschung-Gesundheitsschutz*, 55(9), 1125–1131. <https://doi.org/10.1007/s00103-012-1532-1>
575. Winter, L., Moriarty, H. J., Robinson, K., Piersol, C. V., Vause-Earland, T., Newhart, B., Iacovone, D. B., Hodgson, N., & Gitlin, L. N. (2016). Efficacy and acceptability of a home-based, family-inclusive intervention for veterans with TBI: A randomized controlled trial. *Brain Injury*, 30(4), 373–387. <https://doi.org/10.3109/02699052.2016.1144080>

576. Wise, E. K., Hoffman, J. M., Powell, J. M., Bombardier, C. H., & Bell, K. R. (2012). Benefits of Exercise Maintenance After Traumatic Brain Injury. *Archives of Physical Medicine and Rehabilitation*, 93(8), 1319-1323. https://www.sciencedirect.com/science/article/pii/S0003999312003541?casa_token=KbC82QmjPWsAAAAA%3AKz8S3KU0f4SWRKhSWKuU7hXhZQ55QvZJRPsiZrew5Km7OCEugdJseDBOc3qEIT6whf2J_LYGdQ.
577. Woolf, C., Cauter, A., Haigh, Z., Galliers, J., Wilson, S., Kessie, A., Hirani, S., Hegarty, B., & Marshall, J. (2016). A comparison of remote therapy, face to face therapy and an attention control intervention for people with aphasia: a quasi-randomised controlled feasibility study. *Clinical Rehabilitation*, 30(4), 359-373. <https://doi.org/10.1177/0269215515582074>
578. Wright, M. M. (1999). Resuscitation of the multitrauma patient with head injury. *AACN Clinical Issues: Advanced Practice in Acute & Critical Care*, 10(1), 32-45.
579. Xu, D. R., Gong, W., Caine, E. D., Xiao, S., Hughes, J. P., Ng, M., Simoni, J., He, H., Smith, K. L., Brown, H. S., & Gloyd, S. (2016). Lay health supporters aided by a mobile phone messaging system to improve care of villagers with schizophrenia in Liuyang, China: Protocol for a randomised control trial. *BMJ Open*, 6(1), e010120. <https://doi.org/10.1136/bmjopen-2015-010120>
580. Xu, L. W., Vaca, S. D., Nalwanga, J., Muhumuza, C., Vail, D., Lerman, B. J., Kiryabwire, J., Ssenyonjo, H., Mukasa, J., Muhumuza, M., Haglund, M. M., & Grant, G. (2018). Life After the Neurosurgical Ward in Sub-Saharan Africa: Neurosurgical Treatment and Outpatient Outcomes in Uganda. *World Neurosurgery*, 113, e153-e160. <https://doi.org/10.1016/j.wneu.2018.01.204>
581. Yadlapati, R., Pandolfino, J. E., Alexeeva, O., Gregory, D. L., Craven, M. R., Liebovitz, D., Lichten, A., Seger, E., Workman, M., St Peter, N., Craft, J., Doerfler, B., & Keswani, R. N. (2018). The Reflux Improvement and Monitoring (TRIM) Program Is Associated With Symptom Improvement and Weight Reduction for Patients With Obesity and Gastroesophageal Reflux Disease. *The American Journal of Gastroenterology*, 113(1), 23-30. <https://doi.org/10.1038/ajg.2017.262>
582. Yahanda, A. T., Marino, N. E., Barron, J., Concepcion, A., St John, T., Lu, K., Chermide-Scabbo, C., Aladegbami, B., Ross, W., Clohisy, J., & Kirby, J. P. (2019). Patient Engagement and Cost Savings Achieved by Automated Telemonitoring Systems Designed to Prevent and Identify Surgical Site Infections After Joint Replacement. *Telemedicine Journal and E-Health: The Official Journal of the American Telemedicine Association*, 25(2), 143-151. <https://doi.org/10.1089/tmj.2017.0325>
583. Yan, C., Liang, W.-T., Wang, Z.-G., Hu, Z.-W., Wu, J.-M., Zhang, C., & Chen, M.-P. (2015). Comparison of Stretta procedure and toupet fundoplication for gastroesophageal reflux disease-related extra-esophageal symptoms. *World Journal of Gastroenterology*, 21(45), 12882-12887. <https://doi.org/10.3748/wjg.v21.i45.12882>
584. Yan, Y., Liu, L., Zeng, J., & Zhang, L. (2018). Evaluation and Exploration on the Effect of the Management of Chronic Obstructive Pulmonary Disease in Rural Areas through an Internet-Based Network Consulting Room. *Medical Principles and Practice: International Journal of the Kuwait University, Health Science Centre*, 27(3), 222-226. <https://doi.org/10.1159/000488591>
585. Yang, H., Meun, C., Sun, X., & Watson, D. I. (2012). Outcome following management of dysphagia after laparoscopic anti-reflux surgery. *World Journal of Surgery*, 36(4), 838-843. <https://doi.org/10.1007/s00268-011-1416-9>
586. Yetzer, E., Blake, K., Goetsch, N., Shook, M., & St Paul, M. (2015). SAFE Medication Management for Patients with Physical Impairments of Stroke, Part

- One. *Rehabilitation Nursing: The Official Journal of the Association of Rehabilitation Nurses*, 40(4), 260–266. <https://doi.org/10.1002/rnj.194>
587. Yorkston, K., Baylor, C., & Britton, D. (2017). Speech Versus Speaking: The Experiences of People With Parkinson's Disease and Implications for Intervention. *American Journal of Speech-Language Pathology*, 26(2S), 561–568. https://doi.org/10.1044/2017_AJSLP-16-0087
588. Young, A., Gomersall, T., Bowen, A., & ACT NoW investigators. (2013). Trial participants' experiences of early enhanced speech and language therapy after stroke compared with employed visitor support: a qualitative study nested within a randomized controlled trial. *Clinical Rehabilitation*, 27(2), 174–182. <https://doi.org/10.1177/0269215512450042>
589. Yue, J. K., Upadhyayula, P. S., Avalos, L. N., & Cage, T. A. (2020). Pediatric Traumatic Brain Injury in the United States: Rural-Urban Disparities and Considerations. *Brain Sciences*, 10(3), 135. <https://doi.org/10.3390/brainsci10030135>
590. Yuhas, M., Porter, K. J., Brock, D.-J. P., Loyd, A., McCormick, B. A., & Zoellner, J. M. (2019). Development and Pilot Testing of Text Messages to Help Reduce Sugar-Sweetened Beverage Intake Among Rural Caregivers and Adolescents: Mixed Methods Study. *JMIR MHealth and UHealth*, 7(7), e14785. <https://doi.org/10.2196/14785>
591. Zakariás, L., Kelly, H., Salis, C., & Code, C. (2019). The Methodological Quality of Short-Term/Working Memory Treatments in Poststroke Aphasia: A Systematic Review. *Journal of Speech, Language & Hearing Research*, 62(6), 1979–2001. https://doi.org/10.1044/2018_JSLHR-L-18-0057
592. Zatzick, D., Donovan, D. M., Jurkovich, G., Gentilello, L., Dunn, C., Russo, J., Wang, J., Zatzick, C. D., Love, J., McFadden, C., & Rivara, F. P. (2014). Disseminating alcohol screening and brief intervention at trauma centers: a policy-relevant cluster randomized effectiveness trial. *Addiction*, 109(5), 754–765. <https://doi.org/10.1111/add.12492>
593. Zauszniewski, J. A., Lekhak, N., Napoleon, B., & Morris, D. L. (2016). Resourcefulness Training for Women Dementia Caregivers: Acceptability and Feasibility of Two Methods. *Issues in Mental Health Nursing*, 37(4), 249–256. <https://doi.org/10.3109/01612840.2015.1119222>
594. Zencke da Silva, K., Bello, J. Z., & Cassol, M. (2020). Motivational Stage Analysis of Patients with Behavioral Dysphonia. *Folia Phoniatrica et Logopaedica*, 72(4), 267–272. <https://doi.org/10.1159/000500403>
595. Zerillo, J. A., Goldenberg, B. A., Kotecha, R. R., Tewari, A. K., Jacobson, J. O., & Krzyzanowska, M. K. (2018). Interventions to Improve Oral Chemotherapy Safety and Quality: A Systematic Review. *JAMA Oncology*, 4(1), 105–117. <https://doi.org/10.1001/jamaoncol.2017.0625>
596. Zhang, J., Wang, D., & Liu, M. (2014). Overview of Systematic Reviews and Meta-Analyses of Acupuncture for Stroke. *Neuroepidemiology*, 42(1), 50–58. <https://doi.org/10.1159/000355435>
597. Zhao, W., Meng, R., Ma, C., Hou, B., Jiao, L., Zhu, F., Wu, W., Shi, J., Duan, Y., Zhang, R., Zhang, J., Sun, Y., Zhang, H., Ling, F., Wang, Y., Feng, W., Ding, Y., Ovbiagele, B., & Ji, X. (2017a). Safety and Efficacy of Remote Ischemic Preconditioning in Patients With Severe Carotid Artery Stenosis Before Carotid Artery Stenting: A Proof-of-Concept, Randomized Controlled Trial. *Circulation*, 135(6), N.PAG-N.PAG. <https://doi.org/10.1161/CIRCULATIONAHA.116.024807>
598. Zhao, W., Meng, R., Ma, C., Hou, B., Jiao, L., Zhu, F., Wu, W., Shi, J., Duan, Y., Zhang, R., Zhang, J., Sun, Y., Zhang, H., Ling, F., Wang, Y., Feng, W., Ding, Y., Ovbiagele, B., & Ji, X. (2017b). Safety and Efficacy of Remote Ischemic

- Preconditioning in Patients With Severe Carotid Artery Stenosis Before Carotid Artery Stenting A Proof-of-Concept, Randomized Controlled Trial. *Circulation*, 135(14), 1325-+. <https://doi.org/10.1161/CIRCULATIONAHA.116.024807>
599. Ziegler A, Dastolfo C, Hersan R, et al. Perceptions of voice therapy from patients diagnosed with primary muscle tension dysphonia and benign mid-membranous vocal fold lesions. *J Voice*. 2014;28:742–752. <https://doi.org/10.1016/j.jvoice.2014.02.007>.
600. Zimmerman, R. K. (2013). Ethical analyses of institutional measures to increase health care worker influenza vaccination rates. *Vaccine*, 31(52), 6172–6176. <https://doi.org/10.1016/j.vaccine.2013.10.066>
601. Zinn, S., Dudley, T. K., Bosworth, H. B., Hoenig, H. M., Duncan, P. W., & Horner, R. D. (2004). The effect of poststroke cognitive impairment on rehabilitation process and functional outcome. *Archives of Physical Medicine and Rehabilitation*, 85(7), 1084–1090. <https://doi.org/10.1016/j.apmr.2003.10.022>
602. Zumbansen, A., Peretz, I., Anglade, C., Bilodeau, J., Genereux, S., Hubert, M., & Hebert, S. (2017). Effect of choir activity in the rehabilitation of aphasia: a blind, randomised, controlled pilot study. *Aphasiology*, 31(8), 879–900. <https://doi.org/10.1080/02687038.2016.1227424>
603. Zygmunt, M. E., Shekhani, H., Kerchberger, J. M., Johnson, J.-O., & Hanna, T. N. (2016). Point-of-Care Reference Materials Increase Practice Compliance With Societal Guidelines for Incidental Findings in Emergency Imaging. *Journal of the American College of Radiology*, 13(12), 1494–1500. <https://doi.org/10.1016/j.jacr.2016.07.032>