**Table S2**. Mean values and standard deviations for SPL-normalized measures.

Condition	Tymical	NPVH	_
Condition	Typical	NEVII	
ACFL' (mL/s)			
Baseline	1.77 (0.03)	1.69 (0.02)	
Lombard	1.79 (0.03)	1.68 (0.03)	
Recovery	1.76 (0.04)	1.68 (0.03)	
MFDR' (L/s <sup>2</sup> )			
Baseline	1.67(0.03)	1.61(0.02)	
Lombard	1.65(0.03)	1.55 (0.03)	
Recovery	1.68 (0.04)	1.60 (0.02)	
OQ <sub>f</sub> ' (%)			
Baseline	1.22(0.2)	1.01 (0.2)	
Lombard	1.47(0.2)	1.29 (0.3)	
Recovery	1.21 (0.2)	1.175 (0.2)	
SGP' (cmH20)			
Baseline	4.73 (0.4)	4.35 (0.3)	
Lombard	4.48 (0.6)	4.22 (0.5)	
Recovery	4.59 (0.5)	4.47 (0.4)	

Note. ACFL' = normalized unsteady peak-to-peak airflow amplitude; MFDR' = normalized maximum flow declination rate; OQf' = normalized flow-based laryngeal open quotient; SGP' = normalized subglottal pressure.