

Table S2.2

Parkinson's disease: Findings Summarizing the Benefit of Lee Silverman Voice Treatment LOUD® (LSVT LOUD®)/LSVT® Extended (LSVT-X)/LSVT® Companion™ on Vocal Intensity

Elicitation task	Average post-treatment intensity increase	Reference(s)
Sustained phonation	6.5 – 18.0 dB	1 – 22
Syllable repetition	6.5 dB	13
Phrase repetition	2.3 – 11.2 dB	14, 20, 23
Reading aloud	3.4 – 31.0 dB	3 – 14, 16 – 22, 24 – 27
Monologue	2.5 – 12.8 dB	5, 6, 8 – 13, 16, 18, 19, 22, 24 – 26, 28
Conversation	4.1 – 6.1 dB	4, 7, 17
Verbal fluency tasks	3.3 – 8.3 dB	4, 5, 16

Note. ¹Cannito et al. (2012); ²de Azevedo et al. (2015); ³El Sharkawi et al. (2002); ⁴Griffin et al. (2018); ⁵Halpern et al. (2012); ⁶Moya-Gale et al. (2018); ⁷Narayana et al. (2010); ⁸Ramig et al. (1995); ⁹Ramig et al., (1996); ¹⁰Ramig et al., (2018); ¹¹Ramig, Sapir, Countryman, et al. (2001); ¹²Ramig, Sapir, Fox, et al. (2001); ¹³Ramig & Dromey (1996); ¹⁴Sale et al. (2015); ¹⁵Sapir et al. (2007); ¹⁶Sauvageau et al. (2015); ¹⁷Spielman et al. (2007); ¹⁸Theodoros et al. (2006); ¹⁹Theodoros et al. (2016); ²⁰Traverse (2016); ²¹Tripoliti et al. (2011); ²²Wight & Miller (2015); ²³Huber et al., (2003); ²⁴Constantinescu et al. (2011); ²⁵Nakayama et al. (2020); ²⁶Searl et al. (2011); ²⁷Wohlert (2004); ²⁸Körner Gustafsson et al. (2019).